



definity™

Screwless Wiring  
Accessories



**definity™**

The Screwless Range

## Definity™ unique product codes

When ordering either an insert or cover plate from this catalogue, please specify a unique product code as shown.

For example if you wish to order a 2 gang 13A switched socket in stainless steel with a black switch and insert, the unique product code for the insert will be SIN036BK and for the cover plate will be SCP436SS.

If a 2 gang 13A switched socket in stainless steel with a stainless steel ingot switch and black insert is preferred, the unique product code for the insert will be SIN536BKSS and for the cover plate will be SCP436SS.

<b>SIN</b>	<b>036</b>	<b>BK</b>	<b>SS</b>
Insert Prefix	Product Number	Insert Colour	Ingot Switch Finish (if applicable)
<b>SCP</b>	<b>436</b>	<b>SS</b>	
Cover Plate Prefix	Product Number	Product Colour	

## Contents

### Product Complete Design

Switches	E6
Power Socket Outlets	E14
Fused Connection Units	E18
45A Switches	E22
Control Switches	E24
Socket & Blank Plates	E27
Telephone & Data Sockets	E30
Satellite & Coaxial Outlets	E31
New Media™ Plates	E32

### Components Listing

Switches	E34
Switches & Blank Plates	E41
Socket Outlets	E42
Fused Connection Units	E48
Red Fused Connection Units	E52
45A Switches	E53
RJ11 Outlet	E54
UK Telephone Outlet	E55
Satellite & Coaxial Outlets	E56
New Media™ Plates	E58
Galvanised Boxes	E59
Dry Lining Boxes	E60


The smooth, clean lines of Definity™ products provide the ultimate finishing touch to a feature packed range of decorative domestic electrical accessories.

Definity™ has evolved from our well established Define® flat plate accessory range and features all of the same attributes including modular switching but without the visible fixing screws.

Definity™ goes one stage further by incorporating screwless, push-fit face plates in 7 assorted finishes. The face plates are supplied independently of the electrical inserts which means that the initial installation of the product can be carried out and any subsequent maintenance or decoration completed before the final selection and fixing of the face plate.

For the installer, this means a greater degree of flexibility in the timing of the installation of the insert and the distributor

need not carry excessive levels of costly finished product. Furthermore should subsequent interior design change or re-decoration dictate that a different colour accessory be required to complement the new scheme, replacement plates can be sourced individually and fitted without the need for any special tools or electrical skills.



Each Definity™ product comprises an insert and a decorative cover plate. Inserts are available in Black, White and Grey (Grey is Ingot only). Plates are available in 7 different finishes as detailed in this catalogue and as illustrated below.

Simply select the required insert and choice of cover plate finish.

\*UK Design Registration 3015621

# Switches

**MINIGRID®**

The range of Definity™ modular switches comprises of both moulded black or white switches as well as metallic finished 'Ingot' switches, which features a simple single screw fixing to the insert. The modular Minigrig® format is fitted as standard and is enhanced by the availability of multi-functional and fully interchangeable modules which also includes 'Ingot' finishes through the range.

The unfurnished single and double plates offer the installer unprecedented flexibility in creating customised wiring solutions.



The rotary dimmer switches are interchangeable with the use of our M10 nut runner tool. There are a host of alternative dimmer modules and plates available, see page J37.



Traditional toggle switches are also listed with an intermediate single switch plate option. The 2 way toggle switch is interchangeable with the intermediate toggle module.



All Definity™ switch plates are modular as standard, allowing you to create virtually any switch plate you require e.g. Two way switch next to an intermediate switch (shown above).



For details of the complete Minigrig® range of modules, please refer to our dedicated Minigrig® section.

Modular Switches | Rotary Dimmer Switches  
Toggle Switches | Control Switches


Definity™ plates are coated stainless steel, available in the following finishes: Brushed Stainless (BS), Polished Chrome (CH), Stainless Steel (SS) and Metal White (MW) White (PW) & Black (BK) are also available, produced from polycarbonate.

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Simple, single screw or snap fit installation of the modules on the mounting plates has encouraged contractors to devise and install customised switching solutions on-site.



SIN011 | SIN025 **SCP401**



SIN012 **SCP402**



SIN013 **SCP403**



SIN411 | SIN425 **SCP401**



SIN412 **SCP402**



SIN413 **SCP403**



SIN019 **SCP404**



SIN105 **SCP406**



SIN414 **SCP404**



SIN416 **SCP406**

**DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)**  
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

**DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)**  
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

**1 Gang Intermediate Switch Insert**

**SIN025** 10AX 1 Gang Intermediate Switch Insert

**MiniGrid® Cover Plates**

**SCP401** 1 Gang MiniGrid® Cover Plate - 1 Aperture

**2 Way Switch Inserts**

**SIN011** 10AX 1 Gang 2 Way Switch Insert

**SIN012** 10AX 2 Gang 2 Way Switch Insert

**SIN013** 10AX 3 Gang 2 Way Switch Insert

**SIN019** 10AX 4 Gang 2 Way Switch Insert

**SIN105** 10AX 6 Gang 2 Way Switch Insert

**MiniGrid® Cover Plates**

**SCP401** 1 Gang MiniGrid® Cover Plate - 1 Aperture

**SCP402** 1 Gang MiniGrid® Cover Plate - 2 Apertures

**SCP403** 1 Gang MiniGrid® Cover Plate - 3 Apertures

**SCP404** 2 Gang MiniGrid® Cover Plate - 2 x 2 Apertures

**SCP406** 2 Gang MiniGrid® Cover Plate - 2 x 3 Apertures

Standards: BS EN 60669-1

Back Box Depth: 25mm Minimum Cable Size: 4 x 1.5mm<sup>2</sup> or 2 x 2.5mm<sup>2</sup>

Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:

SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

**Ingot 1 Gang Intermediate Switch Insert**

**SIN425** 10AX Ingot 1 Gang Intermediate Switch Insert

**MiniGrid® Cover Plates**

**SCP401** 1 Gang MiniGrid® Cover Plate - 1 Aperture

**Ingot 2 Way Switch Inserts**

**SIN411** 10AX Ingot 1 Gang 2 Way Switch Insert

**SIN412** 10AX Ingot 2 Gang 2 Way Switch Insert

**SIN413** 10AX Ingot 3 Gang 2 Way Switch Insert

**SIN414** 10AX Ingot 4 Gang 2 Way Switch Insert

**SIN416** 10AX Ingot 6 Gang 2 Way Switch Insert

**MiniGrid® Cover Plates**

**SCP401** 1 Gang MiniGrid® Cover Plate - 1 Aperture

**SCP402** 1 Gang MiniGrid® Cover Plate - 2 Apertures

**SCP403** 1 Gang MiniGrid® Cover Plate - 3 Apertures

**SCP404** 2 Gang MiniGrid® Cover Plate - 2 x 2 Apertures

**SCP406** 2 Gang MiniGrid® Cover Plate - 2 x 3 Apertures

Standards: BS EN 60669-1

Back Box Depth: 25mm Minimum Cable Size: 4 x 1.5mm<sup>2</sup> or 2 x 2.5mm<sup>2</sup>

Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:

SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black



SIN140, SIN141  
SCP241



SIN142  
SCP242



SP900 MD9014



SIN143 SCP243



SIN144 SCP244

**Dimmer Modules**

- MD9001** 6A 2 Way Push On/Off (Non-Dimming) Module (25 x 62mm)
- MD9010** 1-10V Analogue Dimmer Module (25 x 62mm)
- MD9022** 250W 2 Leading Edge Way Dimmer Module (25 x 62mm)
- MD9042** 400W 2 Way Leading Edge Dimmer Module (25 x 62mm)
- MD9014** 100W Dual Mode Dimmer Module with Trim (26.5 x 55mm)

**DEFINITY™ PLATES ARE  
MADE UP OF 2 COMPONENTS  
(INSERT & COVER PLATE)**

Please select one of each component:  
Choose Insert (**Blue Code**)  
then Choose Cover Plate (**Orange Code**)

We recommend the use of branded halogen lamps with all Definity™ leading edge dimmers. The use of inferior, non-branded lamps may require the nominal rating of the dimmer to be reduced. These dimmer switches have not been designed to use with LED lamps. However, they may be suitable for some good quality LED lamps. For further information please contact Click® Technical support team.

**Leading Edge Dimmer Switch Inserts - Push On/Off**

- SIN140** 1 Gang 2 Way 400Va Dimmer Switch Insert
- SIN141** 1 Gang 2 Way 250Va Dimmer Switch Insert
- SIN142** 2 Gang 2 Way 250Va Dimmer Switch Insert
- SIN143** 3 Gang 2 Way 250Va Dimmer Switch Insert
- SIN144** 4 Gang 2 Way 250Va Dimmer Switch Insert

**Dimmer Switch Cover Plate & Dimmer Knob**

- SCP241** 1 Gang Dimmer Switch Cover Plate
- SCP241** 1 Gang Dimmer Switch Cover Plate
- SCP242** 2 Gang Dimmer Switch Cover Plate
- SCP243** 3 Gang Dimmer Switch Cover Plate
- SCP244** 4 Gang Dimmer Switch Cover Plate

BK dimmer plates are available with chrome knob, e.g. SCP241BKCH

**Dimmer M10 Nut Runner**

**SP900** Dimmer M10 Nut Runner Tool  
Use the nut runner to easily exchange dimmer modules and create customised dimmer switch plate

Standards: BS EN 60669-1 BS EN 55015 BS EN 61000-3-2 BS EN 61000-3-3  
Back Box Depth: 35mm Minimum Cable Size: 2 x 1.5mm<sup>2</sup> Type: Leading Edge  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour, PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black



SIN161  
SCP241



SIN162  
SCP242



SP900 MD9014



SIN163 SCP243



SIN164 SCP244

**Dimmer Modules**

- MD9001** 6A 2 Way Push On/Off (Non-Dimming) Module (25 x 62mm)
- MD9010** 1-10V Analogue Dimmer Module (25 x 62mm)
- MD9022** 250W 2 Leading Edge Way Dimmer Module (25 x 62mm)
- MD9042** 400W 2 Way Leading Edge Dimmer Module (25 x 62mm)
- MD9014** 100W Dual Mode Dimmer Module with Trim (26.5 x 55mm)

**DEFINITY™ PLATES ARE  
MADE UP OF 2 COMPONENTS  
(INSERT & COVER PLATE)**

Please select one of each component:  
Choose Insert (**Blue Code**)  
then Choose Cover Plate (**Orange Code**)

We recommend the use of branded LED lamps with all Definity™ trailing edge dimmers. The use of inferior, non-branded lamps may require the nominal rating of the dimmer to be reduced. For further information please contact Click® Technical support team.

**Trailing Edge Dimmer Switch Inserts - Push On/Off**

- SIN161** 1 Gang 2 Way 100W Dimmer Switch Insert
- SIN162** 2 Gang 2 Way 100W Dimmer Switch Insert
- SIN163** 3 Gang 2 Way 100W Dimmer Switch Insert
- SIN164** 4 Gang 2 Way 100W Dimmer Switch Insert

**Dimmer Switch Cover Plate & Dimmer Knob**

- SCP241** 1 Gang Dimmer Switch Cover Plate
- SCP242** 2 Gang Dimmer Switch Cover Plate
- SCP243** 3 Gang Dimmer Switch Cover Plate
- SCP244** 4 Gang Dimmer Switch Cover Plate

BK dimmer plates are available with chrome knob, e.g. SCP241BKCH

**Dimmer M10 Nut Runner**

**SP900** Dimmer M10 Nut Runner Tool  
Use the nut runner to easily exchange dimmer modules and create customised dimmer switch plate

Standards: BS EN 60669-1 BS EN 60669-2-1 BS EN 55015 BS EN 61000-3-2  
Back Box Depth: 35mm Minimum Cable Size: 2 x 1.5mm<sup>2</sup> Type: Trailing Edge  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour, PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black



SIN141PL  
SCP241



SIN142PL  
SCP242



SP900



MD9014



SIN143PL

SCP243



SIN144PL

SCP244

**Dimmer Modules**

- MD9001** 6A 2 Way Push On/Off (Non-Dimming) Module (25 x 62mm)
- MD9010** 1-10V Analogue Dimmer Module (25 x 62mm)
- MD9022** 250W 2 Leading Edge Way Dimmer Module (25 x 62mm)
- MD9042** 400W 2 Way Leading Edge Dimmer Module (25 x 62mm)
- MD9014** 100W Dual Mode Dimmer Module with Trim (26.5 x 55mm)

**DEFINITY™ PLATES ARE  
MADE UP OF 2 COMPONENTS  
(INSERT & COVER PLATE)**

Please select one of each component:  
Choose Insert (**Blue Code**)  
then Choose Cover Plate (**Orange Code**)

**Rotary Dimmer Mounting Plates Inserts**

- SIN141PL** 1 Gang Unfurnished Dimmer Switch Insert - 1 Aperture
- SIN142PL** 2 Gang Unfurnished Dimmer Switch Insert - 2 Apertures
- SIN143PL** 3 Gang Unfurnished Dimmer Switch Insert - 3 Apertures
- SIN144PL** 4 Gang Unfurnished Dimmer Switch Insert - 4 Apertures

The dimmer modules are supplied separately to the plates listed above.

**Dimmer M10 Nut Runner**

**SP900** Dimmer M10 Nut Runner Tool

Use the nut runner to easily exchange dimmer modules and create customised dimmer switch plate

Standards: BS 5733

Back Box Depth: 35mm Minimum

Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:

SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

**Dimmer Switch Cover Plate & Dimmer Knob**

- SCP241** 1 Gang Dimmer Switch Cover Plate
- SCP242** 2 Gang Dimmer Switch Cover Plate
- SCP243** 3 Gang Dimmer Switch Cover Plate
- SCP244** 4 Gang Dimmer Switch Cover Plate

BK dimmer plates are available with chrome knob, e.g. SCP241BKCH



SIN420, SIN421  
SCP221



SIN422  
SCP222



SIN423

SCP223



SIN424

SCP224

**10AX Intermediate Toggle Switch Modules**

**MD9125** 10AX Intermediate Toggle Switch Module

**Plate Finish**

Chrome

Stainless Steel & Brushed Stainless

**Module Finish**

CH - Chrome

PN - Pearl Nickel



MD9125

**DEFINITY™ PLATES ARE  
MADE UP OF 2 COMPONENTS  
(INSERT & COVER PLATE)**

Please select one of each component:  
Choose Insert (**Blue Code**)  
then Choose Cover Plate (**Orange Code**)

**1 Gang Intermediate Toggle Switch Insert**

**SIN420** 10AX 1 Gang Intermediate Toggle Switch Insert

**Toggle Switch Cover Plates**

**SCP221** 1 Gang Toggle Switch Cover Plate

**2 Way Toggle Switch Inserts**

**SIN421** 10AX 1 Gang 2 Way Toggle Switch Insert

**SIN422** 10AX 2 Gang 2 Way Toggle Switch Insert

**SIN423** 10AX 3 Gang 2 Way Toggle Switch Insert

**SIN424** 10AX 4 Gang 2 Way Toggle Switch Insert

**Toggle Switch Cover Plates**

**SCP221** 1 Gang Toggle Switch Cover Plate

**SCP222** 2 Gang Toggle Switch Cover Plate

**SCP223** 3 Gang Toggle Switch Cover Plate

**SCP224** 4 Gang Toggle Switch Cover Plate

Standards: BS EN 60669-1

Back Box Depth: 35mm Minimum Cable Size: 4 x 1.5mm<sup>2</sup> or 2 x 2.5mm<sup>2</sup>

Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:

SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black



SIN401    SCP401    SIN402    SCP402    SIN403    SCP403

SIN406    SCP406    SIN426    SCP426

**MINIGRID®** For details of the complete range of modules, please refer to our dedicated MiniGrid® brochure.

**MiniGrid® Unfurnished Plate Inserts**

- SIN401** 1 Gang MiniGrid® Unfurnished Plate Insert - 1 Aperture
- SIN402** 1 Gang MiniGrid® Unfurnished Plate Insert - 2 Apertures
- SIN403** 1 Gang MiniGrid® Unfurnished Plate Insert - 3 Apertures
- SIN404** 2 Gang MiniGrid® Unfurnished Plate Insert - 2 x 2 Apertures
- SIN406** 2 Gang MiniGrid® Unfurnished Plate Insert - 2 x 3 Apertures
- SIN426** 2 Gang MiniGrid® Unfurnished Plate Insert - 6 In-Line Apertures

**MiniGrid® Cover Plates**

- SCP401** 1 Gang MiniGrid® Cover Plate - 1 Aperture
- SCP402** 1 Gang MiniGrid® Cover Plate - 2 Apertures
- SCP403** 1 Gang MiniGrid® Cover Plate - 3 Apertures
- SCP404** 2 Gang MiniGrid® Cover Plate - 2 x 2 Apertures
- SCP406** 2 Gang MiniGrid® Cover Plate - 2 x 3 Apertures
- SCP426** 2 Gang MiniGrid® Cover Plate - 6 In-Line Apertures

**DEFINITY™ PLATES  
ARE MADE UP OF 2  
COMPONENTS  
(INSERT & COVER PLATE)**

Please select one  
of each component:  
Choose Insert (Blue Code)  
then Choose Cover Plate  
(Orange Code)

Standards: BS 5733  
Back Box Depth: Dependent On Modules Fitted  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black



# Power Socket Outlets, Fused Connection Units & Control Switches

With the ever increasing demand for power supplies in all areas of the home comes the problem of selecting and fitting outlets which blend harmoniously with the décor of the room in which they are to be fitted.

The 7 different Definity™ plate finishes offer a solution for almost every possible design need and will enhance the décor of any area whether in a kitchen, bedroom, lounge or study etc...

- 13A Wall Socket Outlets | Round Pin
- Wall Socket Outlets | Fused Connection Units
- Fan Isolation Switches | DP Switches





SIN630



SCP430



SIN035

SCP435

SIN535

SCP435



SIN036



SCP436

SIN536

SCP436

**DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)**  
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

**Socket Inserts**

- SIN630** 13A 1 Gang Socket Insert (Twin Earth)
- SIN035** 13A 1 Gang DP Switched Socket Insert
- SIN036** 13A 2 Gang DP Switched Socket (Twin Earth) Insert

**Ingot Socket Inserts**

- SIN535** 13A Ingot 1 Gang DP Switched Socket Insert
- SIN536** 13A Ingot 2 Gang DP Switched Socket (Twin Earth) Insert

**Socket Cover Plates**

- SCP430** 13A 1 Gang Socket Cover Plate
- SCP435** 13A 1 Gang Switched Socket Cover Plate
- SCP436** 13A 2 Gang Switched Socket Cover Plate

**Socket Cover Plates**

- SCP435** 13A 1 Gang Switched Socket Cover Plate
- SCP436** 13A 2 Gang Switched Socket Cover Plate

Standards: BS 1363-2  
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black



SIN1535

SCP835



SIN1036

SCP436



SIN1840

SCP840



SIN1536

SCP840

**DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)**  
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

**Socket Inserts**

- SIN1035** 13A 1 Gang DP Switched Safety Shutter Socket Outlet Insert
- SIN1036** 13A 2 Gang DP Switched Safety Shutter Socket Outlet (Twin Earth) Insert
- SIN1840** 13A 2 Gang DP Switched Safety Shutter Socket Outlet With Outboard Rockers & Neons (Twin Earth) Insert

**Ingot Socket Inserts**

- SIN1535** 13A Ingot 1 Gang DP Switched Safety Shutter Socket Outlet Insert
- SIN1536** 13A Ingot 2 Gang DP Switched Safety Shutter Socket Outlet (Twin Earth) Insert

**Socket Cover Plates**

- SCP835** 13A 1 Gang Switched Safety Shutter Socket Cover Plate
- SCP436** 13A 2 Gang Switched Socket Cover Plate
- SCP840** 13A 2 Gang Outboard Switched Safety Shutter Socket Cover Plate

**Socket Cover Plates**

- SCP835** 13A 1 Gang Switched Safety Shutter Socket Cover Plate
- SCP436** 13A 2 Gang Switched Socket Cover Plate

Standards: BS 1363-2  
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black





SIN771U

SCP471U



SIN571U

SCP471U



SIN570

SCP470



SIN580

SCP480

**DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)**  
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

**Socket Inserts**

- SIN771U** 13A 1 Gang Switched Socket With 2.1A USB Outlet (Twin Earth) Insert
- SIN770** 13A 2 Gang Switched Socket With 2.1A USB Outlet (Twin Earth) Insert
- SIN780** 13A 2 Gang Switched Socket With Twin 2.1A USB Outlets (4.2A) (Twin Earth) Insert

**Ingot Socket Inserts**

- SIN571U** 13A Ingot 1 Gang Switched Socket With 2.1A USB Outlet (Twin Earth) Insert
- SIN570** 13A Ingot 2 Gang Switched Sockets With 2.1A USB Outlet (Twin Earth) Insert
- SIN580** 13A Ingot 2 Gang Switched Socket With Twin 2.1A USB Outlets (4.2A) (Twin Earth) Insert

**Socket Cover Plates**

- SCP471U** 13A 1 Gang Switched Socket With 2.1A USB Charger Cover Plate
- SCP470** 13A 2 Gang Switched Socket With 2.1A USB Charger Cover Plate
- SCP480** 13A 2 Gang Switched Socket With Twin 2.1A USB Charger Cover Plate

**Socket Cover Plates**

- SCP471U** 13A 1 Gang Switched Socket With 2.1A USB Charger Cover Plate
- SCP470** 13A 2 Gang Switched Socket With 2.1A USB Charger Cover Plate
- SCP480** 13A 2 Gang Switched Socket With Twin 2.1A USB Charger Cover Plate

Standards: BS 1363-2: 2016 +A1: 2018 BS EN IEC 62368-1 BS EN 62680-1-1  
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black



SIN786

SCP486



SIN586

SCP486



SIN660

SCP660



SIN655

SCP655

**DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)**  
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

**Socket Inserts**

- SIN786** 13A 2 Gang Switched Safety Shutter Socket Outlet With Type A & C USB (4.2A) Outlets (Twin Earth) Insert

**Ingot Socket Inserts**

- SIN586** 13A Ingot 2 Gang Switched Safety Shutter Socket Outlet With Type A & C USB (4.2A) Outlets (Twin Earth) Insert

**Lockable Switch Insert**

- SIN660** 20A Double Pole Key Lockable Switch Insert

**Lockable Socket Inserts**

- SIN655** 13A 1G DP Key Lockable Socket With Neon Insert

**Socket Cover Plates**

- SCP486** 13A 2 Gang Switched Safety Shutter Socket Outlet With Type A & C USB (4.2A) Outlets Cover Plate

**Socket Cover Plates**

- SCP486** 13A 2 Gang Switched Safety Shutter Socket Outlet With Type A & C USB (4.2A) Outlets Cover Plate

**Lockable Switch Cover Plates**

- SCP660** 20A Double Pole Key Lockable Switch Cover Plate

**Lockable Socket Cover Plates**

- SCP655** 13A 1 Gang DP Key Lockable Socket With Neon Cover Plate

Standards: BS 1363-2: 2016 +A1: 2018 BS EN IEC 62368-1 BS EN 62680-1-1 655: BS EN 60669-1 BS 1363-2 660: BS EN 60669-1  
Back Box Depth: 35mm Minimum 655 660: 47mm Cable Size: 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black



SIN050 SCP150 SIN051 SCP151 SIN052 SCP152



SIN053 SCP153 SIN652 SCP252 SIN653 SCP253

**DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)**  
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

**Fused Connection Unit With Optional Flex Outlet Inserts**

- SIN050 13A FCU Insert
- SIN051 13A Switched FCU Insert
- SIN052 13A Switched FCU With Neon Insert
- SIN053 13A FCU With Neon Insert

**Fused Connection Unit Without Flex Outlet Inserts**

- SIN650 13A FCU Insert
- SIN651 13A Switched FCU Insert
- SIN652 13A Switched FCU With Neon Insert
- SIN653 13A FCU With Neon Insert

**Fused Connection Unit With Flex Outlet Cover Plates**

- SCP150 13A FCU Cover Plate
- SCP151 13A Switched FCU Cover Plate
- SCP152 13A Switched FCU With Neon Cover Plate
- SCP153 13A FCU With Neon Cover Plate

**Fused Connection Unit Without Flex Outlet Cover Plates**

- SCP250 13A FCU Cover Plate
- SCP251 13A Switched FCU Cover Plate
- SCP252 13A Switched FCU With Neon Cover Plate
- SCP253 13A FCU With Neon Cover Plate

Standards: BS 1363-4 BS 1362  
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>  
Dimensions: 86mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black



SIN550 SCP150 SIN551 SCP151 SIN552 SCP152



SIN750 SCP250 SIN751 SCP251 SIN753 SCP253

**DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)**  
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

**Ingot Fused Connection Unit With Optional Flex Outlet Inserts**

- SIN550 13A Ingot FCU Insert
- SIN551 13A Ingot Switched FCU Insert
- SIN552 13A Ingot Switched FCU With Neon Insert
- SIN553 13A Ingot FCU With Neon Insert

**Ingot Fused Connection Unit Without Flex Outlet Inserts**

- SIN750 13A Ingot FCU Insert
- SIN751 13A Ingot Switched FCU Insert
- SIN752 13A Ingot Switched FCU With Neon Insert
- SIN753 13A Ingot FCU With Neon Insert

**Fused Connection Unit With Flex Outlet Cover Plates**

- SCP150 13A FCU Cover Plate
- SCP151 13A Switched FCU Cover Plate
- SCP152 13A Switched FCU With Neon Cover Plate
- SCP153 13A FCU With Neon Cover Plate

**Fused Connection Unit Without Flex Outlet Cover Plates**

- SCP250 13A FCU Cover Plate
- SCP251 13A Switched FCU Cover Plate
- SCP252 13A Switched FCU With Neon Cover Plate
- SCP253 13A FCU With Neon Cover Plate

Standards: BS 1363-4 BS 1362  
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>  
Dimensions: 86mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black



SIN250

SCP350



SIN251

SCP351



SIN252

SCP352



SIN253

SCP353

**DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)**  
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

**Lockable Fused Connection Unit With Optional Flex Outlet Insert**

- SIN250** 13A Lockable FCU Insert
- SIN249RD** 3A Lockable FCU Insert
- SIN253** 13A Lockable FCU With Neon Insert

**Lockable Switched Fused Connection Unit With Optional Flex Outlet Insert**

- SIN251** 13A Lockable Switched FCU Insert
- SIN256RD** 3A Lockable Switched FCU Insert
- SIN252** 13A Lockable Switched FCU With Neon Insert

**Lockable Fused Connection Unit With Flex Outlet Cover Plates**

- SCP350** 13A Lockable FCU Cover Plate
- SCP350** 13A Lockable FCU Cover Plate
- SCP353** 13A Lockable FCU With Neon Cover Plate

**Lockable Switched Fused Connection Unit With Flex Outlet Cover Plate**

- SCP351** 13A Lockable Switched FCU Cover Plate
- SCP351** 13A Lockable Switched FCU Cover Plate
- SCP352** 13A Lockable Switched FCU With Neon Cover Plate

Standards: BS 1363-4 BS 1362  
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>  
Dimensions: 86mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black



SIN850

SCP450



SIN851

SCP451



SIN852

SCP452



SIN853

SCP453

**DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)**  
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

**Lockable Fused Connection Unit Without Flex Outlet Insert**

- SIN850** 13A Lockable FCU Insert
- SIN851** 13A Lockable Switched FCU Insert
- SIN852** 13A Lockable Switched FCU With Neon Insert
- SIN853** 13A Lockable FCU With Neon Insert

**Lockable Fused Connection Unit Without Flex Outlet Cover Plates**

- SCP450** 13A Lockable FCU Cover Plate
- SCP451** 13A Lockable Switched FCU Cover Plate
- SCP452** 13A Lockable Switched FCU With Neon Cover Plate
- SCP453** 13A Lockable FCU With Neon Cover Plate

Standards: BS 1363-4 BS 1362  
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>  
Dimensions: 86mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black



**DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)**  
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

**45A DP Switches & Socket Inserts**

- SIN200** 45A 1 Gang DP Switch Insert
- SIN201** 45A 1 Gang DP Switch With Neon Insert
- SIN202** 45A 2 Gang DP Switch Insert
- SIN203** 45A 2 Gang DP Switch With Neon Insert
- SIN204** 45A DP Switch With 13A DP Switched Socket Insert
- SIN205** 45A DP Switch With 13A DP Switched Socket & Neons Insert

**Switches & Socket Cover Plates**

- SCP200** 45A 1 Gang Switch Cover Plate
- SCP201** 45A 1 Gang Switch With Neon Cover Plate
- SCP202** 45A 2 Gang Switch Cover Plate
- SCP203** 45A 2 Gang Switch With Neon Cover Plate
- SCP204** 45A 2 Gang Switch With 13A Switched Socket Cover Plate
- SCP205** 45A 2 Gang Switch With 13A Switched Socket & Neons Cover Plate

Standards: SIN200 SIN201 SIN202 SIN203: BS EN 60669-1 SIN204 SIN205: BS 4177  
Back Box Depth: 47mm Cable Size: 1 x 16mm<sup>2</sup>  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)  
SCP202 SCP203: 86mm (W) x 146mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black



**DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)**  
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

**Ingot 45A Switches & Socket Inserts**

- SIN500** 45A Ingot 1 Gang DP Switch Insert
- SIN501** 45A Ingot 1 Gang DP Switch With Neon Insert
- SIN502** 45A Ingot 2 Gang DP Switch Insert
- SIN503** 45A Ingot 2 Gang DP Switch With Neon Insert
- SIN504** 45A Ingot DP Switch With 13A DP Switched Socket Insert
- SIN505** 45A Ingot DP Switch With 13A DP Switched Socket & Neons Insert

**Switches & Socket Cover Plates**

- SCP200** 45A 1 Gang Switch Cover Plate
- SCP201** 45A 1 Gang Switch With Neon Cover Plate
- SCP202** 45A 2 Gang Switch Cover Plate
- SCP203** 45A 2 Gang Switch With Neon Cover Plate
- SCP204** 45A 2 Gang Switch With 13A Switched Socket Cover Plate
- SCP205** 45A 2 Gang Switch With 13A Switched Socket & Neons Cover Plate

Standards: SIN500 SIN501 SIN502 SIN503: BS EN 60669-1 SIN504 SIN505: BS 4177  
Back Box Depth: 47mm Cable Size: 1 x 16mm<sup>2</sup>  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)  
SCP202 SCP203: 86mm (W) x 146mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black



SIN022



SIN023



SIN020



SIN622



SIN623



SIN520



SIN522



SIN523



SIN722



SIN723

**DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)**  
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

**DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)**  
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

**20A DP Switch With Optional Flex Outlet Inserts**

- SIN022** 20A DP Switch Insert
- SIN023** 20A DP Switch With Neon Insert

**20A DP Switch Without Flex Outlet Inserts**

- SIN622** 20A DP Switch Insert
- SIN623** 20A DP Switch With Neon Insert

**3 Pole Fan Isolation Switch Insert**

- SIN020** 10A 3 Pole Fan Isolation Switch Insert

**20A DP Switch With Flex Outlet Cover Plates**

- SCP322** 20A DP Switch Cover Plate
- SCP323** 20A DP Switch With Neon Cover Plate

**20A DP Switch Without Flex Outlet Cover Plates**

- SCP422** 20A DP Switch Cover Plate
- SCP423** 20A DP Switch With Neon Cover Plate

**Unfurnished Plate Cover Plates**

- SCP402** 1 Gang MiniGrid® Cover Plate - 2 Apertures

**Ingot 20A DP Switch With Optional Flex Inserts**

- SIN522** 20A Ingot DP Switch Insert
- SIN523** 20A Ingot DP Switch With Neon Insert

**Ingot 20A DP Switch Without Flex Inserts**

- SIN722** 20A Ingot DP Switch Insert
- SIN723** 20A Ingot DP Switch With Neon Insert

**Ingot 3 Pole Fan Isolation Switch Insert**

- SIN520** 10A Ingot 3 Pole Fan Isolation Switch Insert

**20A DP Switch With Flex Outlet Cover Plates**

- SCP322** 20A DP Switch Cover Plate
- SCP323** 20A DP Switch With Neon Cover Plate

**20A DP Switch Without Flex Outlet Cover Plates**

- SCP422** 20A DP Switch Cover Plate
- SCP423** 20A DP Switch With Neon Cover Plate

**Unfurnished Plate Cover Plates**

- SCP402** 1 Gang MiniGrid® Cover Plate - 2 Apertures

Standards: BS EN 60669-1 Back Box Depth: 022 023 622 623: 35mm Minimum 020: 25mm Minimum  
Cable Size: 022 023 622 623: 3 x 2.5mm<sup>2</sup> 020: 4 x 1.5mm<sup>2</sup> or 2 x 2.5mm<sup>2</sup>  
Dimensions: 86mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Standards: BS EN 60669-1 Back Box Depth: 35mm Minimum  
Cable Size: 20A DP: 3 x 2.5mm<sup>2</sup> 520: 4 x 1.5mm<sup>2</sup> or 2 x 2.5mm<sup>2</sup>  
Dimensions: 86mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black



SIN034 SCP234



SIN038 SCP238



SIN039 SCP239



SIN024 SCP324



SIN100 SCP100



SIN060 SCP060



SIN061 SCP061

**DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)**  
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

Click® dual voltage shaver outlets incorporate a double wound isolating transformer rated 20Va at 230V or 115V and meets BS EN 61558-2-5:2010 making it safe for use in bathrooms. Shaver outlet is not continuously rated and therefore not suitable for use as a permanent charging outlet.

**Round Pin Socket Inserts**

- SIN039 2A Round Pin Socket Insert
- SIN038 5A Round Pin Socket Insert
- SIN034 15A Round Pin Switched Socket Insert

**Round Pin Socket Cover Plates**

- SCP239 2A Round Pin Socket Cover Plate
- SCP238 5A Round Pin Socket Cover Plate
- SCP234 15A Round Pin Switched Socket Cover Plate

**Sink/Bath Switch With Neon Insert**

- SIN024 20A Sink/Bath Switch With Neon Insert

**Sink & Bath Switch With Neon Cover Plate**

- SCP324 20A Sink/Bath Switch With Neon Cover Plate

**Dual Voltage Shaver Socket Outlet Insert**

- SIN100 115/230V Dual Voltage Shaver Socket Insert

**Dual Voltage Shaver Socket Outlet Cover Plate**

- SCP100 Dual Voltage Shaver Socket Cover Plate

**Blank Plate Inserts**

- SIN060 1 Gang Blank Plate Insert
- SIN061 2 Gang Blank Plate Insert

**Blank Plate Cover Plates**

- SCP060 1 Gang Blank Cover Plate
- SCP061 2 Gang Blank Cover Plate

Standards: BS 546  
Back Box Depth: 35mm Minimum  
Cable Size: 034: 3 x 2.5mm<sup>2</sup> 038: 4 x 1.5mm<sup>2</sup> or 3 x 2.5mm<sup>2</sup> 039: 3 x 1.5mm<sup>2</sup>  
Dimensions: 86mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Standards: 024: BS EN 60669-1 100: BS EN IEC 61558-1 BS EN 61558-2-5 060 061: BS 6733  
Back Box Depth: 060: 16mm Minimum 061: 25mm Minimum 024: 35mm Minimum 100: 47mm  
Cable Size: 024: 3 x 2.5mm<sup>2</sup> 100: 2 x 1.5mm<sup>2</sup> or 1 x 2.5mm<sup>2</sup>  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D) 100: 86mm (W) x 146mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

# TV, Telephone & Data Sockets

The following pages contain details of Definity™ products designed to deal with handling data and media transfer through telephone, computer, TV or radio.

As well as the finished products please also find details of unfurnished mounting plates designed to accept custom selections of New Media™ modules from our dedicated modules section.



RJ11 Outlet | UK Telephone Outlets  
Satellite Socket Outlets | Coaxial Sockets



**DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)**  
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

**DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)**  
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

**Single RJ11 Telephone Outlet Insert**

**SIN115** Single RJ11 (Irish/US) Outlet Insert

**Telephone Outlet Inserts**

- SIN120** Single Telephone Outlet Insert - Master
- SIN125** Single Telephone Outlet Insert - Secondary
- SIN121** Twin Telephone Outlet Insert - Master
- SIN126** Twin Telephone Outlet - Secondary Insert

Twin outlets are 2 separate sockets and not internally linked together.

**Single RJ11 Telephone Outlet Cover Plate**

**SCP115** Single RJ11 Telephone Outlet Cover Plate

**Telephone Outlet Cover Plates**

- SCP120** Single Telephone Outlet Cover Plate
- SCP120** Single Telephone Outlet Cover Plate
- SCP121** Twin Telephone Outlet Cover Plate
- SCP121** Twin Telephone Outlet Cover Plate

Back Box Depth: 25mm Minimum 115: 47mm  
Dimensions: 86mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

**Non-isolated Coaxial Outlet Inserts**

- SIN065** Single Coaxial Outlet Insert
- SIN066** Twin Coaxial Outlet Insert

**Isolated Coaxial Socket Inserts**

- SIN158** Single Isolated Coaxial Outlet Insert
- SIN159** Twin Isolated Coaxial Outlet Insert

**Satellite Socket Inserts**

- SIN156** Non-isolated Single Satellite Outlet Insert
- SIN157** Isolated Satellite & Isolated Coaxial Outlet Insert
- SIN170** Non-isolated Satellite & Non-isolated Coaxial Outlet Insert

**Coaxial & Satellite Cover Plates**

- SCP231** Single Coaxial Outlet Cover Plate
- SCP232** Twin Coaxial Outlet Cover Plate

**Coaxial & Satellite Cover Plates**

- SCP231** Single Coaxial Outlet Cover Plate
- SCP232** Twin Coaxial Outlet Cover Plate

**Coaxial & Satellite Cover Plates**

- SCP231** Single Coaxial Outlet Cover Plate
- SCP232** Twin Coaxial Outlet Cover Plate
- SCP232** Twin Coaxial Outlet Cover Plate

Isolated outlets will filter out any interference, if a 2 way signal is required, i.e. for use with satellite hard wire extensions, then a non-isolated outlet is required.

Back Box Depth: 25mm Minimum  
Dimensions: 86mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black





SIN310

SCP310



SIN312

SCP312



SIN311


SCP311



MM410BK



MM405WH



MM501BK



MM440BK



See our dedicated New Media™ section for more information on the range of New Media™ modules available.

**New Media™ Unfurnished Plate Inserts**

- SIN310BK** 1 Gang New Media™ Unfurnished Plate Insert - 1 Aperture
- SIN311BK** 1 Gang New Media™ Unfurnished Plate Insert - 2 Apertures
- SIN312BK** 2 Gang New Media™ Unfurnished Plate Insert - 4 Apertures

**New Media™ Cover Plates**

- SCP310** 1 Gang New Media™ Cover Plate - 1 Aperture
- SCP311** 1 Gang New Media™ Cover Plate - 2 Apertures
- SCP312** 2 Gang New Media™ Cover Plate - 4 Apertures

**DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)**

Please select one of each component:  
Choose Insert (Blue Code)  
then Choose Cover Plate (Orange Code)

Back Box Depth: Dependent On Modules Fitted  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

# Components Listing

Definity™ gives the flexibility to mix and match insert colours to cover plate finishes giving infinite combinations. With a wide selection of standard and 'ingot' metallic inserts, simply select your design and colour of insert. After selecting your choice of insert choose your preferred cover plate and simply clip it onto the insert to finalise the installation.



Insert Design



10AX 1 Gang  
2 Way Switch



10AX 1 Gang  
Intermediate  
Switch



Single Plate  
Single Aperture  
'Unfurnished'



10AX 2 Gang  
2 Way Switch



Single Plate  
Twin Aperture  
'Unfurnished'

Select either a Standard or Ingot Insert

Standard Insert

- SIN011BK - Black
- SIN011PW - White

Ingot Switch Insert

- SIN411BKBS - Black & Brushed Stainless
- SIN411BKCH - Black & Chrome
- SIN411BKSS - Black & Stainless Steel
- SIN411PWBS - White & Brushed Stainless
- SIN411PWCH - White & Chrome
- SIN411PWSS - White & Stainless Steel
- SIN411GYBS - Grey & Brushed Stainless
- SIN411GYSS - Grey & Stainless Steel

Standard Insert

- SIN025BK - Black
- SIN025PW - White

Ingot Switch Insert

- SIN425BKBS - Black & Brushed Stainless
- SIN425BKCH - Black & Chrome
- SIN425BKSS - Black & Stainless Steel
- SIN425PWBS - White & Brushed Stainless
- SIN425PWCH - White & Chrome
- SIN425PWSS - White & Stainless Steel
- SIN425GYBS - Grey & Brushed Stainless
- SIN425GYSS - Grey & Stainless Steel

Insert Frame Only

- SIN401BK - Black
- SIN401PW - White
- SIN401GY - Grey
- SIN401RD - Red

Standard Insert

- SIN012BK - Black
- SIN012PW - White

Ingot Switch Insert

- SIN412BKBS - Black & Brushed Stainless
- SIN412BKCH - Black & Chrome
- SIN412BKSS - Black & Stainless Steel
- SIN412PWBS - White & Brushed Stainless
- SIN412PWCH - White & Chrome
- SIN412PWSS - White & Stainless Steel
- SIN412GYBS - Grey & Brushed Stainless
- SIN412GYSS - Grey & Stainless Steel

Insert Frame Only

- SIN402BK - Black
- SIN402PW - White
- SIN402GY - Grey
- SIN402RD - Red

Cover Plate

Single Cover Plate Single Aperture

SCP401††



Red (RD) Finish Available

Single Cover Plate Twin Aperture

SCP402††



Red (RD) Finish Available

Standards: BS EN 60669-1 401 402; BS 5733  
Back Box Depth: 25mm Minimum 401 402; Dependent On Modules Fitted  
Cable Size: 4 x 1.5mm<sup>2</sup> or 2 x 2.5mm<sup>2</sup>  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour, PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design



10AX 3 Gang  
2 Way Switch



Single Plate Triple  
Aperture 'Unfurnished'



10AX 4 Gang 2 Way Switch



Double Plate (2 x 2)  
Aperture 'Unfurnished'

Select either a Standard or Ingot Insert

Standard Insert

- SIN013BK - Black
- SIN013PW - White

Ingot Switch Insert

- SIN413BKBS - Black & Brushed Stainless
- SIN413BKCH - Black & Chrome
- SIN413BKSS - Black & Stainless Steel
- SIN413PWBS - White & Brushed Stainless
- SIN413PWCH - White & Chrome
- SIN413PWSS - White & Stainless Steel
- SIN413GYBS - Grey & Brushed Stainless
- SIN413GYSS - Grey & Stainless Steel

Insert Frame Only

- SIN403BK - Black
- SIN403PW - White
- SIN403GY - Grey
- SIN403RD - Red

Standard Insert

- SIN019BK - Black
- SIN019PW - White

Ingot Switch Insert

- SIN414BKBS - Black & Brushed Stainless
- SIN414BKCH - Black & Chrome
- SIN414BKSS - Black & Stainless Steel
- SIN414PWBS - White & Brushed Stainless
- SIN414PWCH - White & Chrome
- SIN414PWSS - White & Stainless Steel
- SIN414GYBS - Grey & Brushed Stainless
- SIN414GYSS - Grey & Stainless Steel

Insert Frame Only

- SIN404BK - Black
- SIN404PW - White
- SIN404GY - Grey

Cover Plate

Single Cover Plate Triple Aperture

SCP403††



Red (RD) Finish Available

Double Cover Plate (2 x 2) Aperture

SCP404††



Standards: BS EN 60669-1 403 404; BS 5733  
Back Box Depth: 25mm Minimum 403 404; Dependent On Modules Fitted  
Cable Size: 4 x 1.5mm<sup>2</sup> or 2 x 2.5mm<sup>2</sup>  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour, PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black


Insert Design



10AX 6 Gang  
2 Way Switch



Double Plate  
(2 x 3) Aperture  
'Unfurnished'



Double Plate  
(6 In-line) Aperture  
'Unfurnished'

Select either a Standard or Ingot Insert

Standard Insert

- SIN105BK - Black
- SIN105PW - White

Ingot Switch Insert

- SIN416BKBS  
Black & Brushed Stainless
- SIN416BKCH  
Black & Chrome
- SIN416BKSS  
Black & Stainless Steel
- SIN416PWBS  
White & Brushed Stainless
- SIN416PWCH  
White & Chrome
- SIN416PWSS  
White & Stainless Steel
- SIN416GYBS  
Grey & Brushed Stainless
- SIN416GYSS  
Grey & Stainless Steel

Standard Insert


- SIN406BK - Black
- SIN406PW - White
- SIN406GY - Grey

Standard Insert


- SIN426BK - Black
- SIN426PW - White
- SIN426GY - Grey

Cover Plate

Double Cover Plate (2 x 3) Aperture  
SCP40611



Double Cover Plate (6 In-line) Aperture  
SCP42611



Standards: BS EN 60669-1 406 426: BS 5733  
Back Box Depth: 25mm Minimum 406 426: Dependent On Modules Fitted  
Cable Size: 4 x 1.5mm<sup>2</sup> or 2 x 2.5mm<sup>2</sup>  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour, PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design



1 Gang 2 Way Rotary  
Dimmer Switch



2 Gang 2 Way Rotary  
Dimmer Switch



3 Gang 2 Way Rotary  
Dimmer Switch



4 Gang 2 Way  
Dimmer Switch

Select a Standard Insert

Dimmer Switch

SIN140  
400W / Va  
Suitable for dimming  
both resistive and  
inductive loads

SIN141  
250W / Va  
Suitable for dimming  
both resistive and  
inductive loads

SIN161  
100W / Va  
Suitable for dimming  
dimmable LED light sources

Dimmer knob supplied  
with cover plate

Rotary Dimmer  
Mounting Plate

SIN141PL  
Dimmer module  
supplied separately

Dimmer Switch

SIN142  
250W / Va  
Suitable for dimming  
both resistive and  
inductive loads

SIN162  
100W / Va  
Suitable for dimming  
dimmable LED light sources

Dimmer knob supplied  
with cover plate

Rotary Dimmer  
Mounting Plate

SIN142PL  
Dimmer module  
supplied separately

Dimmer Switch

SIN143  
250W / Va  
Suitable for dimming  
both resistive and  
inductive loads

SIN163  
100W / Va  
Suitable for dimming  
dimmable LED light sources

Dimmer knob supplied  
with cover plate

Rotary Dimmer  
Mounting Plate

SIN143PL  
Dimmer module  
supplied separately

Dimmer Switch

SIN144  
250W / Va  
Suitable for dimming  
both resistive and  
inductive loads

SIN164  
100W / Va  
Suitable for dimming  
dimmable LED light sources

Dimmer knob supplied  
with cover plate

Rotary Dimmer  
Mounting Plate

SIN144PL  
Dimmer module supplied  
separately

Cover Plate

1 Gang Dimmer Switch  
Cover Plate & Knob  
SCP24111



2 Gang Dimmer Switch  
Cover Plate & Knobs  
SCP24211



3 Gang Dimmer Switch  
Cover Plate & Knobs  
SCP24311



4 Gang Dimmer Switch  
Cover Plate & Knobs  
SCP24411



Standards: BS EN 60669-1 BS EN 55015 BS EN 61000-3-2  
100W: BS EN 60669-2-1 250W 400W: BS EN 61000-3-3 Plates: BS 5733  
Type: 250W 400W: Leading Edge, 400W: Trailing Edge Back Box Depth: 35mm Minimum Cable Size: 2 x 1.5mm<sup>2</sup>  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour, PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design



10AX 1 Gang 2 Way Toggle Switch



10AX 1 Gang Intermediate Toggle Switch

Select a Standard Insert

**Toggle Switch**  
 SIN421CH - Chrome  
 SIN421PN - Pearl Nickel

**Toggle Switch**  
 SIN420CH - Chrome  
 SIN420PN - Pearl Nickel

**Recommended Cover Plate and Toggle Switch**  
 Chrome Toggle:  
 Chrome  
 Pearl Nickel Toggle:  
 Brushed Stainless & Stainless Steel

**Recommended Cover Plate and Toggle Switch**  
 Chrome Toggle:  
 Chrome  
 Pearl Nickel Toggle:  
 Brushed Stainless & Stainless Steel

Cover Plate

1 Gang Toggle Switch Cover Plate  
 SCP2211†



Standards: BS EN 60669-1  
 Back Box Depth: 35mm Minimum Cable Size: 4 x 1.5mm<sup>2</sup> or 2 x 2.5mm<sup>2</sup>  
 Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
 SIN - Insert Prefix 036 - Product No SS - 'INGOT' Switch Finish (if applicable).  
 SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
 BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design



10AX 2 Gang 2 Way Toggle Switch



10AX 3 Gang 2 Way Toggle Switch



10AX 4 Gang 2 Way Toggle Switch

Select a Standard Insert

**Toggle Switch**  
 SIN422CH - Chrome  
 SIN422PN - Pearl Nickel

**Toggle Switch**  
 SIN423CH - Chrome  
 SIN423PN - Pearl Nickel

**Toggle Switch**  
 SIN424CH - Chrome  
 SIN424PN - Pearl Nickel

**Recommended Cover Plate and Toggle Switch**  
 Chrome Toggle:  
 Chrome  
 Pearl Nickel Toggle:  
 Brushed Stainless & Stainless Steel

**Recommended Cover Plate and Toggle Switch**  
 Chrome Toggle:  
 Chrome  
 Pearl Nickel Toggle:  
 Brushed Stainless & Stainless Steel

**Recommended Cover Plate and Toggle Switch**  
 Chrome Toggle:  
 Chrome  
 Pearl Nickel Toggle:  
 Brushed Stainless & Stainless Steel

Cover Plate

2 Gang Toggle Switch Cover Plate  
 SCP2221†



3 Gang Toggle Switch Cover Plate  
 SCP2231†



4 Gang Toggle Switch Cover Plate  
 SCP2241†



Standards: BS EN 60669-1  
 Back Box Depth: 35mm Minimum Cable Size: 4 x 1.5mm<sup>2</sup> or 2 x 2.5mm<sup>2</sup>  
 Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
 SIN - Insert Prefix 036 - Product No SS - 'INGOT' Switch Finish (if applicable).  
 SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
 BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design



20A Double Pole Switch with Flex Outlet



20A Double Pole Switch with Flex Outlet & Neon



20A Double Pole Switch



20A Double Pole Switch with Neon

Select either a Standard or Ingot Insert

Standard Insert

SIN022BK - Black  
SIN022PW - White

Standard Insert

SIN023BK - Black  
SIN023PW - White

Standard Insert

SIN622BK - Black  
SIN622PW - White

Standard Insert

SIN623BK - Black  
SIN623PW - White

Ingot Switch Insert

SIN522BKBS  
Black & Brushed Stainless

SIN522BKCH  
Black & Chrome

SIN522BKSS  
Black & Stainless Steel

SIN522PWBS  
White & Brushed Stainless

SIN522PWCH  
White & Chrome

SIN522PWSS  
White & Stainless Steel

SIN522GYBS  
Grey & Brushed Stainless

SIN522GYSS  
Grey & Stainless Steel

Ingot Switch Insert

SIN523BKBS  
Black & Brushed Stainless

SIN523BKCH  
Black & Chrome

SIN523BKSS  
Black & Stainless Steel

SIN523PWBS  
White & Brushed Stainless

SIN523PWCH  
White & Chrome

SIN523PWSS  
White & Stainless Steel

SIN523GYBS  
Grey & Brushed Stainless

SIN523GYSS  
Grey & Stainless Steel

Ingot Switch Insert

SIN722BKBS  
Black & Brushed Stainless

SIN722BKCH  
Black & Chrome

SIN722BKSS  
Black & Stainless Steel

SIN722PWBS  
White & Brushed Stainless

SIN722PWCH  
White & Chrome

SIN722PWSS  
White & Stainless Steel

SIN722GYBS  
Grey & Brushed Stainless

SIN722GYSS  
Grey & Stainless Steel

Ingot Switch Insert

SIN723BKBS  
Black & Brushed Stainless

SIN723BKCH  
Black & Chrome

SIN723BKSS  
Black & Stainless Steel

SIN723PWBS  
White & Brushed Stainless

SIN723PWCH  
White & Chrome

SIN723PWSS  
White & Stainless Steel

SIN723GYBS  
Grey & Brushed Stainless

SIN723GYSS  
Grey & Stainless Steel

Cover Plate

20A DP Switch with Flex Outlet Cover Plate  
SCP322††



20A DP Switch with Flex Outlet & Neon Cover Plate  
SCP323††



20A DP Switch Cover Plate  
SCP422††



20A DP Switch with Neon Cover Plate  
SCP423††



Standards: BS EN 60669-1  
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm<sup>2</sup>  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design



20A Sink & Bath Switch with Neon



10A 3 Pole Fan Isolation Switch



Lockable Switch

Select either a Standard or Ingot Insert

Standard Insert

SIN024BK - Black  
SIN024PW - White

Standard Insert

SIN020BK - Black  
SIN020PW - White

Standard Insert

SIN660BK - Black

Ingot Switch Insert

SIN520BKBS  
Black & Brushed Stainless

SIN520BKCH  
Black & Chrome

SIN520BKSS  
Black & Stainless Steel

SIN520PWBS  
White & Brushed Stainless

SIN520PWCH  
White & Chrome

SIN520PWSS  
White & Stainless Steel

SIN520GYBS  
Grey & Brushed Stainless

SIN520GYSS  
Grey & Stainless Steel

Cover Plate

20A Sink & Bath Switch with Neon Cover Plate  
SCP324††



10A Fan Isolation Switch Cover Plate  
SCP402††



Lockable Switch Cover Plate  
SCP660††




Standards: BS EN 60669-1  
Back Box Depth: 020 520: 25mm Minimum 024: 35mm Minimum 660: 47mm  
Cable Size: 020 520: 4 x 1.5mm<sup>2</sup> or 2 x 2.5mm<sup>2</sup> 024: 3 x 2.5mm<sup>2</sup> 660: 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design



Lockable Socket



UK 13A 1 Gang Socket Outlet



115/230V Dual Voltage Shaver Socket Outlet

Select a Standard Insert

**Standard Insert**  
 SIN655BK - Black  
 SIN655PW - White  
 SIN655GY - Grey

**Standard Insert**  
 SIN630BK - Black  
 SIN630PW - White

**Standard Insert**  
 SIN100BK - Black  
 SIN100PW - White  
 SIN100GY - Grey

Cover Plate

Lockable Socket Cover Plate  
 SCP655††



UK 13A 1 Gang Socket Outlet Cover Plate  
 SCP430††



Dual Voltage Shaver Socket Outlet Cover Plate  
 SCP100††



Standards: 100: BS EN IEC 61558-1 BS EN 61558-2-5 630: BS 1363-2 655: BS EN 60669-1 BS 1363-2  
 Cable Size: 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup> 100: 2 x 1.5mm<sup>2</sup> or 1 x 2.5mm<sup>2</sup> Back Box Depth: 47mm 630: 35mm Minimum  
 Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D) 100: 86mm (W) x 146mm (H) x 4mm (D)

Understanding the code:  
 SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
 SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
 BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design



2A 1 Gang Round Pin Socket Outlet



5A 1 Gang Round Pin Socket Outlet



15A 1 Gang Round Pin Switched Socket Outlet

Select a Standard Insert

**Standard Insert**  
 SIN039BK - Black  
 SIN039PW - White

**Standard Insert**  
 SIN038BK - Black  
 SIN038PW - White  
 SIN038GY - Grey

**Standard Insert**  
 SIN034BK - Black  
 SIN034PW - White

Cover Plate

2A 1 Gang Round Pin Socket Outlet Cover Plate  
 SCP239††



5A 1 Gang Round Pin Socket Outlet Cover Plate  
 SCP238††



15A 1 Gang Round Pin Switched Socket Outlet Cover Plate  
 SCP234††



Standards: BS 546  
 Back Box Depth: 35mm Minimum  
 Cable Size: 034: 3 x 2.5mm<sup>2</sup> 038: 4 x 1.5mm<sup>2</sup> or 3 x 2.5mm<sup>2</sup> 039: 3 x 1.5mm<sup>2</sup> 660: 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>  
 Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
 SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
 SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
 BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design



UK 13A 1 Gang Double Pole Switched Socket Outlet



UK 13A 2 Gang Double Pole Switched Socket Outlet

Select either a Standard or Ingot Insert

Standard Insert

- SIN035BK - Black
- SIN035PW - White

Ingot Switch Insert

- SIN535BKBS**  
Black & Brushed Stainless
- SIN535BKCH**  
Black & Chrome
- SIN535BKSS**  
Black & Stainless Steel
- SIN535GYBS**  
White & Brushed Stainless
- SIN535PWCH**  
White & Chrome
- SIN535PWSS**  
White & Stainless Steel
- SIN535PWBS**  
Grey & Brushed Stainless
- SIN535GYSS**  
Grey & Stainless Steel

Standard Insert

- SIN036BK - Black
- SIN036PW - White
- SIN036RD - Red

Ingot Switch Insert

- SIN536BKBS**  
Black & Brushed Stainless
- SIN536BKCH**  
Black & Chrome
- SIN536BKSS**  
Black & Stainless Steel
- SIN536PWBS**  
White & Brushed Stainless
- SIN536PWCH**  
White & Chrome
- SIN536PWSS**  
White & Stainless Steel
- SIN536GYBS**  
Grey & Brushed Stainless
- SIN536GYSS**  
Grey & Stainless Steel

Cover Plate

UK 13A 1 Gang Switched Socket Outlet Cover Plate

SCP43511



UK 13A 2 Gang Switched Socket Outlet Cover Plate

SCP43611



Red (RD) Finish Available

Standards: BS 1363-2  
 Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>  
 Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
 SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
 SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
 BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design



13A 1 Gang DP Switched Safety Shutter Socket Outlet Insert



13A 2 Gang DP Switched Safety Shutter Socket Outlet (Twin Earth) Insert

Select either a Standard or Ingot Insert

Standard Insert

- SIN1035BK - Black
- SIN1035PW - White

Ingot Switch Insert

- SIN1535BKBS**  
Black & Brushed Stainless
- SIN1535BKCH**  
Black & Chrome
- SIN1535BKSS**  
Black & Stainless Steel
- SIN1535PWBS**  
White & Brushed Stainless
- SIN1535PWCH**  
White & Chrome
- SIN1535PWSS**  
White & Stainless Steel

Standard Insert

- SIN1036BK - Black
- SIN1036PW - White

Ingot Switch Insert

- SIN1536BKBS**  
Black & Brushed Stainless
- SIN1536BKCH**  
Black & Chrome
- SIN1536BKSS**  
Black & Stainless Steel
- SIN1536PWBS**  
White & Brushed Stainless
- SIN1536PWCH**  
White & Chrome
- SIN1536PWSS**  
White & Stainless Steel

Cover Plate

13A 1 Gang Switched Safety Shutter Socket Cover Plate

SCP83511



13A 2 Gang Switched Socket Cover Plate

SCP43611



Standards: BS 1363-2  
 Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>  
 Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
 SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
 SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
 BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black



Insert Design



13A 2 Gang DP Switched Safety Shutter Socket Outlet With Outboard Rockers & Neons (Twin Earth) Insert



UK 13A 1 Gang Switched Socket Outlet with 2.1A USB Outlet

Select either a Standard or Ingot Insert

**Standard Insert**  
SIN1840BK - Black  
SIN1840PW - White

**Standard Insert**  
SIN771UBK - Black  
SIN771UPW - White

**Ingot Switch Insert**  
SIN571UBKBS  
Black & Brushed Stainless  
SIN571UBKCH  
Black & Chrome  
SIN571UBKSS  
Black & Stainless Steel  
SIN571UPWBS  
White & Brushed Stainless  
SIN571UPWCH  
White & Chrome  
SIN571UPWSS  
White & Stainless Steel  
SIN571UGYBS  
Grey & Brushed Stainless  
SIN571UGYSS  
Grey & Stainless Steel

Cover Plate

13A 2 Gang Outboard Switched Safety Shutter Socket Cover Plate



SCP840tt

UK 13A 1 Gang Switched Socket Outlet with 2.1A USB Outlet Cover Plate



SCP471Utt

Standards: BS 1363-2 771U: BS 1363-2: 2016 +A1: 2018 BS EN IEC 62368-1 BS EN 62680-1-1  
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour, PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design



UK 13A 2 Gang Switched Socket Outlet with 2.1A USB Outlet



UK 13A 2 Gang Switched Socket Outlet with Twin 2.1A USB Outlets



13A 2 Gang Switched Safety Shutter Socket Outlet With Type A & C USB (4.2A) Outlets (Twin Earth) Insert

Select either a Standard or Ingot Insert

**Standard Insert**  
SIN770BK - Black  
SIN770PW - White

**Standard Insert**  
SIN780BK - Black  
SIN780PW - White

**Standard Insert**  
SIN786BK - Black  
SIN786PW - White

**Ingot Switch Insert**  
SIN570BKBS  
Black & Brushed Stainless  
SIN570BKCH  
Black & Chrome  
SIN570BKSS  
Black & Stainless Steel  
SIN570PWBS  
White & Brushed Stainless  
SIN570PWCH  
White & Chrome  
SIN570PWSS  
White & Stainless Steel

**Ingot Switch Insert**  
SIN580BKBS  
Black & Brushed Stainless  
SIN580BKCH  
Black & Chrome  
SIN580BKSS  
Black & Stainless Steel  
SIN580PWBS  
White & Brushed Stainless  
SIN580PWCH  
White & Chrome  
SIN580PWSS  
White & Stainless Steel  
SIN580GYBS  
Grey & Brushed Stainless  
SIN580GYSS  
Grey & Stainless Steel

**Ingot Switch Insert**  
SIN586BKBS  
Black & Brushed Stainless  
SIN586BKCH  
Black & Chrome  
SIN586BKSS  
Black & Stainless Steel  
SIN586PWBS  
White & Brushed Stainless  
SIN586PWCH  
White & Chrome  
SIN586PWSS  
White & Stainless Steel  
SIN586GYBS  
Grey & Brushed Stainless  
SIN586GYSS  
Grey & Stainless Steel

Cover Plate

UK 13A 2 Gang Switched Socket Outlet with 2.1A USB Outlet Cover Plate



SCP470tt

UK 13A 2 Gang Switched Socket Outlet with Twin 2.1A USB Outlets Cover Plate



SCP480tt

UK 13A 2 Gang Switched Safety Shutter Socket Outlet With Type A & C USB (4.2A) Cover Plate



SCP486tt

Standards: BS 1363-2: 2016 +A1: 2018 BS EN IEC 62368-1 BS EN 62680-1-1  
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour, PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design

Insert Design



Select either a Standard or Ingot Insert

Select either a Standard or Ingot Insert

<p><b>Standard Insert</b> SIN050BK - Black SIN050PW - White</p>	<p><b>Standard Insert</b> SIN051BK - Black SIN051PW - White</p>	<p><b>Standard Insert</b> SIN052BK - Black SIN052PW - White</p>	<p><b>Standard Insert</b> SIN053BK - Black SIN053PW - White</p>
<p><b>Ingot Switch Insert</b> SIN550BKBS Black &amp; Brushed Stainless SIN550BKCH Black &amp; Chrome SIN550BKSS Black &amp; Stainless Steel SIN550PWBS White &amp; Brushed Stainless SIN550PWCH White &amp; Chrome SIN550PWSS White &amp; Stainless Steel SIN550GYBS Grey &amp; Brushed Stainless SIN550GYSS Grey &amp; Stainless Steel</p>	<p><b>Ingot Switch Insert</b> SIN551BKBS Black &amp; Brushed Stainless SIN551BKCH Black &amp; Chrome SIN551BKSS Black &amp; Stainless Steel SIN551PWBS White &amp; Brushed Stainless SIN551PWCH White &amp; Chrome SIN551PWSS White &amp; Stainless Steel SIN551GYBS Grey &amp; Brushed Stainless SIN551GYSS Grey &amp; Stainless Steel</p>	<p><b>Ingot Switch Insert</b> SIN552BKBS Black &amp; Brushed Stainless SIN552BKCH Black &amp; Chrome SIN552BKSS Black &amp; Stainless Steel SIN552PWBS White &amp; Brushed Stainless SIN552PWCH White &amp; Chrome SIN552PWSS White &amp; Stainless Steel SIN552GYBS Grey &amp; Brushed Stainless SIN552GYSS Grey &amp; Stainless Steel</p>	<p><b>Ingot Switch Insert</b> SIN553BKBS Black &amp; Brushed Stainless SIN553BKCH Black &amp; Chrome SIN553BKSS Black &amp; Stainless Steel SIN553PWBS White &amp; Brushed Stainless SIN553PWCH White &amp; Chrome SIN553PWSS White &amp; Stainless Steel SIN553GYBS Grey &amp; Brushed Stainless SIN553GYSS Grey &amp; Stainless Steel</p>

<p><b>Standard Insert</b> SIN650BK - Black SIN650PW - White</p>	<p><b>Standard Insert</b> SIN651BK - Black SIN651PW - White</p>	<p><b>Standard Insert</b> SIN652BK - Black SIN652PW - White</p>	<p><b>Standard Insert</b> SIN653BK - Black SIN653PW - White</p>
<p><b>Ingot Switch Insert</b> SIN750BKBS Black &amp; Brushed Stainless SIN750BKCH Black &amp; Chrome SIN750BKSS Black &amp; Stainless Steel SIN750PWBS White &amp; Brushed Stainless SIN750PWCH White &amp; Chrome SIN750PWSS White &amp; Stainless Steel SIN750GYBS Grey &amp; Brushed Stainless SIN750GYSS Grey &amp; Stainless Steel</p>	<p><b>Ingot Switch Insert</b> SIN751BKBS Black &amp; Brushed Stainless SIN751BKCH Black &amp; Chrome SIN751BKSS Black &amp; Stainless Steel SIN751PWBS White &amp; Brushed Stainless SIN751PWCH White &amp; Chrome SIN751PWSS White &amp; Stainless Steel SIN751GYBS Grey &amp; Brushed Stainless SIN751GYSS Grey &amp; Stainless Steel</p>	<p><b>Ingot Switch Insert</b> SIN752BKBS Black &amp; Brushed Stainless SIN752BKCH Black &amp; Chrome SIN752BKSS Black &amp; Stainless Steel SIN752PWBS White &amp; Brushed Stainless SIN752PWCH White &amp; Chrome SIN752PWSS White &amp; Stainless Steel SIN752GYBS Grey &amp; Brushed Stainless SIN752GYSS Grey &amp; Stainless Steel</p>	<p><b>Ingot Switch Insert</b> SIN753BKBS Black &amp; Brushed Stainless SIN753BKCH Black &amp; Chrome SIN753BKSS Black &amp; Stainless Steel SIN753PWBS White &amp; Brushed Stainless SIN753PWCH White &amp; Chrome SIN753PWSS White &amp; Stainless Steel SIN753GYBS Grey &amp; Brushed Stainless SIN753GYSS Grey &amp; Stainless Steel</p>

Cover Plate

Cover Plate



Standards: BS 1363-4 BS 1362  
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D)

Standards: BS 1363-4 BS 1362  
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour, PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour, PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design



13A Fused Connection Unit with Flex Outlet



13A Fused Connection Unit, Double Pole Switched with Flex Outlet



13A Fused Connection Unit, Double Pole Switched with Flex Outlet & Neon



13A Fused Connection Unit with Flex Outlet & Neon

Select a Standard Insert

Lockable

**Standard Insert**  
SIN250BK - Black  
SIN250PW - White

Lockable

**Standard Insert**  
SIN251BK - Black  
SIN251PW - White

Lockable

**Standard Insert**  
SIN252BK - Black  
SIN252PW - White

Lockable

**Standard Insert**  
SIN253BK - Black  
SIN253PW - White

Cover Plate

13A FCU with Flex Outlet Cover Plate

SCP3501†



13A FCU Switched with Flex Outlet Cover Plate

SCP3511†



13A FCU Switched with Flex Outlet & Neon Cover Plate

SCP3521†



13A FCU with Flex Outlet & Neon Cover Plate

SCP3531†



Standards: BS 1363-4 BS 1362  
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design



13A Fused Connection Unit



13A Fused Connection Unit, Double Pole Switched



13A Fused Connection Unit, Double Pole Switched with Neon



13A Fused Connection Unit with Neon

Select a Standard Insert

Lockable

**Standard Insert**  
SIN850BK - Black  
SIN850PW - White

Lockable

**Standard Insert**  
SIN851BK - Black  
SIN851PW - White

Lockable

**Standard Insert**  
SIN852BK - Black  
SIN852PW - White

Lockable

**Standard Insert**  
SIN853BK - Black  
SIN853PW - White

Cover Plate

13A FCU Cover Plate

SCP4501†



13A FCU Switched Cover Plate

SCP4511†



13A FCU Switched with Neon Cover Plate

SCP4521†



13A FCU with Neon Cover Plate

SCP4531†



Standards: BS 1363-4 BS 1362  
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design



3A Fused Connection Unit with Flex Outlet



3A Fused Connection Unit Double Pole Switched with Flex Outlet



45A Double Pole Switch (Single Plate)



45A Double Pole Switch with Neon (Single Plate)

Select either a Standard or Ingot Insert

Lockable  
Standard Insert  
SIN249RD - Red

Lockable  
Standard Insert  
SIN256RD - Red

Standard Insert  
SIN200BK - Black  
SIN200PW - White

Ingot Switch Insert  
SIN500BKBS Black & Brushed Stainless  
SIN500BKCH Black & Chrome  
SIN500BKSS Black & Stainless Steel  
SIN500PWBS White & Brushed Stainless  
SIN500PWCH White & Chrome  
SIN500PWSS White & Stainless Steel  
SIN500GYBS Grey & Brushed Stainless  
SIN500GYSS Grey & Stainless Steel

Standard Insert  
SIN201BK - Black  
SIN201PW - White

Ingot Switch Insert  
SIN501BKBS Black & Brushed Stainless  
SIN501BKCH Black & Chrome  
SIN501BKSS Black & Stainless Steel  
SIN501PWBS White & Brushed Stainless  
SIN501PWCH White & Chrome  
SIN501PWSS White & Stainless Steel  
SIN501GYBS Grey & Brushed Stainless  
SIN501GYSS Grey & Stainless Steel

Cover Plate

13A FCU with Flex Outlet Cover Plate  
SCP3501†



Red (RD) Finish Available

13A FCU Switched with Flex Outlet Cover Plate  
SCP3511†



Red (RD) Finish Available

45A Switch Cover Plate  
SCP2001†



45A Switch with Neon Cover Plate  
SCP2011†



Standards: BS EN 60669-1 249 256: BS 1363-4 BS 1362  
Back Box Depth: 47mm 249 256: 35mm Minimum Cable Size: 1 x 16mm<sup>2</sup> 249 256: 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design



45A Double Pole Switch (Vertical Double Plate)



45A Double Pole Switch with Neon (Vertical Double Plate)



45A Double Pole Switch with 13A Double Pole Switched Socket Outlet



45A Double Pole Switch with 13A Double Pole Switched Socket Outlet & Neons

Select either a Standard or Ingot Insert

Standard Insert  
SIN202BK - Black  
SIN202PW - White

Ingot Switch Insert  
SIN502BKBS Black & Brushed Stainless  
SIN502BKCH Black & Chrome  
SIN502BKSS Black & Stainless Steel  
SIN502PWBS White & Brushed Stainless  
SIN502PWCH White & Chrome  
SIN502PWSS White & Stainless Steel  
SIN502GYBS Grey & Brushed Stainless  
SIN502GYSS Grey & Stainless Steel

Standard Insert  
SIN203BK - Black  
SIN203PW - White

Ingot Switch Insert  
SIN503BKBS Black & Brushed Stainless  
SIN503BKCH Black & Chrome  
SIN503BKSS Black & Stainless Steel  
SIN503PWBS White & Brushed Stainless  
SIN503PWCH White & Chrome  
SIN503PWSS White & Stainless Steel  
SIN503GYBS Grey & Brushed Stainless  
SIN503GYSS Grey & Stainless Steel

Standard Insert  
SIN204BK - Black  
SIN204PW - White

Ingot Switch Insert  
SIN504BKBS Black & Brushed Stainless  
SIN504BKCH Black & Chrome  
SIN504BKSS Black & Stainless Steel  
SIN504PWBS White & Brushed Stainless  
SIN504PWCH White & Chrome  
SIN504PWSS White & Stainless Steel  
SIN504GYBS Grey & Brushed Stainless  
SIN504GYSS Grey & Stainless Steel

Standard Insert  
SIN205BK - Black  
SIN205PW - White

Ingot Switch Insert  
SIN505BKBS Black & Brushed Stainless  
SIN505BKCH Black & Chrome  
SIN505BKSS Black & Stainless Steel  
SIN505PWBS White & Brushed Stainless  
SIN505PWCH White & Chrome  
SIN505PWSS White & Stainless Steel  
SIN505GYBS Grey & Brushed Stainless  
SIN505GYSS Grey & Stainless Steel

Cover Plate

45A Switch Vertical Double Cover Plate  
SCP2021†



45A Switch Vertical Double Cover Plate with Neon  
SCP2031†



45A Switch with Switch Socket Outlet Cover Plate  
SCP2041†



45A Switch with Switch Socket Outlet with Neons Cover Plate  
SCP2051†



Standards: BS EN 60669-1 204 205 504 505: BS 4177  
Back Box Depth: 47mm Cable Size: 1 x 16mm<sup>2</sup>  
Dimensions: 2 Gang: 146mm (W) x 86mm (H) x 4mm (D) 202 203: 86mm (W) x 146mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design



1 Gang  
Blank Plate



2 Gang  
Blank Plate



Single RJ11 Telephone  
Outlet (US/Irish)

Select a Standard Insert

Standard Insert

SIN060BK - Black  
SIN060PW - White

Standard Insert

SIN061BK - Black  
SIN061PW - White

Standard Insert

SIN115BK - Black  
SIN115PW - White

Cover Plate

1 Gang Blank  
Cover Plate  
SCP060††



2 Gang Blank  
Cover Plate  
SCP061††



Single RJ11 Socket Outlet  
Cover Plate  
SCP115††



Standards: 060 061: BS 5733  
Back Box Depth: 060: 16mm Minimum 061: 25mm Minimum 115: 47mm  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design



Single Telephone  
Master



Single Telephone  
Secondary



Twin Telephone  
Master



Twin Telephone  
Secondary

Select a Standard Insert

Standard Insert

SIN120BK - Black  
SIN120PW - White

Standard Insert

SIN125BK - Black  
SIN125PW - White

Standard Insert

SIN121BK - Black  
SIN121PW - White

Standard Insert

SIN126BK - Black  
SIN126PW - White

Cover Plate

Single Telephone Outlet Cover Plate  
SCP120††



Twin Telephone Outlet Cover Plate  
SCP121††



Back Box Depth: 25mm Minimum  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design



Single Coaxial Socket Outlet (Unshielded)



Single 'Isolated' Coaxial Socket Outlet (Unshielded)



Single Satellite 'F' Outlet (Unshielded)

Select a Standard Insert

**Standard Insert**  
SIN065BK - Black  
SIN065PW - White

**Standard Insert**  
SIN158BK - Black  
SIN158PW - White

**Standard Insert**  
SIN156BK - Black  
SIN156PW - White

Cover Plate

Single Coaxial / Satellite Outlet Cover Plate  
SCP231††



Back Box Depth: 25mm Minimum  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design



Twin Coaxial Socket Outlet (Unshielded)



Twin 'Isolated' Coaxial Socket Outlet (Unshielded)



'Isolated' Coaxial & Satellite 'F' Socket Outlet (Unshielded)



'Non-Isolated' Coaxial & Satellite 'F' Socket Outlet (Unshielded)

Select a Standard Insert

**Standard Insert**  
SIN066BK - Black  
SIN066PW - White

**Standard Insert**  
SIN159BK - Black  
SIN159PW - White

**Standard Insert**  
SIN157BK - Black  
SIN157PW - White

**Standard Insert**  
SIN170BK - Black  
SIN170PW - White

Cover Plate

Twin Coaxial / Satellite Outlet Cover Plate  
SCP232††



Back Box Depth: 25mm Minimum  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black

Insert Design



Single Plate  
Single New Media™  
Module Aperture



Single Plate  
Twin New Media™  
Module Aperture



Double Plate  
Quad New Media™  
Module Aperture

Select a Standard Insert

Standard Insert  
SIN310BK

Standard Insert  
SIN311BK

Standard Insert  
SIN312BK

Cover Plate

Single Plate Single  
New Media™ Module  
Aperture Cover Plate

SCP310††




Single Plate Twin  
New Media™ Module  
Aperture Cover Plate

SCP311††



Double Plate Quad  
New Media™ Module  
Aperture Cover Plate

SCP312††



Back Box Depth: Dependent On Modules Fitted  
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 4mm (D) 2 Gang: 146mm (W) x 86mm (H) x 4mm (D)

Understanding the code:  
SIN - Insert Prefix 036 - Product No BK - Insert Colour  
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.  
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, PW White, BK Black



WA092



SP640



WA094



WA095



WA099



WA102

essentials™ For the complete range of back boxes see Essentials™ page M4.

Galvanised Steel Back Boxes

- WA092 1 Gang 16mm Deep Galvanised Steel K.O. Box
- WA093 1 Gang 25mm Deep Galvanised Steel K.O. Box
- WA094 2 Gang 25mm Deep Galvanised Steel K.O. Box
- WA095 1 Gang 35mm Deep Galvanised Steel K.O. Box
- WA096 2 Gang 35mm Deep Galvanised Steel K.O. Box
- WA097 1 Gang 47mm Deep Galvanised Steel K.O. Box
- WA098 2 Gang 47mm Deep Galvanised Steel K.O. Box
- WA099 1 + 1 35mm Deep Dual Accessory Box
- WA102 1 + 2 35mm Deep Dual Accessory Box

Longer Fixing Screws

- SP640BN Define® 3.5mm Dia. 40mm Long Screws (Bag 100)
- SP640CH Define® 3.5mm Dia. 40mm Long Screws (Bag 100)

Standards: BS 4662 640: ISO 2010  
Dimensions: 092: 70mm x 70mm x 16mm 093: 70mm x 70mm x 25mm 094: 135mm x 70mm x 25mm 095: 70mm x 70mm x 35mm  
096: 135mm x 70mm x 35mm 097: 70mm x 70mm x 47mm 098: 135mm (W) x 70mm (H) x 47mm (D)  
099: 158mm (W) x 74mm (H) X 35mm (D) 102: 220mm (W) x 74mm (H) x 35mm (D)




WA106P



GA100



WA107P



WA4135



WA4247

essentials™

For the complete range of back boxes see Essentials™ page M4.

**Dry Lining Boxes**

- WA087P** 1 Gang 35mm Deep Dry Lining Box
- WA088P** 2 Gang 35mm Deep Dry Lining Box
- WA106P** 1 Gang 47mm Deep Dry Lining Box
- WA107P** 2 Gang 47mm Deep Dry Lining Box
- WA108P** Round Ceiling 34mm Deep Dry Lining Box

**FlameGuard® Dry Lining Boxes**

- WA4135** 1 Gang 35mm Deep FlameGuard® Dry Lining Box
- WA4147** 1 Gang 47mm Deep FlameGuard® Dry Lining Box
- WA4235** 2 Gang 35mm Deep FlameGuard® Dry Lining Box
- WA4247** 2 Gang 47mm Deep FlameGuard® Dry Lining Box

**Ezylink® Dry Lining Boxes**

- GA100** 'Ezylink' Dry Lining Box Connector

FlameGuard® back boxes have been tested and conform to both fire and acoustic BS EN standards. Fire: BS EN 1364-1 Acoustic: BS EN ISO 140-2. Complies with Building Regulations Fire tested up to 90 minutes with the capability of the boxes being mounted back to back.