

Simply Stylish Wiring Accessories





Scolmore Middle East is part of the Scolmore Group - a globally recognised name in the electrical industry and the UK's leading manufacturer of electrical accessories, lighting, home automation, security and cable accessory products. Established in the UK in 1989, the award-winning Scolmore Group organisation designs, develops and manufactures an ever-expanding range of innovative, energy-efficient and time-saving solutions for domestic and commercial projects.

Today Scolmore Middle East supplies an array of products from Scolmore's core product ranges across the Middle East region through its trusted network of authorised distributors. These include ESP Emergency Lighting, Click Wiring Accessories, Ovia LED Lighting, and Unicrimp Cable Management products.

The company's established network of authorised distributors is key to delivering a broad range of products and support across the regions being served. There is a strong emphasis on providing exceptional service to valued customers to ensure they have access to a variety of marketing support facilities including comprehensive training across the breadth of products being supplied.





10 Year Warranty

All products within the Seera® Range come with a 10 Year Warranty.

Introducing new Black & Silver finishes

Our Seera® range is now available with 3 different finish options!
The Seera® range comes in a White finish as standard, but now you can choose to change the finish to either Black or Silver, which is available across the entire Seera® range.



Understanding the product code

Our Seera® range comes White as standard. If another finish is required, then simply specify the required finish by following the easy to follow code structure as demonstrated here...

CPC

Plate Style

801

Product Number

BK/SV

Plate Finish

If you require an alternative finish to white, then please add the required suffix to the product code.



(BK) Black




(SV) Silver

Installation Assembly

A great feature of the Seera® Range is that the fixing screws are not visible!

The Frontplate is attached directly onto the Insert to hide all fixing screws.

The product Insert will be fixed to a back box.



Socket Assembly



Switch Assembly

Switches

Our switches are developed to offer a solution for almost every possible design need and the screwless exterior enhances the décor of any installation.



Wide Rocker Switches

- One Way
- Two Way
- Intermediate
- 10AX
- 20AX

Dimmer Switches

All products in the Seera[®] range are available in White, Black and Silver.



801 825



802



803



827

WIDE ROCKER SWITCHES - ONE WAY

- CPC801** 10AX Single Pole 1 Gang 1 Way Plate Switch
- CPC802** 10AX Single Pole 2 Gang 1 Way Plate Switch
- CPC803** 10AX Single Pole 3 Gang 1 Way Plate Switch
- CPC827** 10AX Single Pole 1 Gang Push Bell Plate Switch

WIDE ROCKER SWITCHES - INTERMEDIATE

- CPC825** 10AX Single Pole 1 Gang Intermediate Plate Switch

Understanding the code:

CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:

BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS EN 60669-1

Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
Insert & Front Plates Supplied Together

All products in the Seera® range are available in White, Black and Silver.



811 824-1



812 824-2



813 824-3



814



2027BT

WIDE ROCKER SWITCHES - TWO WAY

CPC811 10AX Single Pole 1 Gang 2 Way Plate Switch

CPC824-1 20AX Single Pole 1 Gang 2 Way Plate Switch

CPC812 10AX Single Pole 2 Gang 2 Way Plate Switch

CPC824-2 20AX Single Pole 2 Gang 2 Way Plate Switch

CPC813 10AX Single Pole 3 Gang 2 Way Plate Switch

CPC824-3 20AX Single Pole 3 Gang 2 Way Plate Switch

CPC814 10AX Single Pole 4 Gang 2 Way Plate Switch

ILLUMINATED TRIM ROCKER SWITCHES - TWO WAY

CPC2027BT 20AX Single Pole 1 Gang Push Bell Plate Locator Switch

Locator Switch With Illuminated Blue LED Trim

Understanding the code:

CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:

BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS EN 60669-1

Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
Insert & Front Plates Supplied Together

All products in the Seera[®] range are available in White, Black and Silver.



811N



812N



813N



814N

WIDE ROCKER SWITCHES - TWO WAY

- CPC811N** 10AX Single Pole 1 Gang 2 Way Plate Switch With Decorative Insert
- CPC812N** 10AX Single Pole 2 Gang 2 Way Plate Switch With Decorative Insert
- CPC813N** 10AX Single Pole 3 Gang 2 Way Plate Switch With Decorative Insert
- CPC814N** 10AX Single Pole 4 Gang 2 Way Plate Switch With Decorative Insert

Understanding the code:

CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:

BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS EN 60669-1

Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
Insert & Front Plates Supplied Together

All products in the Seera[®] range are available in White, Black and Silver.



140/145



146



140PL



146PL

Eliminate Dimmer Flickering

Our new dimmer is much easier to program than regular dimmers because of the two small switches on the back of the module. This allows the dimmer to be programmed without removing from the plate.



MD9014

- 1 Switch 1 allows the minimum brightness to be adjusted
- 2 Switch 2 allows the dimming mode to be adjusted

DIMMER SWITCHES

- CPC140** 1 Gang 2 Way 400W Dimmer Switch
- CPC145** 1 Gang 2 Way 250W Dimmer Switch
- CPC146** 2 Gang 2 Way 250W Dimmer Switch

LED DIMMER MODULES

- MD9014** 100W Dual Mode Dimmer Module with Trim

ROTARY DIMMER SWITCH UNFURNISHED PLATES

- CPC140PL** 1 Gang Dimmer Switch Plate & Control Button
- CPC146PL** 2 Gang Dimmer Switch Plate & Control Buttons

Understanding the code:

CPC - Plate Style **801**- Product Number **BK** - Plate Finish

Finish options:

BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS EN 60669-2-1 BS 5733 BS EN 55015 **140 & 146:** BS 5733

MD9014: BS EN 60669-1BS EN 60669-2-1BS EN 55015 BS EN 61000-3-2

Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D) **MD9014:** 25mm (W) x 57.5mm (H) x 24.2mm (D)

Additional Information:


A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories Insert & Front Plates Supplied Together

Power Socket Outlets, Fused Connection Units, Blank Plates & Control Switches

Our sockets have the provision of fused connection units as standard, which greatly facilitates wiring and installation.

- 13A UK Socket Outlets
- Switched Socket Outlets With USB
- 13A Universal Socket Outlet
- 15A Round Pin Socket Outlet
- Blank Plates
- Control Switches
- Connection and Flex Outlet Plates
- 13A Fused Connection Units






All products in the Seera® range are available in White, Black and Silver.



035 TE035



036 TE036



035N



036N



100

Our dual voltage shaver outlet incorporates a double wound isolating transformer rated 20Va or 115V and meets BS EN 61558-2-5: 2010 making it safe for use in bathrooms. The Shaver outlet is not continuously rated and therefore is not suitable for use as a permanent charging outlet.

UK SWITCHED SOCKET OUTLETS

CPC035 13A 1 Gang Double Pole Switched UK Socket

CPC036 13A 2 Gang Double Pole Switched UK Socket

CPC035N 13A 1 Gang Double Pole Switched UK Socket With Neon

CPCTE035 13A 1 Gang Double Pole Switched UK Socket With Twin Earth Terminals

CPCTE036 13A 2 Gang Double Pole Switched UK Socket With Twin Earth Terminals

CPC036N 13A 2 Gang Double Pole Switched UK Socket With Neon

DUAL VOLTAGE SHAVER SOCKET OUTLETS

CPC100 20VA Dual Voltage Shaver Outlet (115-230V)

Understanding the code:

CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:

BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 1363-2 **100:** BS EN 61558-1 BS EN 61558-2-5

Dimensions: **1 Gang:** 86mm (W) x 86mm (H) x 6.5mm (D) **2 Gang:** 146mm (W) x 86mm (H) x 6.5mm (D)

100: 86mm (W) x 146mm (H) x 6.5mm (D)

Additional Information:

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
Insert & Front Plates Supplied Together

(All excluding 100)



All products in the Seera® range are available in White, Black and Silver.



771



9871



9871N



770



9886N

UK SWITCHED SOCKET OUTLETS WITH USB

- CPC771** 13A 1 Gang Switched UK Socket With 2.1A USB Outlet
- CPC770** 13A 2 Gang Switched UK Socket With 2.1A USB Outlet
- CPC9871** 13A 1 Gang Switched Universal Socket Outlet With 2.1A USB Outlet
- CPC9871N** 13A 1 Gang Switched Universal Socket Outlet With 2.1A USB Outlet & Neon
- CPC9886** 13A 2 Gang Switched Universal Socket Outlet With Type A & C USB Outlets
- CPC9886N** 13A 2 Gang Switched Universal Socket Outlet With Type A & C USB Outlets & Neons

Understanding the code:

CPC - Plate Style **801**- Product Number **BK** - Plate Finish

Finish options:

BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: **770 & 771:** BS 1363-2: 2016 + A1: 2018 **9871, 9871N, 9886 & 9886N:** BS 5733 (USB) IEC 62368-1 (USB)

Dimensions: **1 Gang:** 86mm (W) x 86mm (H) x 6.5mm (D) **2 Gang:** 148mm (W) x 86mm (H) x 6.5mm (D)

1Gang USB: 86mm (W) x 86mm (H) x 6.5mm (D) **2 Gang USB:** 148mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
Insert & Front Plates Supplied Together

770 & 771:



All products in the Seera® range are available in White, Black and Silver.



034 TE034




9835N



060



9836N



061

ROUND PIN SOCKET OUTLETS

CPC034 15A Round Pin 1 Gang Switched Socket

ROUND PIN SOCKET OUTLETS (TWIN EARTH)

CPCTE034 15A Round Pin 1 Gang Switched Socket With Twin Earth Terminals

UNIVERSAL SWITCHED SOCKET OUTLETS

CPC9835N 1 Gang 13A Universal Switched Socket With Neon

CPC9836N 2 Gang 13A Universal Switched Socket With Neon

BLANK PLATES

CPC060 1 Gang Blank Plate

CPC061 2 Gang Blank Plate

Understanding the code:

CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:

BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 546 **060 & 061:** BS 5733

Dimensions: **034 & TE034:** 86mm (W) x 86mm (H) x 6.5mm (D)

9835N: 86mm (W) x 86mm (H) x 6.5mm (D) **9836N:** 146mm (W) x 86mm (H) x 6.5mm (D)

060: 86mm (W) x 86mm (H) x 6.5mm (D) **061:** 146mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
Insert & Front Plates Supplied Together

034 & TE034:



All products in the Seera® range are available in White, Black and Silver.



822



822N



1010



232N



232NAC

20A SWITCHES - DOUBLE POLE

- CPC822** 20A Double Pole 1 Gang Plate Switch
- CPC822N** 20A Double Pole 1 Gang Plate Switch With Neon

32A SWITCHES

- CPC232N** 32A Double Pole 1 Gang Plate Switch With Neon
- CPC232NAC** 32A Double Pole 1 Gang Plate Switch With Neon - Air Conditioning

FAN CONTROLLER

- CPC1010** 1 Gang 250W Fan Controller

Understanding the code:

CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:

BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)


Standards: BS EN 60669-1 **1010:** IEC 60669-2-1

Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D) **1010:** 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
Insert & Front Plates Supplied Together

All products in the Seera[®] range are available in White, Black and Silver.



45A SWITCHES

- CPC200** 45A Double Pole 1 Gang Plate Switch
- CPC201** 45A Double Pole 1 Gang Plate Switch With Neon
- CPC202** 45A Double Pole 2 Gang (Vertical) Plate Switch
- CPC203** 45A Double Pole 2 Gang (Vertical) Plate Switch With Neon

45A COOKER CONTROL UNIT

- CPC205** 45A Double Pole Switch & 13A Double Pole Switched Socket & Neons

Understanding the code:

CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:

BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS EN 60669-1 **205:** BS 5733

Dimensions: **1 Gang:** 86mm (W) x 86mm (H) x 6.5mm (D) **2 Gang:** 86mm (W) x 146mm (H) x 6.5mm (D)
205: 146mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
 Insert & Front Plates Supplied Together

All products in the Seera® range are available in White, Black and Silver.



232NACCP
Laser Etched Cover Plate



822NACCP
Laser Etched Cover Plate



822NWHCP
Laser Etched Cover Plate



017



215

20A CONTROL SWITCHES

CPC822NACCP 20A Double Pole 1 Gang Cover Plate Switch With Neon - Air Conditioning

CPC822NWHCP 20A Double Pole 1 Gang Cover Plate Switch With Neon - Water Heater

32A CONTROL SWITCHES

CPC232NACCP 32A Double Pole 1 Gang Cover Plate Switch With Neon - Air Conditioning

FLEX OUTLET PLATE

CPC017 20A 3 Termination Plate With Optional Flex Outlet

45A COOKER CONNECTION PLATE

CPC215 45A 3 Termination Plate With Optional Cable Outlet

Understanding the code:

CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:

BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 5733

Dimensions:

017: 86mm (W) x 86mm (H) x 6.5mm (D) **215:** 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
Insert & Front Plates Supplied Together

All products in the Seera[®] range are available in White, Black and Silver.



650



651



652 TE652



653

FUSED CONNECTION UNITS WITHOUT FLEX OUTLET

- CPC650 13A Fused Connection Unit
- CPC651 13A Fused Connection Unit Double Pole Switched
- CPC652 13A Fused Connection Unit Double Pole Switched With Neon
- CPC653 13A Fused Connection Unit With Neon

Understanding the code:
CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:
BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 1363-4 BS 1362
Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:
 A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
 Insert & Front Plates Supplied Together

All products in the Seera® range are available in White, Black and Silver.



050



051



052



053

FUSED CONNECTION UNITS WITH OPTIONAL FLEX OUTLET

- CPC050** 13A Fused Connection Unit With Flex Outlet
- CPC051** 13A Fused Connection Unit Double Pole Switched With Flex Outlet
- CPC052** 13A Fused Connection Unit Double Pole Switched With Flex Outlet & Neon
- CPC053** 13A Fused Connection Unit With Flex Outlet & Neon

Understanding the code:

CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:

BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 1363-4 BS 1362

Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
Insert & Front Plates Supplied Together

TV, Telephone & Data Sockets

Providing the means to facilitate the connection of modern communications equipment is as important today as it is to provide the electrical power to operate them, which includes products for connecting telephone, computer, television and satellite devices.

- Unfurnished Media Plates
- RJ11 Outlet
- Telephone Outlets
- Satellite Outlet
- Coaxial Outlet





All products in the Seera[®] range are available in White, Black and Silver.



20401



20403



20402



20404

GRIDPRO

Unfurnished Plates above can be furnished with any GridPro[®] modules, for the full range please refer to the Click[®] Wiring Accessory Catalogue.

UNFURNISHED PLATES - GRIDPRO[®]

- CPC20401 1 Gang GridPro[®] Plate
- CPC20402 2 Gang GridPro[®] Plate
- CPC20403 3 Gang GridPro[®] Plate
- CPC20404 4 Gang GridPro[®] Plate

Understanding the code:

CPC - Plate Style 801 - Product Number BK - Plate Finish

Finish options:

BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 5733

Dimensions: 1 & 2 Gang: 86mm (W) x 86mm (H) x 6.5mm (D) 3 & 4 Gang: 146mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
Insert & Front Plates Supplied Together


All products in the Seera® range are available in White, Black and Silver.



310




311



312

new media

Unfurnished Plates above can be furnished with any New Media™ modules, for the full range please refer to the Click® Wiring Accessory Catalogue.



UNFURNISHED PLATES - NEW MEDIA™

- CPC310 1 Gang Media Plate
- CPC311 2 Gang Media Plate
- CPC312 4 Gang Media Plate

Understanding the code:

CPC - Plate Style 801- Product Number BK - Plate Finish

Finish options:

BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 5733

Dimensions: 1 & 2 Gang: 86mm (W) x 86mm (H) x 6.5mm (D) 4 Gang: 146mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
Insert & Front Plates Supplied Together

All products in the GridPro[®] range are available in Black and White.



GM2001PW



GM2002BK



GM2018PW



GM2018NBK



GM2028PW



GM2070PW

20AX SWITCH MODULES

- GM2001 20AX 1 Way Switch Module
- GM2002 20AX 2 Way Switch Module
- GM2018 20AX Double Pole Switch Module
- GM2018N 20AX Double Pole Switch With Neon Module
- GM2028 20AX Intermediate Switch Module
- GM2070 20AX 3 Position Centre 'Off' Switch Module

Understanding the code:

GM - Gridpro[®] Module 2001 - Product Number BK - Module Finish

Finish options:

BK Black PW White (Please add the required abbreviation to the product code)

Standards: BS EN 60669-1

Dimensions: 24.5mm (W) x 50mm (H) x 22.5mm (D) **2070:** 24.5mm (W) x 50mm (H) x 26mm (D)

All products in the GridPro® range are available in Black and White.



GM2004PW



GM2075BK



GM2008PW



GM2017BK



GM2047PW

20AX RETRACTIVE SWITCH MODULES

- GM2004** 20AX 2 Way Retractive Switch Module
- GM2075** 20AX 3 Position Centre 'Off' Retractive Switch Module

BLANK MODULES

- GM2008** Blank Module

13A FUSED CONNECTION MODULES

- GM2047** 13A Fused Connection Module

20A FLEX OUTLET MODULES

- GM2017** 20A Flex Outlet Module

Understanding the code:

GM - Gridpro® Module **2001** - Product Number **BK** - Module Finish

Finish options:

BK Black **PW** White (Please add the required abbreviation to the product code)

Standards: BS EN 60669-1 **2047:** BS 1363-4 **2017:** BS 5733

Dimensions:

2004: 24.5mm (W) x 50mm (H) x 22.5mm (D) **2075:** 24.5mm (W) x 50mm (H) x 26mm (D)
2047: 24.5mm (W) x 50mm (H) x 25mm (D) **2017:** 24.5mm (W) x 50mm (H) x 28mm (D)
2008: 24.5mm (W) x 50mm (H) x 12mm (D)

All products in the New Media™ range are available in White, Black and Silver.



MM586WH



MM405SV



SDMM405ANG



MM410BK



MM450WH



MM460SV



MM465BK



MM470BK



MM485WH



MM491SV



MM501BK



MM515

NEW MEDIA™ MODULES

- | | | | |
|-------------------|--|--------------|----------------------------------|
| MM586WH | 2A "A" & 3A "C" USB Dual Charging Module | MM465 | Telephone Secondary Module |
| MM405 | Single Female Satellite Module | MM470 | RJ11 (US/Irish) Telephone Module |
| SDMM405ANG | Single Angled Female Satellite Module | MM485 | RJ45 Cat-6 Module |
| MM410 | Single Female Coaxial Module | MM491 | Triple RCA/Phono Module |
| MM450 | Blank Module | MM501 | HDMI V2.0 Module With Fly-Lead |
| MM460 | Telephone Master Module | MM515 | 2A USB Charging Module |

Supplied with Black and White Frontplates

Understanding the code:

MM - Module Style **305**- Product Number **BK** - Module Finish

Finish options:

BK Black **SV** Silver **WH** White (Please add the required abbreviation to the product code)

Dimensions:

- 305:** 25mm (W) x 50mm (H) x 50mm (D)
- 405:** 25mm (W) x 50mm (H) x 23mm (D)
- SDMM405:** 25mm (W) x 50mm (H) x 24.2mm (D)
- 410:** 25mm (W) x 50mm (H) x 23.4mm (D)
- 450:** 25mm (W) x 50mm (H) x 14mm (D)
- 460 & 465:** 25mm (W) x 50mm (H) x 20.2mm (D)

- 470:** 25mm (W) x 50mm (H) x 17.2mm (D)
- 485:** 25mm (W) x 50mm (H) x 18mm (D)
- 491:** 25mm (W) x 50mm (H) x 18.3mm (D)
- 501:** 25mm (W) x 50mm (H) x 28.2mm (D)
- 515:** 25mm (W) x 50mm (H) x 35mm (D)


All products in the New Media™ range are available in Black, White and Silver.



MM425WH



MM430BK



MM020WH



MM620BK



SP620BK



SP620WH

NEW MEDIA™ MODULES

MM425 Diplexed TV And Satellite Module

MM430 Triplexed TV, Radio & Satellite Module

MM020 16A European Schuko Socket Outlet Module

Only available in Black and White

MM620BK 10A/6AX Key Card Switch Insert Module

SP620BK Front Plate For MM620BK (Key Fob Module)

SP620WH Front Plate For MM620BK (Key Fob Module)

SP620MTBK Front Plate For MM620BK (Key Fob Module)

SP620PN Front Plate For MM620BK (Key Fob Module)

SP620SV Front Plate For MM620BK (Key Fob Module)

Understanding the code:

MM - Module Style **305**- Product Number **BK** - Module Finish

Finish options:

BK Black **SV** Silver **WH** White (Please add the required abbreviation to the product code)

Standards: **MM020:** IEC 60884

Dimensions:

425 & 430: 50mm (W) x 50mm (H) x 31.3mm (D)

020: 50mm (W) x 50mm (H) x 40,1mm (D)

MM620: 50mm (W) x 50mm (H) x 32.5mm (D)

SP620: 61mm (W) x 52mm (H) x 20.5mm (D)


All products in the Seera[®] range are available in White, Black and Silver.



115



119



124

RJ11 TELEPHONE / DATE OUTLETS

CPC115 1 Gang Single RJ11 (Irish-US) Outlet

TELEPHONE OUTLETS

CPC119 1 Gang Single Telephone Master Outlet

CPC124 1 Gang Single Telephone Secondary Outlet

Understanding the code:

CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:

BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 5733

Dimensions: **115:** 86mm (W) x 86mm (H) x 6.5mm (D) **119 & 124:** 86mm (W) x 86mm (H) x 6.5mm (D)


Additional Information:

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
Insert & Front Plates Supplied Together

All products in the Seera[®] range are available in White, Black and Silver.



065



156

NON-ISOLATED COAXIAL OUTLET (UNSHIELDED)

CPC065 1 Gang Non-Isolated Single Coaxial Outlet

CPC156 1 Gang Non-Isolated Single Satellite Outlet

Understanding the code:

CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:

BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 5733

Dimensions: **165:** 86mm (W) x 86mm (H) x 6.5mm (D) **156:** 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
Insert & Front Plates Supplied Together

seera[®]



Scolmore[®]
●●●●● MIDDLE EAST

Scolmore Middle East

Lake Central Tower,
Office 1803,
Business Bay
Dubai, UAE

T: +971 4589 6552

E: sales@scolmoreme.com

www.scolmoreme.com

Scolmore[®]
●●●●● G R O U P

Scolmore Head Office

Scolmore House, Mariner,
Lichfield Road Industrial Estate,
Tamworth, Staffordshire,
B79 7UL

T: +44 (0)1827 63454

E: sales@scolmore.com

www.scolmore.com

Errors and Omissions excluded. Specification is subject to change without notice.