

WWW.UNICRIMP.COM

UNICRIMP[®]
●●●●● ScolmoreGROUP

ELECTRICAL ACCESSORIES

ISSUE 9

Welcome to Unicrimp®

...a comprehensive range of cable accessories.

Unicrimp® is part of the Scolmore® Group of companies. It brings to the electrical contracting industry a comprehensive range of cable accessory products.

Launched under the Q-Crimp® brand name and available exclusively through the electrical wholesale trade, the product offering comprises an extensive range of cable management consumables.

All products within the Q-Crimp® range are manufactured under stringent quality control systems and are fully compliant with the very latest industry regulations. The range includes cable ties, crimp terminals, PVC tape, copper tube terminals, cable clips, and brass and nylon glands – providing everything required to harness cable between the consumer unit and the end accessory.

Aligned with the core values of the Scolmore® group of companies, Unicrimp® will offer the same levels of outstanding customer service, high quality products and commitment to new product development.

Located at the Group Headquarters in the Midlands, the new Unicrimp® distribution centre is ideally located to supply to all areas of the UK.

UNICRIMP®



Lever Connectors

Suitable for solid, stranded and flexible cable types, these Unicrimp Q-Crimp reusable lever operated connectors use screwless spring clamp technology.

There are three connectors available - 2 Port, 3 Port and 5 Port and they each feature a test slot which allows the installer to safely test connection with a voltage tester.

Unicrimp's lever connectors offer installers the benefits of being fast and easy to use, maintenance free installation, permanent secure connections and a conductor range from 0.2mm² – 4mm².



Earthing Products

Unicrimp's complete earthing system has a consistent design throughout the range, making it adaptable to meet the installers ever changing needs and simplify the overall installation.

Unicrimp® earthing products meet British, European and International standards and all components are manufactured from high quality materials designed to ensure long lasting performance even in the harshest soil conditions.



Q-FIRE

The Complete Fire Range

Saddle Clips & P-Clips

- Assist installation of fire cable to meet the requirement of BS 5839-1: 2017
- Tested & approved to BS 476 Pt.6 and BS 476 Pt.7

Fire Safe Cable Clips

- Available in 25mm.

Stainless Steel Mounts

- For indoor and outdoor use, fully weather proof, UV and fire resistant
- Made from 316 grade steel

All-Round Banding

- Available in 12mm or 17mm. Black, red, white and galvanised.

Stainless Steel Cable Ties

- Minimum loop tensile strength 4.6mm wide = 44kg
- Minimum loop tensile strength 7.9mm wide = 110kg
- Made from 316 grade steel.
- Multiple sizes available.

Fire Resistant Adhesives & Sealants

- EN 1366-4 tested and approved: (up to 240 minutes in combination with other products)
- FP Acrylic Sealant is suitable for up to 4 hours of fire resistant sealing of linear joints.
- Applied separately in joints up to 20 mm wide and can be combined with FP PU Foam up to 30 mm wide.



OB1 Range

User-friendly, hybrid polymer formulation for the ultimate in bonding and sealing. Contains no solvents so will never crack or shrink. Can be applied on wet surfaces, painted or moulded. Very high bond strength with resistance to fungal and bacterial growth.



07

Pre-Insulated Terminals

Rings, push-ons, spades, blades, butts, pins, heat shrink butts, bullets, available in red, blue & yellow.



11

Copper Tube Terminals

Available in a range of sizes with bell mouth cable entry.



13

Cable Ties

Nylon and metal content cable ties available in a range of sizes and made to the highest of quality.



17

Cable Tie Accessories


Eyelets, cradles, 2-way cable tie bases, mounts, earth sleeving.



18

Plugs & Sleeving

Masonry fixings for cable ties. PVC sleeving & PVC heat shrink sleeving



19

Brass Cable Glands

Industrial brass glands in a variety of sizes.



24

Nylon Glands

IP68 nylon glands available in a range of sizes and made to the highest of quality.



25

Insulating Tapes

General purpose non-migratory plasticised insulation tape.



26

Grommets & Cleats

Quick fit grommets, standard grommets, earth clamps. Available in a range of colours & sizes.



27

Cable Clips

Available in a range of colours and sizes.



28

Connectors & Terminals

Push in connectors, lever connectors and terminal blocks.



29

Q-Fire Range

A range of tested and approved fire rated clips, ties, mounts, fixings, adhesives and expanding foam.



33

Fixings

Wall plugs, fixings, bolts, screws, toggles & nuts/washers.



41

OB1 Sealant & Adhesive

Multi-surface construction sealant & adhesive from Unicrimp®. Available in 9 different colours. Also available are paint & varnish remover and multi-surface cleaner.



43

Adhesives

Silicone adhesives, fillers and expanding foams.



45

Earthing & Accessories

Earth rods, couplers, driving studs, clamps and inspection pits, earth clamps, Torque Driver Set & Lock off Kits.



Ring



Part Number	Stud Size	Pack Qty
QRR3	3mm	100
QRR37	3.7mm	100
QRR4	4mm	100
QRR5	5mm	100
QRR6	6mm	100
QRR8	8mm	100
QRR10	10mm	100
QRR12	12mm	100

Cable size range: 0.5 - 1.5mm²
Current rating (max): 19A Voltage (max): 600V

Male Push-on



Part Number	Tab Size mm	Pack Qty
QRPO28M5	2.8mm X 0.5mm	100
QRPO28M8	2.8mm X 0.8mm	100
QRPO48M5	4.8mm X 0.5mm	100
QRPO48M8	4.8mm X 0.8mm	100
QRPO63M	6.3mm X 0.8mm	100

Cable size range: 0.5 - 1.5mm²
Current rating (max): 10A Voltage (max): 600V

Female Push-on



Part Number	Tab Size mm	Pack Qty
QRPO28F5	2.8mm X 0.5mm	100
QRPO28F8	2.8mm X 0.8mm	100
QRPO48F5	4.8mm X 0.5mm	100
QRPO48F8	4.8mm X 0.8mm	100
QRPO63F	6.3mm X 0.8mm	100

Cable size range: 0.5 - 1.5mm²
Current rating (max): 10A Voltage (max): 600V

Spade



Part Number	Stud Size	Pack Qty
QRF3	3mm	100
QRF3N	3.5mm	100
QRF4N	4mm	100
QRF5	5mm	100
QRF6	6mm	100

Cable size range: 0.5 - 1.5mm²
Current rating (max): 19A Voltage (max): 600V

Female Push-on Fully Insulated



Part Number	Tab Size mm	Pack Qty
QRFPO28F5	2.8mm X 0.5mm	100
QRFPO28F8	2.8mm X 0.8mm	100
QRFPO48F5	4.8mm X 0.5mm	100
QRFPO48F8	4.8mm X 0.8mm	100
QRFPO63F	6.3mm X 0.8mm	100

Cable size range: 0.5 - 1.5mm²
Current rating (max): 10A Voltage (max): 600V

Blade



Part Number	Dia x Length mm	Pack Qty
QRBL10	2.3mm X 10mm	100
QRBL14	2.3mm X 14mm	100
QRBL18	2.3mm X 18mm	100

Cable size range: 0.5 - 1.5mm²
Current rating (max): 19A Voltage (max): 600V

Butt



Part Number	Pack Qty
QRB	100

Cable size range: 0.5 - 1.5mm²
Current rating (max): 19A Voltage (max): 600V

Piggy Back Push-on Connector



Part Number	Tab Size mm	Pack Qty
QRPOA63	6.3mm X 0.8mm	100

Cable size range: 0.5 - 1.5mm²
Current rating (max): 10A Voltage (max): 600V

Pin



Part Number	Dia x Length mm	Pack Qty
QRP12	1.9mm X 12mm	100

Cable size range: 0.5 - 1.5mm²
Current rating (max): 19A Voltage (max): 600V

Heat Shrink Butt



Part Number	Pack Qty
QHSB1	100

Cable size range: 0.5 - 1.5mm²
Current rating (max): 19A Voltage (max): 600V

Male Bullet



Part Number	Bullet Dia mm	Pack Qty
QRAB4M	4mm	100

Cable size range: 0.5 - 1.5mm²
Current rating (max): 10A Voltage (max): 600V

Female Bullet



Part Number	Bullet Dia mm	Pack Qty
QRAB4F	4mm	100

Cable size range: 0.5 - 1.5mm²
Current rating (max): 10A Voltage (max): 600V

Ring



Part Number	Stud Size	Pack Qty
QBR3	3mm	100
QBR37	3.7mm	100
QBR4	4mm	100
QBR5	5mm	100
QBR6	6mm	100
QBR8	8mm	100
QBR10	10mm	100
QBR12	12mm	100

Cable size range: 1.5 - 2.5mm²
Current rating (max): 24A Voltage (max): 600V

Male Push-on



Part Number	Tab Size mm	Pack Qty
QBPO48M5	4.8mm X 0.5mm	100
QBPO48M8	4.8mm X 0.8mm	100
QBPO63M	6.3mm X 0.8mm	100

Cable size range: 1.5 - 2.5mm²
Current rating (max): 15A Voltage (max): 600V

Female Push-on



Part Number	Tab Size mm	Pack Qty
QBPO48F5	4.8mm X 0.5mm	100
QBPO48F8	4.8mm X 0.8mm	100
QBPO63F	6.3mm X 0.8mm	100
QBPO85F	8.5mm X 0.8mm	100

Cable size range: 1.5 - 2.5mm²
Current rating (max): 15A Voltage (max): 600V

Spade



Part Number	Stud Size	Pack Qty
QBF3	3mm	100
QBF3N	3.5mm	100
QBF4N	4mm	100
QBF5	5mm	100
QBF6	6mm	100

Cable size range: 1.5 - 2.5mm²
Current rating (max): 24A Voltage (max): 600V

Female Push-on Fully Insulated



Part Number	Tab Size mm	Pack Qty
QBFPO48F5	4.8mm X 0.5mm	100
QBFPO48F8	4.8mm X 0.8mm	100
QBFPO63F	6.3mm X 0.8mm	100

Cable size range: 1.5 - 2.5mm²
Current rating (max): 15A Voltage (max): 600V

Blade



Part Number	Dia x Length mm	Pack Qty
QBBL9	2.8mm X 9mm	100
QBBL18	2.2mm X 18mm	100

Cable size range: 1.5 - 2.5mm²
Current rating (max): 24A Voltage (max): 600V

Butt



Part Number	Pack Qty
QBB	100

Cable size range: 1.5 - 2.5mm²
Current rating (max): 15A Voltage (max): 600V

Piggy Back Push-on Connector



Part Number	Tab Size mm	Pack Qty
QBPOA63	6.3mm X 0.8mm	100

Cable size range: 1.5 - 2.5mm²
Current rating (max): 15A Voltage (max): 600V


Pin



Part Number	Dia x Length mm	Pack Qty
QBP12	1.9mm X 12mm	100

Cable size range: 1.5 - 2.5mm²
Current rating (max): 27A Voltage (max): 600V

Heat Shrink Butt



Part Number	Pack Qty
QHSB2	100

Cable size range: 1.5 - 2.5mm²
Current rating (max): 27A Voltage (max): 600V


Male Bullet



Part Number	Bullet Dia mm	Pack Qty
QBAB4M	4mm	100
QBAB5M	5mm	100

Cable size range: 1.5 - 2.5mm²
Current rating (max): 15A Voltage (max): 600V

Female Bullet



Part Number	Bullet Dia mm	Pack Qty
QBAB4F	4mm	100
QBAB5F	5mm	100

Cable size range: 1.5 - 2.5mm²
Current rating (max): 15A Voltage (max): 600V

Ring



Part Number	Stud Size	Pack Qty
QYR4	4mm	100
QYR5	5mm	100
QYR6	6mm	100
QYR8	8mm	100
QYR10	10mm	100
QYR12	12mm	100

Cable size range: 2.5 - 4mm²
Current rating (max): 37A Voltage (max): 600V

Spade



Part Number	Stud Size	Pack Qty
QYF3N	3.5mm	100
QYF4N	4mm	100
QYF5	5mm	100
QYF6	6mm	100

Cable size range: 2.5 - 4mm²
Current rating (max): 37A Voltage (max): 600V

Butt



Part Number	Pack Qty
QYB	100

Cable size range: 2.5 - 4mm²
Current rating (max): 24A Voltage (max): 600V

Heat Shrink Butt



Part Number	Pack Qty
QHSB5	100

Cable size range: 2.5 - 4mm²
Current rating (max): 37A Voltage (max): 600V

Male Push-on



Part Number	Tab Size mm	Pack Qty
QYPO63M	6.3mm X 0.8mm	100

Cable size range: 2.5 - 4mm²
Current rating (max): 24A Voltage (max): 600V

Female Push-on Fully Insulated



Part Number	Tab Size mm	Pack Qty
QYFPO63F	6.3mm X 0.8mm	100
QYFPO95F	9.4mm X 1.2mm	100

Cable size range: 2.5 - 4mm²
Current rating (max): 24A Voltage (max): 600V

Piggy Back Push-on Connector



Part Number	Tab Size mm	Pack Qty
QYPOA63	6.3mm X 0.8mm	100

Cable size range: 2.5 - 4mm²
Current rating (max): 24A Voltage (max): 600V

Male Bullet



Part Number	Bullet Dia mm	Pack Qty
QYAB5M	5mm	100

Cable size range: 2.5 - 4mm²
Current rating (max): 24A Voltage (max): 600V

Female Push-on



Part Number	Tab Size mm	Pack Qty
QYPO63F	6.3mm X 0.8mm	100

Cable size range: 2.5 - 4mm²
Current rating (max): 24A Voltage (max): 600V

Cable size range: 2.5 - 4mm²
Current rating (max): 24A Voltage (max): 600V

Blade



Part Number	Dia x Length mm	Pack Qty
QYBL10	2.8mm X 10mm	100
QYBL18	4.5mm X 18mm	100

Cable size range: 2.5 - 4mm²
Current rating (max): 37A Voltage (max): 600V

Pin



Part Number	Dia x Length mm	Pack Qty
QYP14	2.9mm X 14mm	100

Cable size range: 2.5 - 4mm²
Current rating (max): 37A Voltage (max): 600V

Female Bullet



Part Number	Bullet Dia mm	Pack Qty
QYAB5F	5mm	100

Cable size range: 2.5 - 4mm²
Current rating (max): 24A Voltage (max): 600V

Bootlace Ferrules



Part Number	Description	Cable Size	Ferrule Length	Ferrule Diameter	Colour	Pack Quantity
QBFR05	White Bootlace Ferrule Single 0.5mm	0.5mm ²	8mm	1.05mm	White	100
QBFR075	Blue Bootlace Ferrule Single 0.75mm	0.75mm ²	8mm	1.25mm	Blue	100
QBFR1	Red Bootlace Ferrule Single 1.0mm	1mm ²	8mm	1.45mm	Red	100
QBFR15	Black Bootlace Ferrule Single 1.5mm	1.5mm ²	8mm	1.8mm	Black	100
QBFR25	Grey Bootlace Ferrule Single 2.5mm	2.5mm ²	8mm	2.3mm	Grey	100
QBFR4	Orange Bootlace Ferrule Single 4mm	4mm ²	10mm	2.9mm	Orange	100
QBFR6	Green Bootlace Ferrule Single 6.0mm	6mm ²	12mm	3.6mm	Green	100
QBFR10	Brown Bootlace Ferrule Single 10mm	10mm ²	12mm	4.6mm	Brown	100



Copper Tube Terminals

Specification Requirements

- Finish: Electro tinned
- Copper conductivity to 97% IACS
- Copper tube double annealed
- All terminals up to 240mm² will have bell mouth cable entrance
- Working temperature up to 180°C (Standard)



Part Number	Cable Size	Stud Size dia	ØA	B	D	ØE	F	G	H	J	K	Pack Qty
QCT015-3	1.5mm ²	3mm	1.8mm	5mm	8mm	3.2mm	1mm	4mm	5mm	16mm	2mm	25
QCT015-4	1.5mm ²	4mm	1.8mm	5mm	8mm	4.2mm	1mm	4mm	5mm	16mm	2mm	25
QCT015-5	1.5mm ²	5mm	1.8mm	5mm	8mm	5.2mm	1mm	4mm	5mm	16mm	2mm	25
QCT025-3	2.5mm ²	3mm	2.4mm	7mm	8mm	3.2mm	1mm	4mm	5mm	18mm	2mm	25
QCT025-4	2.5mm ²	4mm	2.4mm	7mm	8mm	4.2mm	1mm	4mm	5mm	18mm	2mm	25
QCT025-5	2.5mm ²	5mm	2.4mm	7mm	10mm	5.2mm	0.8mm	4mm	6mm	20mm	2mm	25
QCT025-6	2.5mm ²	6mm	2.4mm	7mm	10mm	6.5mm	0.8mm	4mm	9mm	21.5mm	1.5mm	25
QCT04-6	4mm ²	6mm	3.1mm	7mm	4.8mm	6.5mm	1.1mm	5mm	6mm	20mm	2mm	25
QCT04-8	4mm ²	8mm	3.1mm	7mm	12mm	8.2mm	1mm	6mm	9mm	24mm	2mm	25
QCT04-10	4mm ²	10mm	3.1mm	7mm	15mm	10.2mm	0.8mm	8mm	11mm	28mm	2mm	25
QCT06-4	6mm ²	4mm	3.8mm	9mm	10mm	4.2mm	1.2mm	5mm	6mm	23mm	3mm	25
QCT06-5	6mm ²	5mm	3.8mm	9mm	10mm	5.2mm	1.2mm	5mm	6mm	23mm	3mm	25
QCT06-6	6mm ²	6mm	3.8mm	9mm	12mm	6.5mm	1mm	6mm	9mm	27mm	3mm	25
QCT06-8	6mm ²	8mm	3.8mm	9mm	12mm	8.4mm	1mm	6mm	9mm	27mm	3mm	25
QCT06-10	6mm ²	10mm	3.8mm	9mm	15mm	10.2mm	1mm	8mm	11mm	31mm	3mm	25
QCT10-5	10mm ²	5mm	4.5mm	12mm	8.7mm	5.2mm	1.42mm	4mm	5mm	24mm	3mm	10
QCT10-6	10mm ²	6mm	4.5mm	12mm	12mm	6.2mm	1.3mm	5mm	6mm	26mm	3mm	10
QCT10-8	10mm ²	8mm	4.5mm	12mm	12mm	8.4mm	1.03mm	6mm	9mm	30mm	3mm	10
QCT10-10	10mm ²	10mm	4.5mm	12mm	19mm	10.5mm	1.8mm	10mm	10mm	35mm	3mm	10
QCT10-12	10mm ²	12mm	4.5mm	12mm	19mm	13mm	1.8mm	12mm	12mm	39mm	3mm	10
QCT16-6	16mm ²	6mm	5.5mm	15mm	11mm	6.5mm	1.4mm	5mm	9mm	33mm	4mm	10
QCT16-8	16mm ²	8mm	5.5mm	15mm	11mm	8.4mm	1.31mm	6mm	9mm	34mm	4mm	10
QCT16-10	16mm ²	10mm	5.5mm	15mm	19mm	10.3mm	1.8mm	10mm	10mm	39mm	4mm	10
QCT16-12	16mm ²	12mm	5.5mm	15mm	19mm	13mm	1.8mm	12mm	12mm	43mm	4mm	10
QCT25-5	25mm ²	5mm	7mm	15mm	12.6mm	5.2mm	2mm	5mm	6mm	30mm	4mm	5
QCT25-6	25mm ²	6mm	7mm	15mm	12.6mm	6.5mm	2mm	5mm	6mm	30mm	4mm	5
QCT25-8	25mm ²	8mm	7mm	15mm	16mm	8.4mm	1.6mm	6mm	9mm	34mm	4mm	5
QCT25-10	25mm ²	10mm	7mm	15mm	17.5mm	10.5mm	1.5mm	10mm	10mm	39mm	4mm	5
QCT25-12	25mm ²	12mm	7mm	15mm	17.5mm	13mm	1.5mm	12mm	12mm	43mm	4mm	5
QCT35-6	35mm ²	6mm	8.6mm	18mm	15.7mm	6.4mm	2.2mm	8mm	8mm	39mm	5mm	5
QCT35-8	35mm ²	8mm	8.6mm	18mm	15.7mm	8.4mm	2.2mm	8mm	8mm	39mm	5mm	5
QCT35-10	35mm ²	10mm	8.6mm	18mm	16.2mm	10.5mm	2mm	9mm	11mm	43mm	5mm	5
QCT35-12	35mm ²	12mm	8.6mm	18mm	18mm	13mm	1.8mm	9.2mm	10.8mm	43mm	5mm	5
QCT50-6	50mm ²	6mm	9.6mm	23mm	17.4mm	6.4mm	2.4mm	8.5mm	8.5mm	46mm	6mm	5
QCT50-8	50mm ²	8mm	9.6mm	23mm	17.4mm	8.4mm	2.4mm	8.5mm	8.5mm	46mm	6mm	5
QCT50-10	50mm ²	10mm	9.6mm	23mm	17.4mm	10.5mm	2.4mm	10mm	10mm	49mm	6mm	5
QCT50-12	50mm ²	12mm	9.6mm	23mm	17.2mm	13mm	2.4mm	12mm	13mm	54mm	6mm	5

Part Number	Cable Size	Stud Size dia	ØA	B	D	ØE	F	G	H	J	K	Pack Qty
QCT70-6	70mm ²	6mm	11.2mm	23mm	22mm	6.5mm	3mm	11mm	13mm	53mm	6mm	5
QCT70-8	70mm ²	8mm	11.2mm	23mm	22mm	8.4mm	3mm	11mm	11mm	52mm	7mm	5
QCT70-10	70mm ²	10mm	11.2mm	23mm	21.5mm	10.5mm	3mm	11mm	11mm	52mm	7mm	5
QCT70-12	70mm ²	12mm	11.2mm	23mm	21.5mm	13mm	3mm	11mm	11mm	52mm	7mm	5
QCT70-14	70mm ²	14mm	11.2mm	23mm	25mm	15mm	3mm	12.5mm	12.5mm	55mm	7mm	5
QCT95-8	95mm ²	8mm	13.5mm	30mm	21.5mm	8.4mm	3.9mm	12mm	12mm	63mm	9mm	5
QCT95-10	95mm ²	10mm	13.5mm	30mm	25mm	10.5mm	3.9mm	12mm	12mm	63mm	9mm	5
QCT95-12	95mm ²	12mm	13.5mm	30mm	25mm	13mm	3.9mm	12mm	12mm	63mm	9mm	5
QCT95-14	95mm ²	14mm	13.5mm	30mm	28mm	4.7mm	3.9mm	14mm	14mm	67mm	9mm	5
QCT95-16	95mm ²	16mm	13.5mm	30mm	28mm	17mm	3.9mm	16mm	16mm	71mm	9mm	5
QCT120-8	120mm ²	8mm	15mm	25mm	27.5mm	8.4mm	3.9mm	12mm	12mm	59mm	10mm	5
QCT120-10	120mm ²	10mm	15mm	25mm	27.5mm	10.5mm	3.9mm	12mm	12mm	59mm	10mm	5
QCT120-12	120mm ²	12mm	15mm	25mm	27.5mm	13mm	3.9mm	12mm	12mm	59mm	10mm	5
QCT120-14	120mm ²	14mm	15mm	25mm	27.5mm	15mm	3.9mm	15mm	15mm	65mm	10mm	5
QCT120-16	120mm ²	16mm	15mm	25mm	27.5mm	17mm	3.9mm	15mm	15mm	65mm	10mm	5
QCT120-20	120mm ²	20mm	15mm	25mm	27.5mm	21mm	3.9mm	15mm	15mm	65mm	10mm	5
QCT150-8	150mm ²	8mm	16.5mm	26mm	30mm	8.4mm	4.38mm	14mm	14mm	65mm	11mm	5
QCT150-10	150mm ²	10mm	16.5mm	26mm	30mm	10.5mm	4.38mm	14mm	14mm	65mm	11mm	5
QCT150-12	150mm ²	12mm	16.5mm	26mm	30mm	13mm	4.38mm	14mm	14mm	65mm	11mm	5
QCT150-14	150mm ²	14mm	16.5mm	27mm	30mm	15mm	4.38mm	14mm	14mm	69mm	11mm	5
QCT150-16	150mm ²	16mm	16.5mm	27mm	30mm	17mm	4.38mm	16mm	16mm	77mm	11mm	5
QCT150-20	150mm ²	20mm	16.5mm	27mm	30mm	21mm	4.38mm	17mm	20mm	77mm	11mm	5
QCT185-10	185mm ²	10mm	19mm	30mm	34mm	10.5mm	4mm	14mm	14mm	68mm	12mm	5
QCT185-12	185mm ²	12mm	19mm	30mm	34mm	13mm	4mm	14mm	14mm	68mm	12mm	5
QCT185-14	185mm ²	14mm	19mm	30mm	34mm	15mm	4mm	14mm	14mm	68mm	12mm	5
QCT185-16	185mm ²	16mm	19mm	28mm	34mm	17mm	4mm	16mm	16mm	72mm	12mm	5
QCT185-20	185mm ²	20mm	19mm	28mm	34mm	21mm	4mm	18mm	18mm	76mm	12mm	5
QCT240-10	240mm ²	10mm	21mm	33mm	37.6mm	10.5mm	5mm	15mm	15mm	77mm	14mm	5
QCT240-12	240mm ²	12mm	21mm	33mm	37.6mm	13mm	5mm	15mm	15mm	77mm	14mm	5
QCT240-14	240mm ²	14mm	21mm	33mm	37.6mm	15mm	5mm	15mm	15mm	77mm	14mm	5
QCT240-16	240mm ²	16mm	21mm	33mm	37.6mm	17mm	5mm	19mm	19mm	85mm	14mm	5

Copper Tube Butt Splices



Part Number	Description	Length	Outer Diameter	Cable Dia. Max.	Pack Qty
QB1-5	Copper Butt Splice Terminal 1.5 mm	12mm	3.7mm	1.8mm	25
QB2-5	Copper Butt Splice Terminal 2.5 mm	15mm	4mm	2.3mm	25
QB4-6	Copper Butt Splice Terminal 4-6 mm	15mm	5.5mm	3.8mm	25
QB10	Copper Butt Splice Terminal 10 mm	20mm	6mm	4.5mm	10
QB16	Copper Butt Splice Terminal 16 mm	20mm	6.8mm	5.5mm	10
QB25	Copper Butt Splice Terminal 25 mm	32mm	8.8mm	6.8mm	5
QB35	Copper Butt Splice Terminal 35 mm	36mm	10.8mm	8.6mm	5
QB50	Copper Butt Splice Terminal 50 mm	40mm	12mm	9.6mm	5
QB70	Copper Butt Splice Terminal 70 mm	40mm	14.7mm	11.2mm	5
QB95	Copper Butt Splice Terminal 95 mm	45mm	17.5mm	13.5mm	5
QB120	Copper Butt Splice Terminal 120 mm	45mm	19mm	15mm	5
QB150	Copper Butt Splice Terminal 150 mm	55mm	21mm	16.5mm	5
QB185	Copper Butt Splice Terminal 185 mm	65mm	23.5mm	19mm	5
QB240	Copper Butt Splice Terminal 240 mm	80mm	26mm	21mm	5

Note 1
Blank terminal palms are available from 10mm² to 240mm².

Note 2
When using flexible fine strand or welding cable it may be necessary to select the next larger terminal size, i.e. 70mm² fine strand, select 95mm² terminal.

Cable Ties    

Unicrimp® Cable Ties are produced on multi-impression tools which mould complete one piece ties with no metal parts.

They are manufactured from tough durable Nylon 6/6 which has been tested to underwriters laboratory UL94V2. The material is zero halogenated and also has a low smoke and fume capability when compared with materials such as PVC, PP, PE, ABS, POM, ect.

The classified oxygen index at max 28% dry is considered excellent in halogen free and L.S.F. situations.

These specifications include for the performance testing requirements with regard to flammability, tensile strength, vibration, corrosion, etc., and in most cases exceed the recommendations. The ties can be tensioned by hand or by the use of applied tensioning tools.

The colour shade of the standard ties is natural nylon or black, but other colours are available to special order.

All general specification details are incorporated as indicated in Table 'A' and for any additional information please contact our offices.

Table A		Test Method
Material	Nylon 6/6	
Working Temperature Range	-40°C to 85°	
UL Flammability Rating	UL94	V2
Oxygen Index	25% - 28%	
Smoke Density	Flaming 35 Non Flaming 13	
Water Absorption (24 hours)	1.3%	


Loop Tensile Strength (kgs)	
Miniature	8.1kgs
Intermediate	18.2kgs
Standard	22.2kgs
Light Heavy	54.5kgs
Heavy	79.4kgs
Extra Heavy	113.5kgs



Miniature Range


Part Number	Colour	Length	Width	Bundle Dia. Max.	Min. Strength	Pack Qty
QT80M	Natural	80mm	2.5mm	14mm	8.1kg	100
QTB80M	Black	80mm	2.5mm	14mm	8.1kg	100
QT100M	Natural	100mm	2.5mm	20mm	8.1kg	100
QTB100M	Black	100mm	2.5mm	20mm	8.1kg	100
QTR100M	Red	100mm	2.5mm	20mm	8.1kg	100
QTBL100M	Blue	100mm	2.5mm	20mm	8.1kg	100
QTY100M	Yellow	100mm	2.5mm	20mm	8.1kg	100
QTG100M	Green	100mm	2.5mm	20mm	8.1kg	100
QT120M	Natural	120mm	2.5mm	24mm	8.1kg	100
QTB120M	Black	120mm	2.5mm	24mm	8.1kg	100
QT165M	Natural	165mm	2.5mm	36mm	8.1kg	100
QTB165M	Black	165mm	2.5mm	36mm	8.1kg	100
QT200M	Natural	200mm	2.5mm	50mm	8.1kg	100
QTB200M	Black	200mm	2.5mm	50mm	8.1kg	100

Standard Range



Part Number	Colour	Length	Width	Bundle Dia. Max.	Min. Strength	Pack Qty
QT120S	Natural	120mm	4.8mm	24mm	22.2kg	100
QTB120S	Black	120mm	4.8mm	24mm	22.2kg	100
QT160S	Natural	160mm	4.8mm	36mm	22.2kg	100
QTB160S	Black	160mm	4.8mm	36mm	22.2kg	100
QT190S	Natural	190mm	4.8mm	45mm	22.2kg	100
QTB190S	Black	190mm	4.8mm	45mm	22.2kg	100
QT200S	Natural	200mm	4.8mm	50mm	22.2kg	100
QTR200S	Red	200mm	4.8mm	50mm	22.2kg	100
QTBL200S	Blue	200mm	4.8mm	50mm	22.2kg	100
QTY200S	Yellow	200mm	4.8mm	50mm	22.2kg	100
QTG200S	Green	200mm	4.8mm	50mm	22.2kg	100
QTB200S	Black	200mm	4.8mm	50mm	22.2kg	100
QT250S	Natural	250mm	4.8mm	70mm	22.2kg	100
QTB250S	Black	250mm	4.8mm	70mm	22.2kg	100
QT300S	Natural	300mm	4.8mm	75mm	22.2kg	100
QTB300S	Black	300mm	4.8mm	75mm	22.2kg	100
QTR300S	Red	300mm	4.8mm	75mm	22.2kg	100
QTBL300S	Blue	300mm	4.8mm	75mm	22.2kg	100
QTY300S	Yellow	300mm	4.8mm	75mm	22.2kg	100
QTG300S	Green	300mm	4.8mm	75mm	22.2kg	100
QTS300S	Silver	300mm	4.8mm	75mm	22.2kg	100
QT370S	Natural	370mm	4.8mm	100mm	22.2kg	100
QTB370S	Black	370mm	4.8mm	100mm	22.2kg	100
QTR370S	Red	370mm	4.8mm	100mm	22.2kg	100
QTY370S	Yellow	370mm	4.8mm	100mm	22.2kg	100
QTG370S	Green	370mm	4.8mm	100mm	22.2kg	100
QTS370S	Silver	370mm	4.8mm	100mm	22.2kg	100
QTB370SP	Black	368mm	4.5mm	98mm	22kg	100
QT430S	Natural	430mm	4.8mm	115mm	22.2kg	100
QTB430S	Black	430mm	4.8mm	115mm	22.2kg	100

Metal Content Range



Part Number	Colour	Length	Width	Bundle Dia. Max.	Min. Strength	Pack Qty
QMCTBL150I	Blue	150mm	3.6mm	33mm	11Kg	100
QMCTBL200S	Blue	200mm	4.6mm	47mm	15Kg	100
QMCTBL280S	Blue	280mm	4.8mm	70mm	15Kg	100
QMCTBL385S	Blue	385mm	4.8mm	101mm	15Kg	100



Intermediate Range

Part Number	Colour	Length	Width	Bundle Dia. Max.	Min. Strength	Pack Qty
QT150I	Natural	150mm	3.6mm	30mm	18.2kg	100
QTB150I	Black	150mm	3.6mm	30mm	18.2kg	100
QTR150I	Red	150mm	3.6mm	30mm	18.2kg	100
QTBL150I	Blue	150mm	3.6mm	30mm	18.2kg	100
QTY150I	Yellow	150mm	3.6mm	30mm	18.2kg	100
QTG150I	Green	150mm	3.6mm	30mm	18.2kg	100
QT200I	Natural	200mm	3.6mm	50mm	18.2kg	100
QTB200I	Black	200mm	3.6mm	50mm	18.2kg	100
QT290I	Natural	290mm	3.6mm	75mm	18.2kg	100
QTB290I	Black	290mm	3.6mm	75mm	18.2kg	100
QT370I	Natural	370mm	3.6mm	100mm	18.2kg	100
QTB370I	Black	370mm	3.6mm	100mm	18.2kg	100

Extra Wide Ties


The Unicrimp® range of heavy duty cable ties are designed for applications that require combined high strength fixing and a positive locking capability. They are particularly suitable in difficult situations frequently found in Petro Chemical or Marine Industries.

They are available in two colours, natural or black. See Table A (page 13) for full specification of nylon material.



Light Heavy Duty Range

Part Number	Colour	Length	Width	Bundle Dia. Max.	Min. Strength	Pack Qty
QT150LH	Natural	150mm	7.6mm	36mm	54.5kg	100
QTB150LH	Black	150mm	7.6mm	36mm	54.5kg	100
QT200LH	Natural	200mm	7.6mm	50mm	54.5kg	100
QTB200LH	Black	200mm	7.6mm	50mm	54.5kg	100
QT300LH	Natural	300mm	7.6mm	80mm	54.5kg	100
QTB300LH	Black	300mm	7.6mm	80mm	54.5kg	100
QT370LH	Natural	370mm	7.6mm	105mm	54.5kg	100
QTB370LH	Black	370mm	7.6mm	105mm	54.5kg	100



Heavy Duty Range

Part Number	Colour	Length	Width	Bundle Dia. Max.	Min. Strength	Pack Qty
QT450H	Natural	450mm	8mm	115mm	62kg	100
QTB450H	Black	450mm	8mm	115mm	62kg	100
QT550H	Natural	550mm	8mm	140mm	62kg	100
QTB550H	Black	550mm	8mm	140mm	62kg	100
QT760H	Natural	760mm	9mm	190mm	79.4kg	100
QTB760H	Black	760mm	9mm	190mm	79.4kg	100
QT810H	Natural	810mm	9mm	230mm	79.4kg	100
QTB810H	Black	810mm	9mm	230mm	79.4kg	100




Extra Heavy Duty Range

Part Number	Colour	Length	Width	Bundle Dia. Max.	Min. Strength	Pack Qty
QT230XH	Natural	230mm	12.7mm	50mm	113.5kg	100
QTB230XH	Black	230mm	12.7mm	50mm	113.5kg	100
QT280XH	Natural	280mm	12.7mm	70mm	113.5kg	100
QTB280XH	Black	280mm	12.7mm	70mm	113.5kg	100
QT380XH	Natural	380mm	12.7mm	100mm	113.5kg	100
QTB380XH	Black	380mm	12.7mm	100mm	113.5kg	100
QT480XH	Natural	480mm	12.7mm	130mm	113.5kg	100
QTB480XH	Black	480mm	12.7mm	130mm	113.5kg	100
QT550XH	Natural	550mm	12.7mm	150mm	113.5kg	100
QTB550XH	Black	550mm	12.7mm	150mm	113.5kg	100
QT730XH	Natural	730mm	12.7mm	185mm	113.5kg	100
QTB730XH	Black	730mm	12.7mm	185mm	113.5kg	100
QT880XH	Natural	880mm	12.7mm	250mm	113.5kg	100
QTB880XH	Black	880mm	12.7mm	250mm	113.5kg	100
QT1030XH	Natural	1030mm	12.7mm	310mm	113.5kg	100
QTB1030XH	Black	1030mm	12.7mm	310mm	113.5kg	100

Releasable Ties

Releasable cable ties, designed to facilitate routine changes and repairs. Press tab for easy removal. Mountable head cable ties used to secure bundled harnesses to panels. They may also be pre mounted to existing installation before final assembly.

See 'Table A' on page 13 for full specification of nylon material.




Part Number	Colour	Length	Width	Bundle Dia. Max.	Min. Strength	Pack Qty
QT200RE	Natural	200mm	4.8mm	50mm	22.2kg	100
QTB200RE	Black	200mm	4.8mm	50mm	22.2kg	100
QT300RE	Natural	300mm	4.8mm	83mm	22.2kg	100
QTB300RE	Black	300mm	4.8mm	83mm	22.2kg	100
QT370RE	Natural	370mm	4.8mm	96mm	22.2kg	100
QTB370RE	Black	370mm	4.8mm	96mm	22.2kg	100

Accessories

Unicrimp® accessories are designed to incorporate the majority of features applicable to the positioning of cable ties. Self adhesive bases, cradles, eyelets and clamps are supplied and manufactured from A.B.S. or Nylon 6/6 material.


In case of self adhesive components the adhesive pads themselves have a base synthetic rubber foundation which when applied gives a high permanent bond to most surfaces. On all applications a dual option of bolt fixings is designed into the base as a preference if required.

Eyelets




Part Number	Colour	A	B	C	F	H	Max. Cable Tie Width	Pack Qty
QTE	Natural	9.5mm	19mm	4.3mm	5mm	5mm	5mm	100
QTBE	Black	9.5mm	19mm	4.3mm	5mm	5mm	5mm	100

Cradles



Part Number	Colour	A	B	C	F	H	Max. Cable Tie Width	Pack Qty
QTC	Natural	16mm	23mm	5mm	9mm	9.8mm	9mm	100
QTBC	Black	16mm	23mm	5mm	9mm	9.8mm	9mm	100


2-Way Cable Tie Base



Part Number	Colour	A	B	C	F	H	Max. Cable Tie Width	Pack Qty
QTB12	Natural	18.9mm	18.9mm	4.8mm	4.2mm	4.6mm	3.6mm	100
QTBB12	Black	18.9mm	18.9mm	4.8mm	4.2mm	4.6mm	3.6mm	100
QTB22	Natural	26.3mm	26.3mm	5mm	5.6mm	6mm	5.6mm	100
QTBB22	Black	26.3mm	26.3mm	5mm	5.6mm	6mm	5.6mm	100


Mounts

- Designed for heavy duty harnessing applications
- Self adhesive
- Provides fast, strong mounting system for securing cables



Part Number	Colour	A	B	C	D	Pack Qty
QTM5	Natural	19mm	10.4mm	4.9mm	4.9mm	100
QTMB5	Black	19mm	10.4mm	4.9mm	4.9mm	100
QTM11	Natural	26.8mm	12.3mm	8.3mm	11mm	100
QTMB11	Black	26.8mm	12.3mm	8.3mm	11mm	100
QTM17	Natural	25.5mm	15.8mm	13.3mm	17mm	100
QTMB17	Black	25.5mm	15.8mm	13.3mm	17mm	100

Wall Plug Mount



Part Number	Description	A	B	C (Drill Dia.)	Pack Qty
QMM9	Wall Plugs Mounts Masonry Fixings For Cable Ties	9.4mm	41.8mm	8.5mm	100

Heat Shrink Sleeving

All heat shrink packs contain brown, green/yellow, blue, black, and grey sleeving.
Shrink Ratio: 2:1.
Shrink Temperature: <100°C



Part Number	Description	Internal Diameter	Length	Pack Qty
QHS6MPKIT	Heat Shrink Pack 6.4mm x 1m	6.4mm	1m	1
QHS12MPKIT	Heat Shrink Pack 12.8mm x 1m	12.8mm	1m	1
QHS19MPKIT	Heat Shrink Pack 19.1mm x 1m	19.1mm	1m	1

Sleeving



Service Temperature Range: -25°C - +70°C. Flammability: Self extinguishing in 30 seconds.

Part Number	Description	Internal Diameter	Colour	Pack Qty
QES2	Green/ Yellow PVC Earth Sleeving 2mm x 100m	2mm	Green/Yellow	1
QES3	Green/ Yellow PVC Earth Sleeving 3mm x 100m	3mm	Green/Yellow	1
QES4	Green/ Yellow PVC Earth Sleeving 4mm x 100m	4mm	Green/Yellow	1
QES5	Green/ Yellow PVC Earth Sleeving 5mm x 100m	5mm	Green/Yellow	1
QES2BL	Blue PVC Sleeving 2mm x 100m	2mm	Blue	1
QES3BL	Blue PVC Sleeving 3mm x 100m	3mm	Blue	1
QES4BL	Blue PVC Sleeving 4mm x 100m	4mm	Blue	1
QES2BR	Brown PVC Sleeving 2mm x 100m	2mm	Brown	1
QES3BR	Brown PVC Sleeving 3mm x 100m	3mm	Brown	1
QES4BR	Brown PVC Sleeving 4mm x 100m	4mm	Brown	1

CXT Cable Gland Size Chart - CY Cable

Part Number	Cable Size (mm ²)	NOM Dia. (mm)	Number of Cores
20S	0.5	7.1	2
20S	0.5	7.6	3
20S	0.5	8	4
20S	0.5	8.5	5
20S	0.5	9.3	7
20	0.5	11.5	12
20	0.5	13.4	18
25	0.5	15.8	25
20S	0.75	7.6	2
20S	0.75	7.8	3
20S	0.75	8.3	4
20S	0.75	8.9	5
20S	0.75	9.7	7
20	0.75	12.2	12
25	0.75	13.6	18
25	0.75	16.7	25
20S	1.0	8.2	2
20S	1.0	8.4	3
20S	1.0	8.8	4
20S	1.0	9.3	5
20S	1.0	9.9	7
20	1.0	12.5	12
25	1.0	14.5	18
25	1.0	17.9	25
20S	1.5	8.5	2
20S	1.5	8.7	3
20S	1.5	9.3	4
20S	1.5	9.9	5
20	1.5	12.4	7
25	1.5	13.7	12
25	1.5	16.8	18
32	1.5	19.8	25
20S	2.5	9.8	2
20S	2.5	10.1	3

Part Number	Cable Size (mm ²)	NOM Dia. (mm)	Number of Cores
20S	2.5	10.9	4
20	2.5	11.8	5
20	2.5	13	7
25	2.5	17.3	12
32	2.5	19.8	18
20	4.0	11.7	3
20	4.0	12.6	4
25	4.0	13.9	5
25	4.0	15.7	7
25	6.0	14.1	3
25	6.0	14.8	4
25	6.0	16.9	5
25	6.0	18.4	7
25	10	18.2	4
32	10	19.8	5
32	10	22.2	7
32	16	21.8	4
32	16	23.5	5
32	25	25.3	4
40	25	28.9	5
40	35	29.7	4
50	50	34.9	4

Due to cable diameter variances between manufacturers, we strongly advise the cable diameter is checked where possible, prior to purchasing the products.

CXT Cable Gland Size Chart - SY Cable

Part Number	Cable Size (mm ²)	NOM Dia. (mm)	Number of Cores
20S	0.5	7.4	3
20S	0.5	7.9	4
20S	0.5	8.6	5
20S	0.5	9.2	7
20	0.5	11.6	12
20	0.5	13.4	18
25	0.5	15.5	25
20S	0.75	7.2	2
20S	0.75	7.7	3
20S	0.75	8.3	4
20S	0.75	8.9	5
20S	0.75	9.7	7
20	0.75	12.1	12
25	0.75	15.3	18
25	0.75	16.8	25
20S	1.0	7.6	2
20S	1.0	8.1	3
20S	1.0	8.6	4
20S	1.0	9.7	5
20S	1.0	10.5	7
20	1.0	13.4	12
25	1.0	15.6	18
25	1.0	18.1	25

Part Number	Cable Size (mm ²)	NOM Dia. (mm)	Number of Cores
20S	1.5	8.6	2
20S	1.5	9.1	3
20S	1.5	10.1	4
20S	1.5	10.6	5
20	1.5	11.5	7
25	1.5	15.1	12
25	1.5	17.4	18
20S	2.5	10.4	3
20	2.5	11.3	4
20	2.5	12.9	5
25	2.5	13.9	7
25	4.0	13.5	4
25	4.0	14.8	5
25	6.0	15.9	4
25	6.0	17.4	5
32	10	19.1	4
32	10	22.6	5
32	16	22.3	4
50	25	32.5	4
50	35	35.6	4
50	50	38.7	4
50	70	43.8	4

Due to cable diameter variances between manufacturers, we strongly advise the cable diameter is checked where possible, prior to purchasing the products.

CXT Brass Glands

- Tested and approved to BS6121 Pt1
- Suitable for use with all types of screened flexible wire braid/wire braid armoured cables
- Supplied in kit form with shrouds, earth tags & steel locknuts
- Ingress Protection: IP66



Part Number	Description	Gland Size (D)	Thread Length (E)	Outer Dia. Max (A)	Inner Dia. Max (B)	Armour Wire Dia. (C)	Pack Qty
QCXT20S	CXT20S Brass Gland Pack 20mm Small	20mm	10mm	8mm	11.5mm	0.15/0.35mm	2
QCXT20	CXT20 Brass Gland Pack 20mm	20mm	10mm	11mm	13.5mm	0.15/0.50mm	2
QCXT25	CXT25 Brass Gland Pack 25mm	25mm	10mm	16mm	19.5mm	0.15/0.50mm	2
QCXT32	CXT32 Brass Gland Pack 32mm	32mm	10mm	16mm	19.5mm	0.15/0.55mm	2
QCXT40	CXT40 Brass Gland Pack 40mm	40mm	15mm	23mm	29mm	0.20/0.60mm	1
QCXT50	CXT50 Brass Gland Pack 50mm	50mm	15mm	31.5mm	37mm	0.30/0.80mm	1
QCXT63	CXT63 Brass Gland Pack 63mm	63mm	15mm	42.5mm	50mm	0.30/0.80mm	1

Cable Gland Selection Chart


The gland sizes recommended in this chart are for guidance only and are based on cables manufactured to BS 5467. Actual cable dimensions must be used for gland selection.

Cable Size	Single Core	2 Core	3 Core	4 Core	Number Of Cores							
					5	7	10	12	19	27	37	48
1.5	-	20S	20S	20S	20S	20	20	25	25	32	32	32
2.5	-	20S	20S	20S	20	20	25	25	25	32	40	40
4.0	-	20S	20S	20	20	20	25	25	32	40	40	50
6.0	-	20	20	20	20							
10.0	-	20	20	25	25							
16.0	-	25	25	25	25							
25.0	-	25	32	32	32							
35.0	-	32	32	32	40							
50.0	20	25	32	32	50							
70.0	20	32	32	40	50							
95.0	25	32	40	50S								
120	25	40	50S	50								
150	32	40	50S	50								
185	32	50S	50	63S								
240	32	50	63S	63								
300	40	63S	63	75S								
400	40	63S	75S	75								

Due to cable diameter variances between manufacturers, we strongly advise the cable diameter is checked where possible, prior to purchasing the products.

E1W Industrial Brass Glands


- Tested and approved to BS 6121 Pt1
- Supplied in kit form with Shrouds, Earth Tags & Steel Locknuts



Part Number	Description	Gland Size (D)	Thread Length (E)	Cable Dia. Max (A)	Cable Dia. Max (B)	Armour Wire Dia. (C)	Pack Qty
QAE1W20S	E1W Brass Glands 20mm - S	20mm	10mm	11.6mm	11.4/15.9mm	0.9/1.25mm	2
QAE1W20	E1W Brass Glands 20mm	20mm	10mm	13.9mm	15/20.9mm	0.9/1.25mm	2
QAE1W25	E1W Brass Glands 25mm	25mm	10mm	19.9mm	20.3/27.4mm	1.25/1.6mm	2
QAE1W32	E1W Brass Glands 32mm	32mm	10mm	26.2mm	26/33.9mm	1.6/2mm	2

BW Industrial Brass Glands


- Tested and approved to BS6121 Pt1
- Manufactured in cast brass to BS2874
- Supplied in kit form with Shrouds, Earth Tags & Steel Locknuts
- Standard 1.5mm Thread Pitch



Part Number	Description	Gland Size (D)	Thread Length (E)	Cable Dia. Max (A)	Cable Dia. Max (B)	Armour Wire Dia. (C)	Pack Qty
QBW20S	BW Brass Glands 20mm - S	20mm	10mm	11.6mm	16.1mm	0.9/1.25mm	2
QBW20S-LSF	BW Brass Glands 20mm - S - LSF	20mm	10mm	11.6mm	16.1mm	0.9/1.25mm	2
QBW20	BW Brass Glands 20mm	20mm	10mm	13.9mm	21.1mm	0.9/1.25mm	2
QBW20-LSF	BW Brass Glands 20mm - LSF	20mm	10mm	13.9mm	21.1mm	0.9/1.25mm	2
QBW25	BW Brass Glands 25mm	25mm	10mm	19.9mm	27.4mm	1.25/1.6mm	2
QBW25-LSF	BW Brass Glands 25mm - LSF	25mm	10mm	19.9mm	27.4mm	1.25/1.6mm	2
QBW32	BW Brass Glands 32mm	32mm	10mm	26.2mm	34.4mm	1.6/2.0mm	2
QBW32-LSF	BW Brass Glands 32mm - LSF	32mm	10mm	26.2mm	34.4mm	1.6/2.0mm	2
QBW40	BW Brass Glands 40mm	40mm	15mm	32.1mm	42.4mm	1.6/2.0mm	1
QBW40-LSF	BW Brass Glands 40mm - LSF	40mm	15mm	32.1mm	42.4mm	1.6/2.0mm	1
QBW50S	BW Brass Glands 50mm - S	50mm	15mm	38.1mm	50.1mm	2.0/2.5mm	1
QBW50	BW Brass Glands 50mm	50mm	15mm	44mm	55.7mm	2.0/2.5mm	1
QBW50-LSF	BW Brass Glands 50mm - LSF	50mm	15mm	44mm	55.7mm	2.0/2.5mm	1
QBW63S	BW Brass Glands 63mm - S	63mm	15mm	50mm	62.4mm	2.5mm	1
QBW63	BW Brass Glands 63mm	63mm	15mm	55.9mm	68.2mm	2.5mm	1
QBW63-LSF	BW Brass Glands 63mm - LSF	63mm	15mm	55.9mm	68.2mm	2.5mm	1

CW Industrial Brass Glands

- Tested and approved to BS6121 Pt1
- Manufactured in cast brass to BS2874
- Supplied in kit form with Shrouds, Earth Tags & Steel Locknuts
- Standard 1.5mm Thread Pitch



PLEASE REFER TO PAGE 21 FOR THE CABLE GLAND SELECTION CHART

Part Number	Description	Gland Size (D)	Thread Length (E)	Cable Dia. Max (A)	Cable Dia. Max (B)	Armour Wire Dia. (C)	Pack Qty
QCW20S	CW Brass Glands 20mm - S	20mm	10mm	11.6mm	11.4/15.9mm	0.9/1.25mm	2
QCW20S-LSF	CW Brass Glands 20mm - S - LSF	20mm	10mm	11.6mm	11.4/15.9mm	0.9/1.25mm	2
QCW20	CW Brass Glands 20mm	20mm	10mm	13.9mm	15/20.9mm	0.9/1.25mm	2
QCW20-LSF	CW Brass Glands 20mm - LSF	20mm	10mm	13.9mm	15/20.9mm	0.9/1.25mm	2
QCW25	CW Brass Glands 25mm	25mm	10mm	19.9mm	20.3/27.4mm	1.25/1.6mm	2
QCW25-LSF	CW Brass Glands 25mm - LSF	25mm	10mm	19.9mm	20.3/27.4mm	1.25/1.6mm	2
QCW32	CW Brass Glands 32mm	32mm	10mm	26.2mm	26/33.9mm	1.6/2mm	2
QCW32-LSF	CW Brass Glands 32mm - LSF	32mm	10mm	26.2mm	26/33.9mm	1.6/2mm	2
QCW40	CW Brass Glands 40mm	40mm	15mm	32.1mm	31/40.4mm	1.6/2mm	1
QCW40-LSF	CW Brass Glands 40mm - LSF	40mm	15mm	32.1mm	31/40.4mm	1.6/2mm	1
QCW50S	CW Brass Glands 50mm - S	50mm	15mm	38.1mm	36.5/46.7mm	2/2.5mm	1
QCW50	CW Brass Glands 50mm	50mm	15mm	44mm	43/53.1mm	2/2.5mm	1
QCW50-LSF	CW Brass Glands 50mm - LSF	50mm	15mm	44mm	43/53.1mm	2/2.5mm	1
QCW63S	CW Brass Glands 63mm - S	63mm	15mm	50mm	48.9/59.4mm	2.5mm	1
QCW63	CW Brass Glands 63mm	63mm	15mm	55.9mm	58/65.9mm	2.5mm	1
QCW63-LSF	CW Brass Glands 63mm - LSF	63mm	15mm	55.9mm	58/65.9mm	2.5mm	1
QCW75S	CW Brass Glands 75mm - S	75mm	15mm	61.9mm	60.6/72.1mm	2.5mm	1
QCW75	CW Brass Glands 75mm	75mm	15mm	67.9mm	64.9/78.5mm	2.5/3mm	1

Nylon Glands 

- Made from Polyamide 6
- IP68 ingress protection
- Includes locknut & washer



Part Number	Description	Thread Diameter (A)	Entry Thread (B)	Spanner Size	Cable Diameter	Pack Qty
QCGM12BLK	Black Nylon 12mm Glands	12mm	7.9mm	15mm	3 - 6.5mm	10
QCGM16BLK	Black Nylon 16mm Glands	16mm	15.5mm	22mm	5 - 10mm	10
QCGM20BLK	Black Nylon 20mm Glands	20mm	10mm	24mm	8 - 12mm	10
QCGM20LBLK	Black Nylon 20mm Glands	20mm	10mm	27mm	10 - 14mm	10
QCGM25BLK	Black Nylon 25mm Glands	25mm	15.2mm	33mm	13 - 18mm	10
QCGM32BLK	Black Nylon 32mm Glands	32mm	14.7mm	42mm	18 - 25mm	10
QCGM40BLK	Black Nylon 40mm Glands	40mm	18.4mm	53mm	22 - 32mm	5
QCGM50BLK	Black Nylon 50mm Glands	50mm	17.8mm	60mm	30 - 38mm	5
QCGM63BLK	Black Nylon 63mm Glands	63mm	18.5mm	75mm	34 - 44mm	5
QCGM12GRY	Grey Nylon 12mm Glands	12mm	7.9mm	15mm	3 - 6.5mm	10
QCGM16GRY	Grey Nylon 16mm Glands	16mm	15.5mm	22mm	5 - 10mm	10
QCGM20GRY	Grey Nylon 20mm Glands	20mm	10mm	24mm	8 - 12mm	10
QCGM20LGRY	Grey Nylon 20mm Glands	20mm	10mm	27mm	10 - 14mm	10
QCGM25GRY	Grey Nylon 25mm Glands	25mm	15.2mm	33mm	13 - 18mm	10
QCGM32GRY	Grey Nylon 32mm Glands	32mm	14.7mm	42mm	18 - 25mm	10
QCGM40GRY	Grey Nylon 40mm Glands	40mm	18.4mm	53mm	22 - 32mm	5
QCGM50GRY	Grey Nylon 50mm Glands	50mm	17.8mm	60mm	30 - 38mm	5
QCGM63GRY	Grey Nylon 63mm Glands	63mm	18.5mm	75mm	34 - 44mm	5
QCGM12RED	Red Nylon 12mm Glands	12mm	7.9mm	15mm	3 - 6.5mm	10
QCGM16RED	Red Nylon 16mm Glands	16mm	15.5mm	22mm	5 - 10mm	10
QCGM20RED	Red Nylon 20mm Glands	20mm	10mm	27mm	10 - 14mm	10
QCGM20LRED	Red Nylon 20mm Glands	20mm	10mm	24mm	8 - 12mm	10
QCGM25RED	Red Nylon 25mm Glands	25mm	15.2mm	33mm	13 - 18mm	10
QCGM32RED	Red Nylon 32mm Glands	32mm	14.7mm	42mm	18 - 25mm	10
QCGM16WHT	White Nylon 16mm Glands	16mm	15.5mm	22mm	5 - 10mm	10
QCGM20WHT	White Nylon 20mm Glands	20mm	10mm	27mm	10 - 14mm	10
QCGM20LWHT	White Nylon 20mm Glands	20mm	10mm	24mm	8 - 12mm	10
QCGM25WHT	White Nylon 25mm Glands	25mm	15.2mm	33mm	13 - 18mm	10
QCGM32WHT	White Nylon 32mm Glands	32mm	14.7mm	42mm	18 - 25mm	10
QCGM40WHT	White Nylon 40mm Glands	40mm	18.4mm	53mm	22 - 32mm	5
QCGM50WHT	White Nylon 50mm Glands	50mm	17.8mm	60mm	30 - 38mm	5
QCGM63WHT	White Nylon 63mm Glands	63mm	18.5mm	75mm	34 - 44mm	5

PVC Tapes

General purpose non-migratory plasticised insulation tape supplied in lengths of 20m and 33m with all colours as detailed.

Tested for: Thickness, Tensile Elongation, Adhesion, Adhesion to Backing, Flagging, Corrosive Sulphur, Flame Propagation (CAT 2), Plastic to 31/90 (PVCP), Working Temperature up to 70°C.

- Made from self extinguishing flame retardant PVC
- Manufactured to comply with BS EN 60454-3
- Ideal for electrical binding, colour coding and identification



Part Number	Colour	Length	Width	Pack Qty
1920B	Black	20 Metres	19mm	10 Rolls
1920BL	Blue	20 Metres	19mm	10 Rolls
1920BR	Brown	20 Metres	19mm	10 Rolls
1920GR	Green	20 Metres	19mm	10 Rolls
1920GY	Grey	20 Metres	19mm	10 Rolls
1920R	Red	20 Metres	19mm	10 Rolls
1920W	White	20 Metres	19mm	10 Rolls
1920Y	Yellow	20 Metres	19mm	10 Rolls
1920YG	Yellow/Green	20 Metres	19mm	10 Rolls
1920MX01	Mixed Phase Colours (10 Pack) (2 x Black, Brown, Blue, Grey, Yellow/Green)	20 Metres	19mm	1 Pack
1920MX02	Mixed Colours (10 Pack) (2 x Black, Brown, White & 1 x Red, Blue, Yellow, Yellow/Green)	20 Metres	19mm	1 Pack


1933B	Black	33 Metres	19mm	10 Rolls
1933BL	Blue	33 Metres	19mm	10 Rolls
1933BR	Brown	33 Metres	19mm	10 Rolls
1933GR	Green	33 Metres	19mm	10 Rolls
1933GY	Grey	33 Metres	19mm	10 Rolls
1933R	Red	33 Metres	19mm	10 Rolls
1933W	White	33 Metres	19mm	10 Rolls
1933Y	Yellow	33 Metres	19mm	10 Rolls
1933YG	Yellow/Green	33 Metres	19mm	10 Rolls

Specialist Tapes

Part Number	Description	Length	Pack Qty
QDT50X50	Duct Tape 50mm x 50m Roll	50 Metres	1 Rolls
QUGT100X200	Underground Warning Tape 100mm x 200m Roll	200 Metres	1 Rolls




Grommets - Quick Fit Type



Part Number	Description	A	B	C	D	E	F	Pack Qty
QGROMQ20OPEN	Black Quick Fit Open Cable Grommets 20mm	23.6mm	16.2mm	19.9mm	8.4mm	2.1mm	4.4mm	100
QGROMQ25OPEN	Black Quick Fit Open Cable Grommets 25mm	29.5mm	20.4mm	24.6mm	8.6mm	2.1mm	4.1mm	100
QGROMQ20CLOSED	Black Quick Fit Closed Cable Grommets 20mm	24.7mm	16.6mm	19.8mm	7.9mm	2.8mm	3.5mm	100
QGROMQ25CLOSED	Black Quick Fit Closed Cable Grommets 25mm	29.6mm	20.6mm	24.9mm	8.8mm	2.8mm	3.4mm	100

Grommets - Standard Type



Part Number	Description	A	B	C	D	E	Pack Qty
QGROM20OPEN	Black Open Cable Grommets 20mm	23.2mm	16.2mm	19.6mm	6.7mm	2.1mm	100
QGROM25OPEN	Black Open Cable Grommets 25mm	29mm	20mm	25.1mm	7.3mm	2.4mm	50
QGROM20CLOSED	Black Closed Cable Grommets 20mm	22.1mm	15.7mm	19.8mm	5.5mm	1.4mm	100
QGROM25CLOSED	Black Closed Cable Grommets 25mm	29.6mm	18.8mm	25.2mm	6.5mm	2mm	50

Cable Cleats

- Manufactured in high strength polypropylene not polythene
- High impact resistance
- Unaffected by corrosive environments
- Higher mechanical strength than polythene
- High level of resistance to ultra violet light
- Stability down to -35°C and up to 105°C constant



Part Number	Description	Cable Diameter	Width	Length	Depth	Pack Qty
QC3	Black Cable Cleats 7.6mm	5mm - 7.6mm	7.6mm	25mm	15mm	100
QC4	Black Cable Cleats 10.1mm	7.7mm - 10mm	14.5mm	28.9mm	15.5mm	100
QC5	Black Cable Cleats 12.7mm	10.1mm - 12.7mm	17.5mm	30.8mm	15.5mm	100
QC6	Black Cable Cleats 15.2mm	12.6mm - 15.2mm	19.7mm	32.8mm	15.5mm	100
QC7	Black Cable Cleats 17.8mm	15.1mm - 17.8mm	21.8mm	35mm	15.5mm	100
QC8	Black Cable Cleats 20.3mm	17.7mm - 20.3mm	25.5mm	37.6mm	18.5mm	100
QC9	Black Cable Cleats 22.8mm	20.2mm - 22.8mm	26.7mm	41mm	18.5mm	100
QC10	Black Cable Cleats 25.4mm	22.7mm - 25.4mm	29.7mm	43mm	18.5mm	100
QC11	Black Cable Cleats 27.7mm	25.3mm - 27.7mm	32.1mm	46.5mm	21.5mm	50
QC12	Black Cable Cleats 30.0mm	27.6mm - 30.5mm	37.2mm	53.4mm	21.5mm	50
QC14	Black Cable Cleats 35.6mm	30.4mm - 35.5mm	38.4mm	61.3mm	24.4mm	50
QC16	Black Cable Cleats 40.6mm	35.4mm - 40.6mm	49.8mm	63.1mm	24.4mm	50
QC18	Black Cable Cleats 45.7mm	40.5mm - 45.7mm	51.2mm	68.3mm	24.4mm	50
QC20	Black Cable Cleats 50.4mm	45.6mm - 50.8mm	55.6mm	72.8mm	24.4mm	20

Cable Clips

- Self grip design
- Chemical inertness
- Stress crack resistance
- Thick steel nails prevents snapping
- Long nail for good pull out value
- High grade tough polyethylene for low temperature flexibility



Part Number	Description	Colour	Cable Dimension	Pack Qty
QRC1B	Black Cable Clips for 2-3mm Round Cable	Black	2mm - 3mm Diameter	100
QRC1	Clear Cable Clips For 2-3mm Round Cable	Clear	2mm - 3mm Diameter	100
QRC2	Clear Cable Clips for 3-5mm Round Cable	Clear	3mm - 5mm Diameter	100
QRC2B	Black Cable Clips for 3-5mm Round Cable	Black	3mm - 5mm Diameter	100
QRC3	White Cable Clips for 3-5mm Round Cable	White	3mm - 5mm Diameter	100
QRC4	Black Cable Clips for 5-7mm Round Cable	Black	5mm - 7mm Diameter	100
QRC5	Clear Cable Clips for 5-7mm Round Cable	Clear	5mm - 7mm Diameter	100
QRC6	White Cable Clips for 5-7mm Round Cable	White	5mm - 7mm Diameter	100
QRC7	Black Cable Clips for 7-10mm Round Cable	Black	7mm - 10mm Diameter	100
QRC8	Brown Cable Clips for 7-10mm Round Cable	Brown	7mm - 10mm Diameter	100
QRC9	Red Cable Clips for 7-10mm Round Cable	Red	7mm - 10mm Diameter	100
QRC10	White Cable Clips for 7-10mm Round Cable	White	7mm - 10mm Diameter	100
QRC11	Black Cable Clips for 10-14mm Round Cable	Black	10mm - 14mm Diameter	100
QRC12	White Cable Clips for 10-14mm Round Cable	White	10mm - 14mm Diameter	100
QRC13	Black Cable Clips for 14-20mm Round Cable	Black	14mm - 20mm Diameter	50
QRC14	White Cable Clips for 14-20mm Round Cable	White	14mm - 20mm Diameter	50
QRC15	Black Cable Clips for 18-22mm Round Cable	Black	18mm - 22mm Diameter	50
QRC16	White Cable Clips for 18-22mm Round Cable	White	18mm - 22mm Diameter	50
QRC17	Black Cable Clips for 22-26mm Round Cable	Black	22mm - 26mm Diameter	50
QRC18	White Cable Clips for 22-26mm Round Cable	White	22mm - 26mm Diameter	50
QFC1	Clear Cable Clips for 2 x 4mm Bellwire	Clear	2mm x 4mm	100
QFC2	Clear Cable Clips for 3 x 5mm Speaker Cable	Clear	3mm x 5mm	100
QFC3	Clear Cable Clips for 4 x 6mm Twin Sheath Cable	Clear	4mm x 6mm	100
QFC4	Grey Cable Clips for 1.0-1.5mm² T&E Cable	Grey	1.0mm² - 1.5mm² T&E	100
QFC5	Grey Cable Clips for 2.5mm² T&E Cable	Grey	2.5mm² T&E	100
QFC6	Grey Cable Clips for 4-6mm² T&E Cable	Grey	4mm² - 6mm² T&E	100
QFC7	Grey Cable Clips for 10-16mm² T&E Cable	Grey	10mm² - 16mm² T&E	100
QFVC1	White Cable Clips for 11 x 22mm Flat Oval Conduit	White	11mm x 22mm	100
QFVC4	White Cable Clips for Flat 1-1.5mm² T&E Cable	White	1.0mm² - 1.5mm² T&E	100
QFVC5	White Cable Clips for Flat 2.5mm² T&E Cable	White	2.5mm² T&E	100
QFVC6	White Cable Clips for 4-6mm² T&E Cable	White	4mm² - 6mm² T&E	100
QFVC7	White Cable Clips for 10-16mm² T&E Cable	White	10mm² - 16mm² T&E	100
QDC1	Grey Double Cable Clips for Flat 2 x 1.0-1.5mm² T&E Cable	Grey	2 x 1.0mm² - 1.5mm² T&E	100
QDC2	Grey Double Cable Clips for Flat 2 x 2.5mm² T&E Cable	Grey	2 x 2.5mm² T&E	100
QJ12B	Black Dual Coaxial Cable Clips (RG59+2C and HYCF Dual)	Black	6mm x 12.5mm	100
QJ12W	White Dual Coaxial Cable Clips (RG59+2C and HYCF Dual)	White	6mm x 12.5mm	100

Push in Connectors

Terminal Capacity: 0.5mm²-2.5mm² Stranded or Solid Core
Operating Temperature (Max.): 110°C



Part Number	Description	Pack Qty
QP2242R2	24A 450V Red Transparent 2 Port Push In Wire Connectors	100
QP3242O2	24A 450V Orange Transparent 3 Port Push In Wire Connectors	100
QP4242Y2	24A 450V Yellow 4 Port Push In Wire Connectors	100
QP5242B	24A 450V Blue Transparent 5 Port Push In Wire Connectors	50
QP6242P	24A 450V Purple Transparent 6 Port Push In Wire Connectors	50
QP8242B	24A 450V Black Transparent 8 Port Push In Wire Connectors	40

Lever Connectors

- Fast & easy to use
- Maintenance free installation
- Conductor range from 0.2 - 4mm²
- Permanent, secure connections



Part Number	Description	Pack Qty
QL2322	32A 450V Transparent 2 Port Lever Wire Connectors	50
QL3322	32A 450V Transparent 3 Port Lever Wire Connectors	50
QL5322	32A 450V Transparent 5 Port Lever Wire Connectors	30

Terminal Blocks

- PE material
- Brass insert
- Captive screw




Part Number	Description	Pack Qty
QTB5	Clear 5 Amp 12 Way Terminal Block Strips	10
QTB15	Clear 15 Amp 12 Way Terminal Block Strips	10
QTB30	Clear 30 Amp 12 Way Terminal Block Strips	10

Stainless Steel Roller Ball Cable Ties



- Made from 316 grade steel
- Minimum loop tensile strength 4.6mm wide = 44kg
- Minimum loop tensile strength 7.9mm wide = 110kg

Dimension A Nominal
 Dimension B + -0.4mm
 Dimension C + -0.04mm
 Dimension D Nominal
 Dimension E Nominal



Part Number	A	B	C	D	E	Bundle Dia. Max.	Pack Qty
QSST150S	150mm	4.6mm	0.25mm	6.4mm	4mm	35mm	100
QSST200S	200mm	4.6mm	0.25mm	6.4mm	4mm	50mm	100
QSST300S	300mm	4.6mm	0.25mm	6.4mm	4mm	83mm	100
QSST360S	360mm	4.6mm	0.25mm	6.4mm	4mm	100mm	100
QSST520S	520mm	4.6mm	0.25mm	6.4mm	4mm	150mm	100

QSST300LH	300mm	7.9mm	0.25mm	10.6mm	5.4mm	83mm	100
QSST360LH	360mm	7.9mm	0.25mm	10.6mm	5.4mm	100mm	100
QSST520LH	520mm	7.9mm	0.25mm	10.6mm	5.4mm	150mm	50
QSST840LH	840mm	7.9mm	0.25mm	10.6mm	5.4mm	250mm	50

Stainless Steel Mounts

- For indoor and outdoor use, fully weather proof, UV and fire resistant
- High quality 316 grade stainless steel



Part Number	Description	Dimensions	Fixing Dia.	Max. Tie Width	Pack Qty
QSSTM-4	Stainless Steel Cable Tie Mount M4	15 x 29.2 x 5.2mm	4.2mm	10mm	50
QSSTM-6	Stainless Steel Cable Tie Mount M6	15 x 29.2 x 5.2mm	6.2mm	10mm	50

Fire Safe Cable Clips

- Cable clips prevent cables dropping in the event of a fire
- Can be used in PVC trunking or surface mounted
- No corrosive finish



Part Number	Description	Fire Rating	Suitable Trunking Size	Pack Qty
QFGFC25	25mm Fire Safe Cable Clips	120 Minutes (2 Hours)	25mm	10
QFGFC40	40mm Fire Safe Cable Clips	120 Minutes (2 Hours)	32 - 40mm	10
QFGFC50	50mm Fire Safe Cable Clips	120 Minutes (2 Hours)	50mm	10

Fire Safe Metal Cable Clips



Part Number	Description	Suitable Cable Size	Pack Qty
QMC25	1 - 2.5mm ² Metal T&E Cable Clips	1mm ² - 2.5mm ² T&E	100
QMC6	4 - 6mm ² Metal T&E Cable Clips	4mm ² - 6mm ² T&E	100
QMC25GY	1 - 2.5mm ² Metal LSF T&E Cable Clips - Grey	1mm ² - 2.5mm ² T&E	100
QMC6GY	4 - 6mm ² Metal LSF T&E Cable Clips - Grey	4mm ² - 6mm ² T&E	100

Masonry Screws



Part Number	Description	Length	Thread Dia.	Pack Qty
QMA48-40	Masonry Fixing Screw 4.8 x 40mm	40mm	4.8mm	100

Saddle Clips & P Clips

- Assist installation of fire cable to meet the requirement of BS 5839-1: 2017
- Tested & approved to BS 476 Pt.6 and BS 476 Pt.7



Part Number	Coating	Ref.	Colour	1mm	1.5mm	2.5mm	4mm	Min	Max	Fixing Dia.	Pack Qty
QSC302LSFB	LSF	302	Black	3L/1.0	2L/1.5	-	-	7.0mm	7.7mm	50	50
QSC302LSFR	LSF	302	Red	3L/1.0	2L/1.5	-	-	7.0mm	7.7mm	50	50
QSC302LSFW	LSF	302	White	3L/1.0	2L/1.5	-	-	7.0mm	7.7mm	50	50
QSC342LSFB	LSF	342	Black	4L/1.0	3L/1.5 - 4L/1.5	2L/2.5 - 3L/2.5	-	7.8mm	9.0mm	50	50
QSC342LSFR	LSF	342	Red	4L/1.0	3L/1.5 - 4L/1.5	2L/2.5 - 3L/2.5	-	7.8mm	9.0mm	50	50
QSC342LSFW	LSF	342	White	4L/1.0	3L/1.5 - 4L/1.5	2L/2.5 - 3L/2.5	-	7.8mm	9.0mm	50	50
QSC382LSFB	LSF	382	Black	-	-	-	2L/4.0	9.1mm	9.7mm	50	50
QSC382LSFR	LSF	382	Red	-	-	-	2L/4.0	9.1mm	9.7mm	50	50
QSC382LSFW	LSF	382	White	-	-	-	2L/4.0	9.1mm	9.7mm	50	50

QPC28LSFB	LSF	28	Black	3L/1.0	2L/1.5	-	-	7.0mm	7.4mm	50	50
QPC28LSFR	LSF	28	Red	3L/1.0	2L/1.5	-	-	7.0mm	7.4mm	50	50
QPC28LSFW	LSF	28	White	3L/1.0	2L/1.5	-	-	7.0mm	7.4mm	50	50
QPC30LSFB	LSF	30	Black	4L/1.0	3L/1.5	-	-	7.5mm	7.9mm	50	50
QPC30LSFR	LSF	30	Red	4L/1.0	3L/1.5	-	-	7.5mm	7.9mm	50	50
QPC30LSFW	LSF	30	White	4L/1.0	3L/1.5	-	-	7.5mm	7.9mm	50	50
QPC32LSFB	LSF	32	Black	-	-	2L/2.5	-	8.0mm	8.4mm	50	50
QPC32LSFR	LSF	32	Red	-	-	2L/2.5	-	8.0mm	8.4mm	50	50
QPC32LSFW	LSF	32	White	-	-	2L/2.5	-	8.0mm	8.4mm	50	50
QPC34LSFB	LSF	34	Black	-	4L/1.5	3L/2.5	-	8.5mm	9.0mm	50	50
QPC34LSFR	LSF	34	Red	-	4L/1.5	3L/2.5	-	8.5mm	9.0mm	50	50
QPC34LSFW	LSF	34	White	-	4L/1.5	3L/2.5	-	8.5mm	9.0mm	50	50
QPC37LSFB	LSF	37	Black	-	-	4L/2.5	2L/4.0	9.1mm	10.0mm	50	50
QPC37LSFR	LSF	37	Red	-	-	4L/2.5	2L/4.0	9.1mm	10.0mm	50	50
QPC37LSFW	LSF	37	White	-	-	4L/2.5	2L/4.0	9.1mm	10.0mm	50	50

All-Round Banding

- Protective LSF coating to prevent cable damage
- Highly versatile multi-purpose fixing band
- Pre-punched steel banding ideal for fixing and general construction
- Easy to cut and bend



Part Number	Description	Colour	Inner Hole Diameter	Banding Width	Pack Qty
QARB12B	Black All-Round Banding 12mm x 10M	Black	5mm	12mm	1
QARB12G	Galvanised All-Round Banding 12mm x 10M	Galvanised	5mm	12mm	1
QARB12R	Red All-Round Banding 12mm x 10M	Red	5mm	12mm	1
QARB12W	White All-Round Banding 12mm x 10M	White	5mm	12mm	1
QARB17B	Black All-Round Banding 17mm x 10M	Black	7mm	17mm	1
QARB17G	Galvanised All-Round Banding 17mm x 10M	Galvanised	7mm	17mm	1

Fire Resistant Acrylic Sealant



Part Number	Description	Pack Qty
ZFPACR310W	Fire Resistant Acrylic Sealant - 310ml	1

Fire Resistant Acrylic Sealant for indoor use only.

Fire Retardant Silicone Sealant



Part Number	Description	Pack Qty
ZFPSIL310W	Fire Retardant Silicone Sealant - 310ml	1

Fire Resistant Acrylic Sealant for outdoor use only.

Fire Retardant Expanding Foam



Part Number	Description	Pack Qty
SXFLAMEFF700HAND	Fire Retardant Hand Held Expanding Foam	1

Trade Tubs



Part Number	Description	Pack Qty
QTT2U	Trade Tub - 400 x Red Plastic Wall Plugs & 400 x 8 x 1.5" Countersunk Screws	1
QTT3	Trade Tub - 200 x Cavity/Plasterboard Metal Self Drive Plugs & 8 x 1.5" Panhead Screws	1
QTT4	Trade Tub - T&E Cable Clips Tub - 400 x 1.0mm ² & 400 x 2.5mm ²	1
QTT5	Trade Tub - 400 x Brown Plastic Wall Plugs & 400 x 10 x 2" Countersunk Screws	1

Wall Plugs



Part Number	Description	Drill Size	Screw Diameter	Max Fixture Thickness	Pack Qty
QWPR001	Red Wall Plugs (Box Loose)	5.5mm - 6mm	3.5mm - 5mm	5mm	100
QWPB001	Brown Wall Plugs (Box Loose)	7mm	5mm - 6mm	5mm	100
CC-04187	Plasterboard Plugs (Sprue Pack)	7mm	4mm	5mm	100

Wall Plugs - For securing light wall units, shelving, brackets and kitchen fittings. Suitable for solid brickwork, masonry or concrete.
Plasterboard Plugs - For installing ducting, light switches and light weight objects. Suitable for plasterboard, cavity walls and ceilings.

Frame Fixings



Part Number	Description	Length	Diameter	Drill Size	Drill Depth With Frame	Max Fixture Thickness	Pack Qty
CC-04111	Frame Fixings 8 x 80mm	80mm	8mm	8mm	95mm	35mm	16
CC-04112	Frame Fixings 8 x 100mm	100mm	8mm	8mm	115mm	50mm	16
CC-04113	Frame Fixings 8 x 120mm	120mm	8mm	8mm	135mm	70mm	16

Fast easy fixing of timber or metal door & window frames. Suitable for solid brickwork or blockwork.

Hammer Fixings



Part Number	Description	Length	Diameter	Drill Size	Drill Depth With Fixture	Max Fixture Thickness	Pack Qty
CC-04117	Hammer In Fixings 6 x 40mm	40mm	6mm	6mm	40mm	15mm	16
CC-04118	Hammer In Fixings 6 x 60mm	60mm	6mm	6mm	60mm	30mm	16
CC-04119	Hammer In Fixings 6 x 70mm	70mm	6mm	6mm	70mm	40mm	16
CC-04120	Hammer In Fixings 8 x 80mm	80mm	8mm	8mm	80mm	35mm	16
CC-04121	Hammer In Fixings 8 x 100mm	100mm	8mm	8mm	100mm	55mm	16
CC-04122	Hammer In Fixings 8 x 120mm	120mm	8mm	8mm	120mm	75mm	16

Fast easy fixing of battens, conduits, skirting boards & shelves. Suitable for solid brickwork, masonry or concrete.

Anchor Bolts



Part Number	Description	Length	Thread	Drill Size	Drill Depth With Fixture	Max Fixture Thickness	Pack Qty
Q-04129	Anchors Bolts M6 x 60mm	60mm	M6	12mm	60mm	10mm	4
Q-04132	Anchors Bolts M8 x 65mm	65mm	M8	14mm	65mm	10mm	4
Q-04133	Anchors Bolts M8 x 80mm	80mm	M8	14mm	80mm	25mm	4
Q-04134	Anchors Bolts M8 x 95mm	95mm	M8	14mm	95mm	40mm	4
Q-04135	Anchors Bolts M10 x 75mm	75mm	M10	16mm	75mm	10mm	4
CC-04139	Anchor Bolts M10 x 80mm	80mm	M10	16mm	80mm	20mm	4
CC-04136	Anchors Bolts M10 x 90mm	90mm	M10	16mm	90mm	25mm	4
CC-04137	Anchors Bolts M10 x 105mm	105mm	M10	16mm	105mm	40mm	4
CC-04138	Anchors Bolts M10 x 125mm	125mm	M10	16mm	125mm	60mm	4

For installing garage doors, gate posts, steelwork and heavy equipment. Suitable for brickwork, masonry or concrete.

Projecting Anchor Bolts



Part Number	Description	Length	Thread	Drill Size	Minimum Drill Depth	Max Fixture Thickness	Pack Qty
CC-04141	Projecting Anchors Bolts M6 x 115mm	115mm	M6	10mm	55mm	60mm	4
Q-04145	Projecting Anchors Bolts M8 x 125mm	125mm	M8	14mm	70mm	60mm	4
CC-04146	Projecting Anchors Bolts M10 x 135mm	135mm	M10	16mm	80mm	60mm	4
CC-04147	Projecting Anchors Bolts M10 x 155mm	155mm	M10	16mm	80mm	80mm	4
CC-04148	Projecting Anchors Bolts M10 x 175mm	175mm	M10	16mm	80mm	100mm	4

For installing radiator brackets, ducting, trunking, partitions & overhead objects. Suitable for use with solid brickwork, masonry or concrete.

Hollow Wall Anchors



Part Number	Description	Length	Thread	Drill Size	Max Fixture Thickness	Pack Qty
CC-04200	Small Hollow Wall Anchors M4	50mm	M4	8mm	16mm	10
CC-04202	Medium Hollow Wall Anchors M5	45mm	M5	9mm	12mm	10
Q-04204	Large Hollow Wall Anchors M6	45mm	M6	10mm	17mm	10

Small & Medium Anchor - For installing shelving, hooks and bathroom accessories. Suitable for plasterboard, cavity walls and ceilings.
Large Anchor - For installing kitchen cabinets, radiator, brackets and bathroom accessories. Suitable for plasterboard, cavity walls and ceilings.

Wedge Anchor



Part Number	Description	Length	Thread	Drill Size	Drill Depth with Frame	Outer Diameter	Pack Qty
QWA6-25	Wedge Anchors M6 x 25mm	25mm	M6	8.5mm	25mm	8mm	100
QWA8-30	Wedge Anchors M8 x 30mm	30mm	M8	10.5mm	30mm	10mm	100
QWA10-40	Wedge Anchors M10 x 40mm	40mm	M10	12.5mm	40mm	12mm	50

EyeBolts



Part Number	Description	Length	Thread Size	Drill Size	Minimum Drill Depth	Pack Qty
Q-04149	EyeBolts M6	78mm	M6	12mm	78mm	2
CC-04150	EyeBolts M8	93mm	M8	14mm	93mm	2

For installing cables, ladder restraints and chains or heavy objects from ceilings or walls. Suitable for solid brickwork, masonry or concrete.

Hook Bolt



Part Number	Description	Length	Thread Size	Drill Size	Minimum Drill Depth	Pack Qty
CC-04152	Hook Bolts M8	95mm	M8	14mm	70mm	2

For installing cables, ladder restraints and chains or heavy objects from ceilings or walls. Suitable for solid brickwork, masonry or concrete.

Roofing Bolts



Part Number	Description	Length	Thread Size	Pack Qty
QRB6-12	Roofing Bolts M6 x 12mm	12mm	M6	100
QRB6-16	Roofing Bolts M6 x 16mm	16mm	M6	100
QRB6-20	Roofing Bolts M6 x 20mm	20mm	M6	100
QRB6-25	Roofing Bolts M6 x 25mm	25mm	M6	100
QRB6-30	Roofing Bolts M6 x 30mm	30mm	M6	100
QRB6-40	Roofing Bolts M6 x 40mm	40mm	M6	100
QRB6-50	Roofing Bolts M6 x 50 mm	50mm	M6	100

Nuts Supplied

Spring Toggles



Part Number	Description	Length	Thread Size	Drill Size	Max Fixture Thickness	Pack Qty
Q-04205	Spring Toggles M5 x 50mm	50mm	M5	14mm	15mm	5
Q-04208	Spring Toggles M5 x 80mm	80mm	M5	14mm	45mm	10

For installing light fittings and other overhead items to cavity walls or low structural strength ceilings. Suitable for ceilings and cavity walls.

Toggle Fixings



Part Number	Description	Length	Thread Size	Drill Size	Plasterboard Thickness	Max Fixture Thickness	Pack Qty
CC-04189	Short Toggle Fixings + Screws	35mm	6	8mm	6mm	10mm	5

For light switches, electrical sockets, shelves, hooks and brackets. Suitable for plasterboard, cavity walls or ceilings.

Self Drive Plug & Screws



Part Number	Description	Length	Diameter	Max Fixture Thickness	Pack Qty
QCVFIX	Metal Self Drive Plugs + 8 x 35mm Panhead Screws	28mm	13mm	10mm	100

Metal Self Drive - For shelving, bathroom sanitary ware, hooks and brackets. Suitable for plasterboard, cavity walls and ceilings.

CC-04197	Nylon Self Drive Plugs + 8 x 28mm Panhead Screws	32mm	15mm	10mm	12
----------	--	------	------	------	----

Nylon Self Drive - For light switches, electrical sockets, hooks and brackets. Suitable for plasterboard, cavity walls and ceilings.

Self Drive Screws



Part Number	Description	Length	Diameter	Max Fixture Thickness	Pack Qty
QWHC42-13	Self Drive Screws 4.2 x 13mm	13mm	10mm	8mm	100
QWHC48-16	Self Drive Screws 4.8 x 16mm	16mm	10mm	9mm	100
QWHC55-20	Self Drive Screws 5.5 x 20mm	20mm	10mm	13mm	100

Squarelock Woodscrews



Part Number	Description	Head Dia.	Thread Dia.	Pack Qty
QSL8-075	Squarelock Woodscrew 8 x 075"	8mm	4.2mm	200
QSL8-1	Squarelock Woodscrew 8 x 1"	8mm	4.2mm	200
QSL8-125	Squarelock Woodscrew 8 x 1 1/4"	8mm	4.2mm	200
QSL8-15	Squarelock Woodscrew 8 x 1 1/2"	8mm	4.2mm	200
QSL8-175	Squarelock Woodscrew 8 x 1 3/4"	8mm	4.2mm	200
QSL8-2	Squarelock Woodscrew 8 x 2"	8mm	4.2mm	200
QSL8-225	Squarelock Woodscrew 8 x 2 1/4"	8mm	4.2mm	200
QSL8-25	Squarelock Woodscrew 8 x 2 1/2"	8mm	4.2mm	200
QSL8-3	Squarelock Woodscrew 8 x 3"	8mm	4.2mm	100
QSL10-1	Squarelock Woodscrew 10 x 1"	10mm	4.6mm	200
QSL10-125	Squarelock Woodscrew 10 x 1 1/4"	10mm	4.6mm	200
QSL10-15	Squarelock Woodscrew 10 x 1 1/2"	10mm	4.6mm	200
QSL10-175	Squarelock Woodscrew 10 x 1 3/4"	10mm	4.6mm	200
QSL10-2	Squarelock Woodscrew 10 x 2"	10mm	4.6mm	200
QSL10-25	Squarelock Woodscrew 10 x 2 1/2"	10mm	4.6mm	100
QSL10-3	Squarelock Woodscrew 10 x 3"	10mm	4.6mm	100

Squarelock Woodscrews Bit



Part Number	Description	Pack Qty
QSL8-BIT	Squarelock Woodscrew Bit SQ2	1

Counter Sunk Machine Screws



Part Number	Description	Length	Thread Size	Pack Qty
QRCSM35x25	Raised Countersunk Machine Screws M3.5 x 25mm	25mm	M3.5	100
QRCSM35x35	Raised Countersunk Machine Screws M3.5 x 35mm	35mm	M3.5	100
QRCSM35x40	Raised Countersunk Machine Screws M3.5 x 40mm	40mm	M3.5	100
QRCSM35x50	Raised Countersunk Machine Screws M3.5 x 50mm	50mm	M3.5	100
QRCSM35x75	Raised Countersunk Machine Screws M3.5 x 75mm	75mm	M3.5	100

All Raised Countersunk Machine screws are Zinc plated.

Panhead Screws



Part Number	Description	Length	Thread Size	Pack Qty
QMS4x6	Panhead Machine Screws M4 x 6mm	6mm	M4	100
QMS4x8	Panhead Machine Screws M4 x 8mm	8mm	M4	100
QMS4x10	Panhead Machine Screws M4 x 10mm	10mm	M4	100
QMS4x12	Panhead Machine Screws M4 x 12mm	12mm	M4	100
QMS4x16	Panhead Machine Screws M4 x 16mm	16mm	M4	100
QMS4x20	Panhead Machine Screws M4 x 20mm	20mm	M4	100
QMS4x25	Panhead Machine Screws M4 x 25mm	25mm	M4	100
QMS4x30	Panhead Machine Screws M4 x 30mm	30mm	M4	100
QMS4x35	Panhead Machine Screws M4 x 35mm	35mm	M4	100
QMS4x40	Panhead Machine Screws M4 x 40mm	40mm	M4	100
QMS4x50	Panhead Machine Screws M4 x 50mm	50mm	M4	100

All Panhead Machine screws are Zinc plated.

Brass Panhead Screws



Part Number	Description	Length	Thread Size	Pack Qty
QMS4-6B	Brass Panhead Machine Screws M4 x 6mm	6mm	M4	100
QMS4-8B	Brass Panhead Machine Screws M4 x 8mm	8mm	M4	100
QMS4-10B	Brass Panhead Machine Screws M4 x 10mm	10mm	M4	100
QMS4-12B	Brass Panhead Machine Screws M4 x 12mm	12mm	M4	100
QMS4-16B	Brass Panhead Machine Screws M4 x 16mm	16mm	M4	100
QMS4-20B	Brass Panhead Machine Screws M4 x 20mm	20mm	M4	100
QMS4-25B	Brass Panhead Machine Screws M4 x 25mm	25mm	M4	100
QMS4-30B	Brass Panhead Machine Screws M4 x 30mm	30mm	M4	100
QMS4-35B	Brass Panhead Machine Screws M4 x 35mm	35mm	M4	100
QMS4-40B	Brass Panhead Machine Screws M4 x 40mm	40mm	M4	100
QMS4-50B	Brass Panhead Machine Screws M4 x 50mm	50mm	M4	100

Twin Thread Screw



Part Number	Description	Length	Head Dia.	Thread Dia.	Pack Qty
QWS8-075	Twin Thread Countersunk Pozi BZP 8 x 0.75"	0.75" (19mm)	8mm	4.2mm	200
QWS8-1	Twin Thread Countersunk Pozi BZP 8 x 1"	1" (25.4mm)	8mm	4.2mm	200
QWS8-125	Twin Thread Countersunk Pozi BZP 8 x 1.25"	1.25" (31.7mm)	8mm	4.2mm	200
QWS8-15	Twin Thread Countersunk Pozi BZP 8 x 1.5"	1.5" (38 mm)	8mm	4.2mm	200
QWS8-175	Twin Thread Countersunk Pozi BZP 8 x 1.75"	1.75" (44.4mm)	8mm	4.2mm	200
QWS8-20	Twin Thread Countersunk Pozi BZP 8 x 2"	2" (50.8mm)	8mm	4.2mm	200
QWS8-225	Twin Thread Countersunk Pozi BZP 8 x 2.25"	2.25" (57mm)	8mm	4.2mm	200
QWS8-25	Twin Thread Countersunk Pozi BZP 8 x 2.5"	2.5" (63.5mm)	8mm	4.2mm	200
QWS8-30	Twin Thread Countersunk Pozi BZP 8 x 3"	3" (76.2mm)	8mm	4.2mm	100
QWS10-10	Twin Thread Countersunk Pozi BZP 10 x 1"	1" (25.4mm)	10mm	4.6mm	200
QWS10-125	Twin Thread Countersunk Pozi BZP 10 x 1.25"	1.25" (31.7mm)	10mm	4.6mm	200
QWS10-15	Twin Thread Countersunk Pozi BZP 10 x 1.5"	1.5" (38 mm)	10mm	4.6mm	200
QWS10-175	Twin Thread Countersunk Pozi BZP 10 x 1.75"	1.75" (44.4mm)	10mm	4.6mm	200
QWS10-20	Twin Thread Countersunk Pozi BZP 10 x 2"	2" (50.8mm)	10mm	4.6mm	200
QWS10-25	Twin Thread Countersunk Pozi BZP 10 x 2.5"	2.5" (63.5mm)	10mm	4.6mm	100
QWS10-3	Twin Thread Countersunk Pozi BZP 10 x 3"	3" (76.2mm)	10mm	4.6mm	100
QWS10-4	Twin Thread Countersunk Pozi BZP 10 x 4"	4" (101.6mm)	10mm	4.6mm	100

Extension Stud



Part Number	Description	Length	Thread Size	Pack Qty
QEXT	Extension Studs M3.5 x 20mm	35mm	M3.5	100

Hexagon Head Screw Set



Part Number	Description	Length	Thread Size	Pack Qty
QHH6-25BZP	Hexagon Head BZP Screw Sets M6 x 25mm	25mm	M6	100
QHH8-25BZP	Hexagon Head BZP Screw Sets M8 x 25mm	25mm	M8	100
QHH10-25BZP	Hexagon Head BZP Screw Sets M10 x 25mm	25mm	M10	100

Capping Nail



Part Number	Description	Nail	Washer	Pack Qty
QCAPN	Capping Nails 5 x 25mm	M8 x 1mm Thickness	5mm Dia. X 25mm Length	100
QCAPN30	Capping Nails 5 x 30mm	M8 x 1mm Thickness	5mm Dia. X 30mm Length	100
QCAPN35	Capping Nails 5 x 35mm	M8 x 1mm Thickness	5mm Dia. X 35mm Length	100

Nuts / Washers



Part Number	Description	Thread Size	Pack Qty
QBFSM4	Brass M4 Full Nuts	M4	100
QBWM4	Brass M4 Washers	M4	100
QHN6	Hexagon Nuts M6	M6	100
QHN8	Hexagon Nuts M8	M8	100
QHN10	Hexagon Nuts M10	M10	100
QF6BZP	Flat BZP Washers M6	M6	10
QF8BZP	Flat BZP Washers M8	M8	10
QF10BZP	Flat BZP Washers M10	M10	10

Mudguard Washers



Part Number	Description	Thread Size	Pack Qty
QMG6-25	Mudguard Washers M6 x 25mm	M6	100
QMG8-25	Mudguard Washers M8 x 25mm	M8	100
QMG10-25	Mudguard Washers M10 x 25mm	M10	100



THE NO.1 SEALANT & ADHESIVE

The original multi-surface construction sealant & adhesive from Unicrimp®



ONE TUBE DOES EVERYTHING!

User-friendly, hybrid polymer formulation for the ultimate in bonding and sealing. An alternative to mastics, wood and PU adhesives, silicones, acrylics and butyl rubber sealants.

Contains no solvents so will never crack or shrink. Can be applied on wet surfaces, painted or moulded. Very high bond strength with resistance to fungal and bacterial growth.



FROM UNICRIMP®

OB1 Sealant & Adhesive



Part Number	Description	Pack Qty
OB1SCS290W	OB1 Multi-Surface Construction Sealant & Adhesive - White 290ml Cartridge	1
OB1SCS290C	OB1 Multi-Surface Construction Sealant & Adhesive - Clear 290ml Cartridge	1
OB1SCS290BL	OB1 Multi-Surface Construction Sealant & Adhesive - Black 290ml Cartridge	1
OB1SCS290A	OB1 Multi-Surface Construction Sealant & Adhesive - Anthracite 290ml Cartridge	1
OB1SCS290G	OB1 Multi-Surface Construction Sealant & Adhesive - Grey 290ml Cartridge	1
OB1SCS290S	OB1 Multi-Surface Construction Sealant & Adhesive - Silver 290ml Cartridge	1
OB1SCS290B	OB1 Multi-Surface Construction Sealant & Adhesive - Brown 290ml Cartridge	1
OB1SCS290T	OB1 Multi-Surface Construction Sealant & Adhesive - Terracotta 290ml Cartridge	1
OB1SCS290BE	OB1 Multi-Surface Construction Sealant & Adhesive - Beige 290ml Cartridge	1

OB1 Multi Surface Cleaner



Part Number	Description	Pack Qty
OB1MPSC500	OB1 Multi Surface Cleaner 500ml Aerosol	1

OB1 Paint & Varnish Remover



Part Number	Description	Pack Qty
OB1MSPR500	OB1 Multi-Layer Paint & Varnish Remover 500ml Aerosol	1

Acrylic Caulk

Part Number	Description	Pack Qty
SCONTDC300W	Acrylic Decorators Caulk - White (C3) 300ml Cartridge	1

Seal & Fix

Part Number	Description	Pack Qty
SXMSP290BL	SX Mighty Strength Seal & Fix - Black 290ml Cartridge	1
SXMSP290B	SX Mighty Strength Seal & Fix - Brown 290ml Cartridge	1
SXMSP290W	SX Mighty Strength Seal & Fix - White 290ml Cartridge	1

Silicone Adhesives

Part Number	Description	Pack Qty
SCONTHMA300C	General Purpose Silicone Adhesives Contractors - Clear 300ml Cartridge	1
SCONTHMA300W	General Purpose Silicone Adhesives Contractors - White 300ml Cartridge	1

Bonding Adhesives

Part Number	Description	Pack Qty
EG310	Solvent Based Bonding Adhesive 300ml Cartridge	1
SXMSP290C	SX Mighty Strength Clear Bond 290ml Cartridge	1

Grip & Grab Adhesives

Part Number	Description	Pack Qty
SXMSGGA290W	SX Mighty Strength Grip & Grab Adhesive 290ml	1



Expanding Foam

Part Number	Description	Pack Qty
SXFF500	Hand Held Expanding Foam Can 500ml	1



Plaster Fillers

Part Number	Description	Pack Qty
SXPF310W	Instant Plaster Filler Light Weight C3 Tube 310ml Cartridge	1
ZPBF1L	ZWALUW Instant Plaster Filler - White 1 litre Tub	1



Superglue

Part Number	Description	Pack Qty
SXSG50	SX Trade Strength Superglue 50g	1



Display Stand

Part Number	Description	Pack Qty
STANDSAS	Adhesive Cartridge Display Stand (Empty)	1
STANDSASPROFILE	Adhesive Cartridge Display Stand (With Profile Of 108 Cartridges)	1
STANDSASPROFILE2	Adhesive Cartridge Display Stand (With Profile Of 108 Cartridges)	1



Adhesive Accessories

Part Number	Description	Pack Qty
GUNSG400	Professional Application Gun	1
EVOSTIK	Evostik Gripfilth Wipes 100 Sheets	1



3/8" Earth Rod

Part Number	Description	Pack Qty
QEP3812	3/8" Earth Rod - 1200mm	1

The 3/8 range are available in single lengths only and cannot be coupled.



3/8" Earth Rod Accessories

Part Number	Description	Pack Qty
QEP38CC	3/8" Rod To Cable Clamp (G Type)	1
QEP38CL	3/8" Rod To Split Connector Clamp	1



5/8" Earth Rod

Part Number	Description	Pack Qty
QEP5812T	5/8" Threaded Earth Rod - 1200mm	1

The 5/8 range includes couplers to join rods together



5/8" Earth Rod Accessories

Part Number	Description	Pack Qty
QEP58CC	5/8" Rod to Cable Clamp (G Type)	1
QEP58CL	5/8" Rod To Threaded Split Connector Clamp	1
QEP58TC	5/8" Threaded Coupler	1
QEP58TDS	5/8" Threaded Driving Stud	1



Inspection Pits


Part Number	Description	Pack Qty
QEPIPON	Concrete Inspection Pit	1
QEPIPPLA	Polymer Inspection Pit	1



Earth Bonding Clamps

Part Number	Description	Pack Qty
QEC14	Earth Bonding Clamps EC14 Dry Conditions	20
QEC15	Earth Bonding Clamps EC15 Wet Conditions	20

Tested and approved to BS951



Torque Screwdriver Set

Part Number	Description	Pack Qty
QTOURQ	Torque Driver Set - Contains: Screwdriver Handle, 1.7Nm & 2.3Nm Torques, Flat & Phillips Heads	1



Contractor Pack

Part Number	Description	Pack Qty
QTAG4	Contractor Lock Off Kit	1



Basic Pack

Part Number	Description	Pack Qty
QTAG5	Basic Lock Off Kit	1





Sales Office

Based alongside our distribution facility this busy sales office provides a central point of contact for all customer service requirements. The professionalism skills and knowledge of our internal sales team enables us to provide the high standard of service that we know our customers expect. Our on-line ordering facility is also managed within this office.



In-House Studio

All marketing support including product literature and point of sale material is designed by our dedicated in-house design studio. This facility enables us to offer bespoke marketing support to our customers.

“At Unicrimp® the whole business is focused on the customer. We aim to provide market leading levels of service and customer support.

Our forward thinking and investment for the future together with our dedicated employees enable a dynamic working environment that provides the platform for continued growth.”

- Mike Jackson
Sales Director


Product Development

Unicrimp® products are designed with our customer/the installer very much in mind. Our purpose built facilities and dedicated product development team, based in the UK allows us the flexibility to design and develop these products based on customer feedback and market research, ensuring we are producing a relevant, reliable and quality range of products.



Distributor Network

Unicrimp® distributes exclusively through the electrical wholesale trade. These include Independent Wholesalers, National Wholesale Groups and Buying Consortiums making the products readily available throughout the UK.



Warehouse / Service

Our centrally located 150,000sq ft Warehouse and Distribution Centre allow us to deliver our products on time every time.

Stock

We understand the importance of stock availability and are committed to having 100% stock availability at our central distribution centre at any given time.



UNICRIMP® Website

The refreshed site provides customers with access to detailed product information for the company's extensive Q-Crimp® branded range of cable management consumables, which includes cable ties, crimp terminals, PVC tape, copper tube terminals, cable clips and nylon cable glands.

With regular updates on new products and details of developments within our business, the site is a great source of information.



Online Ordering

The site now incorporates a number of improved features that allow users to access new information directly and easily:

- Ordering 24 hours a day 7 days a week with the ability to check current stock levels as required, meaning you are not restricted to ordering during normal office hours.
- Access to on-line catalogues will keep you fully updated with the complete product range and provide information on new products as and when they become available.
- The order tracking service keeps you up to date with the progress of your shipment.
- Managing your administration paperwork is now even easier with instant access to reports and essential documents at a click of a button.
- A 'quick buy tab' and the ability to store the most common orders for repeated use, adds to the versatility and flexibility of the revised system.

The Full Q-Crimp® Range

The full product range can be found online with specific information about each product and access to the latest Unicrimp® catalogue.



To Register: E-mail us at sales@unicrimp.com or call our Sales Office on **01827 300 620** and one of our Sales Representatives will be more than happy to get you on-line.


Scolmore® Group App

The Scolmore® Group app allows you to use your smart phone to browse our complete range of products, add products to your Favourites or to the Quote Basket and allows you to email the contents of the basket back to yourself.

With Scolmore®, OVIA® Lighting, ESP® & UNICRIMP® products available you can use the search facility to easily locate the products required.


Our App also has a useful tool kit featuring:

Quick Quote Calculator, Zs Values, Cables Selection & Voltage Drop, Adiabatic Equation Calculator, Power Factor Calculator, KVA Converter, Lighting Cost Saving Calculator, Lighting No. Calculator and many more...



Marketing Hub

The Marketing Hub gives customers the opportunity to enhance their own marketing facilities with very little effort or cost. A selection of templates are available featuring many of our popular products. These templates can be customised with our stockists' details to provide maximum impact and optimise local sales opportunities.



Print Ready Leaflets & More!

Promotional leaflets are available to download for UNICRIMP®. They all have editable sections so you can add your companies details. Also download all of our product images, all saved by product code and at a perfect resolution for your website.

unicrimp.com/product-images

PRODUCT CODE		PRODUCT CODE		PRODUCT CODE		PRODUCT CODE	
1920B	25	EVOSTIK	44	QB70	12	QBW20S	22
1920BL	25	GUNSG400	44	QB95	12	QBW20S-LSF	22
1920BR	25	OB1MPSC500	42	QBAB4F	8	QBW25	22
1920GR	25	OB1MSPR500	42	QBAB4M	8	QBW25-LSF	22
1920GY	25	OB1SCS290A	42	QBAB5F	8	QBW32	22
1920MX01	25	OB1SCS290B	42	QBAB5M	8	QBW32-LSF	22
1920MX02	25	OB1SCS290BE	42	QBB	8	QBW40	22
1920R	25	OB1SCS290BL	42	QBBL18	8	QBW40-LSF	22
1920W	25	OB1SCS290C	42	QBBL9	8	QBW50	22
1920Y	25	OB1SCS290G	42	QBF3	8	QBW50-LSF	22
1920YG	25	OB1SCS290S	42	QBF3N	8	QBW50S	22
1933B	25	OB1SCS290T	42	QBF4N	8	QBW63	22
1933BL	25	OB1SCS290W	42	QBF5	8	QBW63-LSF	22
1933BR	25	Q-04129	34	QBF6	8	QBW63S	22
1933GR	25	Q-04132	34	QBFNM4	40	QBWM4	40
1933GY	25	Q-04133	34	QBFPO48F5	8	QC10	26
1933R	25	Q-04134	34	QBFPO48F8	8	QC11	26
1933W	25	Q-04135	34	QBFPO63F	8	QC12	26
1933Y	25	Q-04145	34	QBFR05	10	QC14	26
1933YG	25	Q-04149	35	QBFR075	10	QC16	26
CC-04111	33	Q-04204	34	QBFR1	10	QC18	26
CC-04112	33	Q-04205	36	QBFR10	10	QC20	26
CC-04113	33	Q-04208	36	QBFR15	10	QC3	26
CC-04117	33	QAE1W20	21	QBFR25	10	QC4	26
CC-04118	33	QAE1W20S	21	QBFR4	10	QC5	26
CC-04119	33	QAE1W25	21	QBFR6	10	QC6	26
CC-04120	33	QAE1W32	21	QBP12	8	QC7	26
CC-04121	33	QARB12B	32	QBPO48F5	8	QC8	26
CC-04122	33	QARB12G	32	QBPO48F8	8	QC9	26
CC-04136	34	QARB12R	32	QBPO48M5	8	QCAPN	40
CC-04137	34	QARB12W	32	QBPO48M8	8	QCAPN30	40
CC-04138	34	QARB17B	32	QBPO63F	8	QCAPN35	40
CC-04139	34	QARB17G	32	QBPO63M	8	QCGM12BLK	24
CC-04141	34	QB1-5	12	QBPO85F	8	QCGM12GRY	24
CC-04146	34	QB10	12	QBPOA63	8	QCGM12RED	24
CC-04147	34	QB120	12	QBR10	8	QCGM16BLK	24
CC-04148	34	QB150	12	QBR12	8	QCGM16GRY	24
CC-04150	35	QB16	12	QBR3	8	QCGM16RED	24
CC-04152	35	QB185	12	QBR37	8	QCGM16WHT	24
CC-04187	33	QB2-5	12	QBR4	8	QCGM20BLK	24
CC-04189	36	QB240	12	QBR5	8	QCGM20GRY	24
CC-04197	36	QB25	12	QBR6	8	QCGM20LBLK	24
CC-04200	34	QB35	12	QBR8	8	QCGM20LGRY	24
CC-04202	34	QB4-6	12	QBW20	22	QCGM20LRED	24
EG310	43	QB50	12	QBW20-LSF	22	QCGM20LWHT	24

PRODUCT CODE		PRODUCT CODE		PRODUCT CODE		PRODUCT CODE	
QCGM20RED	24	QCT150-10	12	QCW20S	23	QES4BL	18
QCGM20WHT	24	QCT150-12	12	QCW20S-LSF	23	QES4BR	18
QCGM25BLK	24	QCT150-14	12	QCW25	23	QES5	18
QCGM25GRY	24	QCT150-16	12	QCW25-LSF	23	QEXT	39
QCGM25RED	24	QCT150-20	12	QCW32	23	QF10BZP	40
QCGM25WHT	24	QCT150-8	12	QCW32-LSF	23	QF6BZP	40
QCGM32BLK	24	QCT16-10	11	QCW40	23	QF8BZP	40
QCGM32GRY	24	QCT16-12	11	QCW40-LSF	23	QFC1	27
QCGM32RED	24	QCT16-6	11	QCW50	23	QFC2	27
QCGM32WHT	24	QCT16-8	11	QCW50-LSF	23	QFC3	27
QCGM40BLK	24	QCT185-10	12	QCW50S	23	QFC4	27
QCGM40GRY	24	QCT185-12	12	QCW63	23	QFC5	27
QCGM40WHT	24	QCT185-14	12	QCW63-LSF	23	QFC6	27
QCGM50BLK	24	QCT185-16	12	QCW63S	23	QFC7	27
QCGM50GRY	24	QCT185-20	12	QCW75	23	QFGFC25	30
QCGM50WHT	24	QCT240-10	12	QCW75S	23	QFGFC40	30
QCGM63BLK	24	QCT240-12	12	QCXT20	20	QFGFC50	30
QCGM63GRY	24	QCT240-14	12	QCXT20S	20	QFWC1	27
QCGM63WHT	24	QCT240-16	12	QCXT25	20	QFWC4	27
QCT015-3	11	QCT25-10	11	QCXT32	20	QFWC5	27
QCT015-4	11	QCT25-12	11	QCXT40	20	QFWC6	27
QCT015-5	11	QCT25-5	11	QCXT50	20	QFWC7	27
QCT025-3	11	QCT25-6	11	QCXT63	20	QGROM20CLOSED	26
QCT025-4	11	QCT25-8	11	QDC1	27	QGROM20OPEN	26
QCT025-5	11	QCT35-10	11	QDC2	27	QGROM25CLOSED	26
QCT025-6	11	QCT35-12	11	QDT50X50	25	QGROM25OPEN	26
QCT04-10	11	QCT35-6	11	QEC14	46	QGROM20CLOSED	26
QCT04-6	11	QCT35-8	11	QEC15	46	QGROM20OPEN	26
QCT04-8	11	QCT50-10	11	QEP3812	45	QGROM25CLOSED	26
QCT06-10	11	QCT50-12	11	QEP38CC	45	QGROM25OPEN	26
QCT06-4	11	QCT50-6	11	QEP38CL	45	QHH10-25BZP	39
QCT06-5	11	QCT50-8	11	QEP5812T	45	QHH6-25BZP	39
QCT06-6	11	QCT70-10	12	QEP58CC	45	QHH8-25BZP	39
QCT06-8	11	QCT70-12	12	QEP58CL	45	QHN10	40
QCT10-10	11	QCT70-14	12	QEP58TC	45	QHN6	40
QCT10-12	11	QCT70-6	12	QEP58TDS	45	QHN8	40
QCT10-5	11	QCT70-8	12	QEPIPCON	45	QHS12MPKIT	18
QCT10-6	11	QCT95-10	12	QEPIPPLA	45	QHS19MPKIT	18
QCT10-8	11	QCT95-12	12	QES2	18	QHS6MPKIT	18
QCT120-10	12	QCT95-14	12	QES2BL	18	QHSB1	7
QCT120-12	12	QCT95-16	12	QES2BR	18	QHSB2	8
QCT120-14	12	QCT95-8	12	QES3	18	QHSB5	9
QCT120-16	12	QCVFIX	36	QES3BL	18	QJ12B	27
QCT120-20	12	QCW20	23	QES3BR	18	QJ12W	27
QCT120-8	12	QCW20-LSF	23	QES4	18	QL2322	28

PRODUCT CODE		PRODUCT CODE		PRODUCT CODE		PRODUCT CODE	
QL3322	28	QPC28LSFW	31	QRC9	27	QSL5-BIT	37
QL5322	28	QPC30LSFB	31	QRCSM35X25	37	QSL5-10-1	37
QMA48-40	30	QPC30LSFR	31	QRCSM35X35	37	QSL5-10-125	37
QMC25	30	QPC30LSFW	31	QRCSM35X40	37	QSL5-10-15	37
QMC25GY	30	QPC32LSFB	31	QRCSM35X50	37	QSL5-10-175	37
QMC6	30	QPC32LSFR	31	QRCSM35X75	37	QSL5-10-2	37
QMC6GY	30	QPC32LSFW	31	QRF3	7	QSL5-10-25	37
QMCTBL150I	14	QPC34LSFB	31	QRF3N	7	QSL5-10-3	37
QMCTBL200S	14	QPC34LSFR	31	QRF4N	7	QSL8-075	37
QMCTBL280S	14	QPC34LSFW	31	QRF5	7	QSL8-1	37
QMCTBL385S	14	QPC37LSFB	31	QRF6	7	QSL8-125	37
QMG10-25	40	QPC37LSFR	31	QRFPO28F5	7	QSL8-15	37
QMG6-25	40	QPC37LSFW	31	QRFPO28F8	7	QSL8-175	37
QMG8-25	40	QRAB4F	7	QRFPO48F5	7	QSL8-2	37
QMM9	18	QRAB4M	7	QRFPO48F8	7	QSL8-225	37
QMS4-10B	38	QRB	7	QRFPO63F	7	QSL8-25	37
QMS4-12B	38	QRB6-12	35	QRP12	7	QSL8-3	37
QMS4-16B	38	QRB6-16	35	QRPO28F5	7	QSST150S	29
QMS4-20B	38	QRB6-20	35	QRPO28F8	7	QSST200S	29
QMS4-25B	38	QRB6-25	35	QRPO28M5	7	QSST300LH	29
QMS4-30B	38	QRB6-30	35	QRPO28M8	7	QSST300S	29
QMS4-35B	38	QRB6-40	35	QRPO48F5	7	QSST360LH	29
QMS4-40B	38	QRB6-50	35	QRPO48F8	7	QSST360S	29
QMS4-50B	38	QRBL10	7	QRPO48M5	7	QSST520LH	29
QMS4-6B	38	QRBL14	7	QRPO48M8	7	QSST520S	29
QMS4-8B	38	QRBL18	7	QRPO63F	7	QSST840LH	29
QMS4X10	38	QRC1	27	QRPO63M	7	QSSTM-4	30
QMS4X12	38	QRC10	27	QRPOA63	7	QSSTM-6	30
QMS4X16	38	QRC11	27	QRR10	7	QT100M	13
QMS4X20	38	QRC12	27	QRR12	7	QT1030XH	16
QMS4X25	38	QRC13	27	QRR3	7	QT120M	13
QMS4X30	38	QRC14	27	QRR37	7	QT120S	14
QMS4X35	38	QRC15	27	QRR4	7	QT150I	15
QMS4X40	38	QRC16	27	QRR5	7	QT150LH	15
QMS4X50	38	QRC17	27	QRR6	7	QT160S	14
QMS4X6	38	QRC18	27	QRR8	7	QT165M	13
QMS4X8	38	QRC1B	27	QSC302LSFB	31	QT190S	14
QP2242R2	28	QRC2	27	QSC302LSFR	31	QT200I	15
QP3242O2	28	QRC2B	27	QSC302LSFW	31	QT200LH	15
QP4242Y2	28	QRC3	27	QSC342LSFB	31	QT200M	13
QP5242B	28	QRC4	27	QSC342LSFR	31	QT200RE	16
QP6242P	28	QRC5	27	QSC342LSFW	31	QT200S	14
QP8242B	28	QRC6	27	QSC382LSFB	31	QT230XH	16
QPC28LSFB	31	QRC7	27	QSC382LSFR	31	QT250S	14
QPC28LSFR	31	QRC8	27	QSC382LSFW	31	QT280XH	16

PRODUCT CODE		PRODUCT CODE		PRODUCT CODE		PRODUCT CODE	
QT290I	15	QTB300S	14	QTS370S	14	QYFP063F	9
QT300LH	15	QTB370I	15	QTT2U	33	QYFP095F	9
QT300RE	16	QTB370LH	15	QTT3	33	QYP14	9
QT300S	14	QTB370RE	16	QTT4	33	QYPO63F	9
QT370I	15	QTB370S	14	QTT5	33	QYPO63M	9
QT370LH	15	QTB380XH	16	QTY100M	13	QYPO95F	9
QT370RE	16	QTB430S	14	QTY150I	15	QYPOA63	9
QT370S	14	QTB450H	16	QTY200S	14	QYR10	9
QT380XH	16	QTB480XH	16	QTY300S	14	QYR12	9
QT430S	14	QTB5	28	QTY370S	14	QYR4	9
QT450H	16	QTB550H	16	QUGT100X200	25	QYR5	9
QT480XH	16	QTB550XH	16	QWA10-40	35	QYR6	9
QT550H	16	QTB730XH	16	QWA6-25	35	QYR8	9
QT550XH	16	QTB760H	16	QWA8-30	35	SCONTDC300W	43
QT730XH	16	QTB80M	13	QWHC42-13	36	SCONTHMA300C	43
QT760H	16	QTB810H	16	QWHC48-16	36	SCONTHMA300W	43
QT80M	13	QTB880XH	16	QWHC55-20	36	STANDSAS	44
QT810H	16	QTB12	17	QWPB001	33	STANDSASPROFILE	44
QT880XH	16	QTB22	17	QWPR001	33	STANDSASPROFILE2	44
QTAG4	46	QTBC	17	QWS10-10	39	SXFF500	44
QTAG5	46	QTBE	17	QWS10-125	39	SXFLAMEFF700HAND	32
QTB100M	13	QTBL100M	13	QWS10-15	39	SXMSGGA290W	43
QTB1030XH	16	QTBL150I	15	QWS10-175	39	SXMSP290B	43
QTB12	17	QTBL200S	14	QWS10-20	39	SXMSP290BL	43
QTB120M	13	QTBL300S	14	QWS10-25	39	SXMSP290C	43
QTB120S	14	QTC	17	QWS10-3	39	SXMSP290W	43
QTB15	28	QTE	17	QWS10-4	39	SXPF310W	44
QTB150I	15	QTG100M	13	QWS8-075	39	SXSG50	44
QTB150LH	15	QTG150I	15	QWS8-1	39	ZFPACR310W	32
QTB160S	14	QTG200S	14	QWS8-125	39	ZFPSIL310W	32
QTB165M	13	QTG300S	14	QWS8-15	39	ZPBF1L	44
QTB190S	14	QTG370S	14	QWS8-175	39		
QTB200I	15	QTM11	17	QWS8-20	39		
QTB200LH	15	QTM17	17	QWS8-225	39		
QTB200M	13	QTM5	17	QWS8-25	39		
QTB200RE	16	QTM11	17	QWS8-30	39		
QTB200S	14	QTM17	17	QYAB5F	9		
QTB22	17	QTM5	17	QYAB5M	9		
QTB230XH	16	QTOURQ	46	QYB	9		
QTB250S	14	QTR100M	13	QYBL10	9		
QTB280XH	16	QTR150I	15	QYBL18	9		
QTB290I	15	QTR200S	14	QYF3N	9		
QTB30	28	QTR300S	14	QYF4N	9		
QTB300LH	15	QTR370S	14	QYF5	9		
QTB300RE	16	QTS300S	14	QYF6	9		

United Kingdom

UNICRIMP[®]

Scolmore House, Mariner
Lichfield Road Industrial Estate,
Tamworth, Staffordshire,
B79 7UL

T: +44 (0)1827 300 600
E: sales@unicrimp.com
www.unicrimp.com



Southern Ireland

CLICK[®] Litehouse

18 Corrig Road,
Sandyford Industrial Estate,
Dublin, D18 WW79, Ireland

T: +353 (1) 2811 122
E: sales@clicklitehouse.ie
www.clicklitehouse.ie



Dubai, UAE

Scolmore[®]
D U B A I

Lake Central Tower,
Office 1803, Business Bay,
Dubai, UAE

UAE Office: +971 4589 6552
E: sales@scolmoredubai.com
www.scolmoredubai.com

